MAT 8444 Final Project

Katherine M. Prioli May 10, 2019

Abstract

BACKGROUND text METHODS text RESULTS text CONCLUSION text

Background

THe objective of this study was to analyze US household debt service payments and personal savings as they relate to real per-capita disposable income over time.

Methods

The analytic dataset consisted of three time series (TS) variables (Table 1). All variables were obtained from the Federal Reserve Bank of St. Louis, all share a common year of valuation (\$US 2012), and all have already been seasonally adjusted.

Variable	Description	Reference
fred_disposable	Per-capita disposable income, adjusted for inflation in chained \$US 2012, seasonally adjusted	Federal Reserve Bank of
	seasonary adjusted	St. Louis
fred_debt	Household debt service payments as a percent of disposable personal income,	(2018c) Federal Reserve
	seasonally adjusted	Bank of St. Louis
		(2018a)
fred_savings	Personal saving as a percentage of disposable personal income, seasonally adjusted	Federal Reserve
		Bank of
		St. Louis (2018b)

The data were limited to a common time horizon (Q1 1980 through Q3 2018), yielding 155 observations for each TS.

Data Exploration

Each TS was separately explored via the forecast::autoplot() function, which yields plots for the raw time series along with its autocorrelation (ACF) and partial autocorrelation (PACF) functions. Classical decomposition was performed for each TS via decompose() to understand the seasonality, if any, of these time series. To understand how savings may be dependent on debt, the cross-correlation function (CCF) was computed and plotted for fred_savings vs. fred_debt.

$Modeling\ and\ Predictions$

To model the data, each TS was subset to a "training" dataset capped at Q3 2017, and was then passed into forecast::auto.arima(). The model suggested by auto,arima() was fit using forecast::Arima(), and model fit was assessed through analysis of residuals using forecast::checkresiduals(). Finally, forecast::forecast() was used to predict the next three values for each TS (i.e., Q1 2018 through Q3 2018) and these predictions were compared to the values found in the full datasets.

All analyses were performed in R (R v. 3.5.1, R Foundation for Statistical Computing, Vienna, Austria) using packages forecast (Hyndman et al. (2019)) and astsa (Stoffer (2019)) for specialized time series calculations and plots. All statistical tests were evaluated against a significance threshold of $\alpha = 0.05$.

Results

Text

Data Exploration

Figures 1-3 show the autoplot() output for the three time series. A generally increasing trend is seen in the plot of disposable income (Fig. 1). Because these data are adjusted for inflation to \$US 2012, this trend represents a true increase in disposable income, not inflation, and thus the time series is not stationary and will require differencing. The ACF plot shows a slow linear decline in $\hat{\rho}(h)$ with increasing h, suggesting nonstationarity. The graphs of debt payments and savings (Figs. 2 and 3 respectively) do not exhibit any simple trend, but do fluctuate over time, though without any apparent seasonality (which is expected, because the data are provided in seasonally adjusted form). Additionally, the ACF plots for both debt payments and savings are suggestive of nonstationarity due to their slow decline.

Figure 1. Real Disposable Personal Income Per Capita




Figure 2. Household Debt Service Payments as a Percent of Disposable Personal Income





Figure 3. Personal Savings as a Percent of Disposable Personal Income



Figures 4-6 show the results of differencing. After differencing, stationarity appears to be met for all three TS. ELABORATE FURTHER?

Figure 4. Real Disposable Personal Income Per Capita, Differenced Once





Figure 5. Household Debt Service Payments as a Percent of Disposable Personal Income, Differenced Once



Classical decomposition of each TS is shown in Figs. 7-9. For each TS, the seasonal component was small in magnitude when compared to the raw TS, with personal savings having the most pronounced seasonal component.

Figure 7. Disposable Personal Income, Decomposition




Figure 8. Debt Service Payments, Decomposition






Figure 9. Personal Savings, Decomposition



The cross-correlation function for savings vs. debt is shown in Fig. 10. For the raw data, several negative values are seen for the CCF at lags h = -1 through h = -18, indicating that decreasing household debt may be a good predictor for increasing savings at these lags. For the differenced data, there is a cross-correlation seen at lag h=-1; however, it is small in magnitude and thus differenced debt at h = -1 is not expected to be a good predictor of differenced savings.

Figure 10. Cross-Correlation Function





Modeling and Predictions

For disposable income, the model suggested by auto.arima() was ARIMA (1,1,0) with drift; checkresiduals() output for the fitted model is shown in Fig. 11. The Ljung-Box test (not shown in Fig. 11) yielded a p-value of 0.3746 over 8 lags, indicating that the residuals are consistent with white noise. This conclusion is supported by the plots in Fig. 11 - namely, the ACF plot looks like white noise, and the histogram demonstrates approximate normality of residuals with some deviation about the tails. This model fits the training dataset reasonably well.

```
## Series: fred_disposable_train
## ARIMA(1,1,0) with drift
##
## Coefficients:
##
             ar1
                     drift
         -0.2489
                  142.5335
##
          0.0790
                   18.2321
## s.e.
##
## sigma^2 estimated as 79132: log likelihood=-1064.84
## AIC=2135.67
                 AICc=2135.84
                                BIC=2144.73
```


Residuals from ARIMA(1,1,0) with drift





```
##
## Ljung-Box test
##
## data: Residuals from ARIMA(1,1,0) with drift
## Q* = 6.4507, df = 6, p-value = 0.3746
##
## Model df: 2. Total lags used: 8
```


Figure 12. Predicted vs. Actual Values, Disposable Income



For debt, auto.arima() suggested ARIMA $(1,1,2) \times (1,0,1)_4$. Output from checkresiduals() for the fitted model is shown in Fig. 13. The Ljung-Box test was nonsignificant at p = 0.4033 over 8 lags; additionally, the ACF plot has the appearance of white noise and the histogram shows that residuals are approximately normally distributed. Thus this model fits well.

```
## Series: fred_debt_train
##
  ARIMA(1,1,2)(1,0,1)[4]
##
##
  Coefficients:
##
            ar1
                      ma1
                               ma2
                                      sar1
                                                sma1
         0.7830
                  -0.6177
                           0.1837
                                    0.2403
                                             -0.1424
##
         0.1144
                   0.1360
                           0.0863
                                    0.4168
                                              0.4156
##
##
## sigma^2 estimated as 0.01307:
                                    log likelihood=115.51
## AIC=-219.02
                  AICc=-218.43
                                  BIC=-200.91
```


Residuals from ARIMA(1,1,2)(1,0,1)[4]



```
##
## Ljung-Box test
##
## data: Residuals from ARIMA(1,1,2)(1,0,1)[4]
## Q* = 2.9251, df = 3, p-value = 0.4033
##
## Model df: 5. Total lags used: 8
```

For savings, auto.arima() suggested ARMA $(1,1,0) \times (0,0,1)_4$, with no seasonal component. The checkresiduals() output is presented in Fig. 14. The Ljung-Box test was once again nonsignificant at p=0.8278 over 8 lags, the ACF plot of residuals is consistent with white noise, and the histogram shows general normality of residuals with some deviation about the tails; thus, the model fits well.

```
## Series: fred_savings_train
##
   ARIMA(1,1,0)(0,0,1)[4]
##
##
   Coefficients:
##
             ar1
                      sma1
##
         -0.3757
                   -0.1136
##
   s.e.
          0.0762
                    0.0765
##
## sigma^2 estimated as 0.5651: log likelihood=-170.27
## AIC=346.53
                 AICc=346.69
                               BIC=355.58
```



```
##
## Ljung-Box test
##
## data: Residuals from ARIMA(1,1,0)(0,0,1)[4]
## Q* = 2.8473, df = 6, p-value = 0.8278
##
## Model df: 2. Total lags used: 8
```

Text			
Limitations			
Text			
Conclusion			

References

Text

Discussion

Federal Reserve Bank of St. Louis. 2018a. "Household Debt Service Payments as a Percent of Disposable Personal Income." https://fred.stlouisfed.org/series/TDSP.

——. 2018b. "Personal Saving as a Percent of Disposable Personal Income." https://fred.stlouisfed.org/series/A072RC1Q156SBEA.

——. 2018c. "Real Disposable Personal Income - Per Capita." https://fred.stlouisfed.org/series/A229RX0Q048SBEA.

Hyndman, R, G Athanasopoulos, C Bergmeir, G Caceres, L Chhay, M O'Hara-Wild, F Petropoulos, S Razbash, E Wang, and F Yasmeen. 2019. "Forecast - Forecasting Functions for Time Series and Linear Models. R Package Version 8.5." http://pkg.robjhyndman.com/forecast.

Stoffer, David. 2019. "Astsa - Applied Statistical Time Series Analysis." https://github.com/nickpoison/astsa.