

kmscom / Browser-Cache-Folder-Changer

Code

Issues

Pull requests

Discussions

Actions

Projects

Wiki

Security

Insights

Settings

Browser-Cache-Folder-Changer / User Guide / ImDisk Install Guide.md

90c4e7b · 2 days ago

82 lines (47 loc) · 2.15 KB

PreviewCodeBlame

RawCopyDownloadEditMore

# ImDisk Toolkit RAM Disk Application Install Guide


Here is an example installation guide of [ImDisk Toolkit](#).

## Download

You can download the latest ImDisk Toolkit application from the following link.

- [ImDisk Toolkit at SourceForge.net](#)

Home / Browse Open Source / System / ImDisk Toolkit



ImDisk Toolkit

Ramdisk for Windows and mounting of image files

Brought to you by: [w77](#)

Downloads: 5,398 This Week

Download

Get Updates

Share This

Windows

Summary

Files

Reviews

Support

Tickets

Discussion

Click "Download" button to download

- ImDiskTk-x64.zip

## Install

Uncompress and run "Install.bat" file.


C:\Users\CacheFolderChanger\ > Downloads > ImDiskTk-x64 > ImDiskTk20241123

Name	Date modified	Type	Size
Today			
files	12/1/2024 6:03 PM	Cabinet File	699 KB
install	12/1/2024 6:03 PM	Windows Batch File	1 KB

As this program needs privilege permission, following window will appear. Press "Yes" button to proceed.

https://github.com/kmscom/Browser-Cache-Folder-Changer/blob/main/User Guide/ImDisk Install Guide.md

1/6



config.exe


Publisher: Unknown

File origin: Hard drive on this computer


[Show more details](#)



Select checkboxes as follows.




Install will be completed successfully.




## Configure RAM Disk


1. Among the three icons, click "RamDisk Configuration" icon to start the ImDisk configuration. This program needs privilege permission. Click "Yes" to continue.



2. Set the 'Basic' tab as follows. You may change the size of DRAM disk size as you want.





3A) Set the 'Advanced' tab as follows (recommended).




In this case, RAM disk is mapped to "R:" drive.

3B) Set the 'Advanced' tab as follows.

- Create "C:\ImDiskRoot" folder.
- Check 'Use Mount Point:' checkbox and select "C:\ImDiskRoot" folder.




4. Set the 'Data' tab as follows. Create "C:\ImDiskImage" folder and select it as follows.




Check the checkboxes as follows and click "Synchronize now" button.

- WARNING: if you want the web cache folder files are lost at the power cycle, skip this step.



Click "Ok" button.

Following window will appear.



Click "Ok" button to format the RAM drive.

Click "Exit" button to quit the ImDisk configuration program.

Now, "R:" drive will be available from the explorer.

