# TAMEX API Documentation JAN 2020



#### 1. VERSIONS AND NOTICES

#### 1.1 VERSION

Version Release date 2.7 JAN 2020

#### 1.2 NOTICES

For tech Information, please contact:

Support

Email: info@Tamex.com.sa

Mobile: +966 500735544

#### **TAMEX SYSTEM API**

### **Overview**

TAMEX provides REST APIs that allow external websites to interface with TAMEX System. Vendor can build their web applications in PHP, JSP, ASP, NODEJS or in any other programming language and build a connection to TAMEX System. REST APIs can be used to perform simply add, track shipment information.

#### **URL**

all requests to https://baseurl/api/version/operation

Testing Environment test.til.sa

Production Environment til.sa

Current Version v2

Operation Create - Status

# **Example**

http://test.til.sa/api/v2/create

# **Schema**

All API access is over HTTPS and all data is send and received as json

# **Authentication**

TAMEX authentication system based on Token provided by TAMEX, token (API key) should be send with each call to end-point. API key represented as a field on JSON record [apikey]

# **Create shipment information**

#### **URL**

```
Testing Environment http://test.til.sa/api/v2/create

Production https://til.sa/api/v2/create

JSON Body

{
    "apikey": ......,
    "pack type":..,
    ........
```

#### **This A Mandatory Field**

```
"apikey": "A32XYZW895289",
                                               API KEY – AUTORIZATION
"pack_type":"1",
                                               1-Delivery
                                                               2-Pickup
"pack awb":"1234567890123",
                                               AIRWAY BILL NUMBER
"pack_vendor_id": "www.sque.com",
                                               ORGIN PACKAGE
"pack reciver name": "Mohammed Ali",
                                               RECIVER NAME
"pack_reciver_phone": "966555472211",
                                               RECIVER MOBILE
"pack reciver country": "SA",
                                               COUNTURY DEFAULT=SA
"pack_reciver_city": "Riyadh",
                                               CITY
"pack_reciver_dist": "Olia",
                                               DISTRICT
"pack_desc": "Mobile Phone",
                                               PACK CONTENET
"pack_num_pcs": "1",
                                               NUMBER PC'S
"pack weight": "0.3",
                                               WEIGHT
"pack_cod_amount": "2300.0",
                                               COD AMOUNT OR (0)
"pack currency code": "SAR",
                                               CURRENCY DEFAULT "SAR"
"pack_extra_note": "Delivery After 6:0PM",
                                               EXTRA NOTE
"pack live time": "4" .....
                                               DAY TO TRY DELEIVER
```

#### Extra Information Recommended to send with Record

```
"pack sender name": "sque.com",
"pack_sender_phone": "2352",
"pack sender email": "a@a.com",
"pack_send_country": "SA",
"pack_send_city": "Riyad",
"pack_sender_dist": "Rabwa",
"pack_sender_street": "Othman Bin",
"pack_sender_zipcode": "11235",
"pack_sender_building": "NA",
"pack_sender_extra": "NA",
"pack_sender_extar_address": "NA",
"pack sender longitude": "NA",
"pack_sender_latitude": "NA",
"pack reciver email": "m@email.com",
"pack_reciver_street": "Main Road",
"pack reciver zipcode": "11223",
"pack_reciver_building": "5564",
"pack_reciver_extra": "NA",
"pack_reciver_extar_address": "NA",
"pack_reciver_longitude": "22.3356",
"pack reciver latitude": "45.8892",
"pack_dimention": "10:10:6",
"pack invoice no": "962521",
```

#### **RESONSE JSON RECORD FORMAT**

```
{ "code": --number---, "data": "---text---", "tmxAWB": "Conformation code"}
```

#### Example

```
{ "code": 0, "data":"operation Sucess", "tmxAWB:" 1"0138834207775"}
```

#### Response

CODE	DATA	DESCRIPTION
0	Opertion Success	Return tmxAWB
90001	JSON	Error in Json Record Format
90003	Authorization	API KEY NOT AUTORIZED
90004	System	ERROR Contact Support

# **Status Shipments Information**

# <u>URL</u>

```
Testing Environment http://test.til.sa/api/v2/status
Production https://til.sa/api/v2/status
JSON Body
 "apikey": .....,
 "pack_awb":..,
 .....
}
Example
JSON BODY
"apikey": "A32XYZW895289",
"pack_awb":"1234567890123",
}
RESONSE JSON RECORD FORMAT
"awb": "666511999932482",
"status": "created",
"UpdateOn": "2019-09-11 15:42:53",
"message": "Created فقط "message": "Created"
If Not Found
{ "awb": 0,
"status": "AWB# NOT FOUND",
 "UpdateOn": 0 }
```

# **Response Messages**

1	'successful'	'successful تم التوصيل',
2	'failed'	ʻfailed فشل التوصيل
3	'assigned'	'assigned تم تعين'
4	'unassigned'	'warehouse (Delay by Customer) المستودع مؤجلة بطلب العميل'
5	'acknowledged'	'acknowledged تم الاستلام'
6	'started'	'started بدا التوصيل
7	'inprogress'	inprogress في الطريق للعميل
8	'DTR'	'DTR مجدول ارجاعها',
9	'RTO'	تم ارجاعاها للمصد ر RTO
10	'RECIVED'	'RECIVED تم الاستلام
11	'NOTRECIVED'	NOT RECEIVED لم يتم استلامها
12	'created'	شحنة منشأة - بينات فقط Created
13	'NOCOVERAGE'	'NO COVERAGE خارج نطاق التغطية
14	'CLOSED'	شحنة مقفلة CLOSED
15	'FTB'	'FTB Branch نقل للفرع'

#### **Response Code**

CODE	DATA	DESCRIPTION
0	Opertion Success	Return tmxAWB
90001	JSON	Error in Json Record Format
90003	Authorization	API KEY NOT AUTORIZED
90004	System	ERROR Contact Support