Knaan Shabtay — Tech rider & input list (solo)

Contact

Knaan Shabtay · knaanshabtaymusic@gmail.com · +972 54-769-9899

Artist brings / venue provides

Artist brings	Venue provides
Radial J48 DI box and his own DI cables. The acoustic guitar and the TC Helicon Voice Live Play GTX go through it. Own delay pedal for the acoustic guitar.	XLR cable(s) from the Radial J48 to the stage box, with +48V phantom power for the J48
Setup 2 only: G&L electric guitar (Strat-style) and Marshall 30W combo	Setup 2 only: instrument mic (SM57 or similar) on a short boom for the Marshall
	Vocal mic (SM58 or similar), vocal mic stand (boom), DI for the stomp box, one to two monitors, 1 chair, power on stage

Setup 1: Solo acoustic

Knaan Shabtay: vocal, acoustic guitar, stomp box, TC Helicon Voice Live Play GTX.

Input list (3 channels)

Ch	Source	Mic / DI	Stand	Notes
1	Vocal	SM58 or similar → TC Helicon Voice Live Play GTX → Knaan's own Radial J48 DI (artist-provided)	Boom	Venue: XLR to stage box
2	Acoustic guitar	Knaan's own Radial J48 DI (artist-provided), +48V phantom	–	Venue: XLR to stage box. Guitar goes through Knaan's own

				delay pedal before the J48.
3	Stomp box	DI (venue)	–	

Stage plot

Position	What
Centre, seated	Knaan on a chair: vocal mic on boom, acoustic guitar, stomp box at his feet, TC Helicon, pedals and Radial J48 on the floor in front
Downstage centre	One to two monitor wedges facing Knaan
Near the chair	Power for the TC Helicon and pedals

From the venue: 3 input channels, XLR from the Radial J48 to the stage box, +48V phantom, 1 vocal mic (SM58 or similar), 1 boom stand, DI for the stomp box, one to two monitors, 1 chair, power on stage.

Setup 2: Solo with electric guitar

Everything in Setup 1, plus a G&L electric guitar (Strat-style) played through a Marshall 30W combo (artist-provided), mic'd.

Input list (4 channels)

Ch	Source	Mic / DI	Stand	Notes
1	Vocal	SM58 or similar → TC Helicon Voice Live Play GTX → Knaan's own Radial J48 DI (artist-provided)	Boom	Venue: XLR to stage box
2	Acoustic guitar	Knaan's own Radial J48 DI (artist-provided), +48V phantom	–	Venue: XLR to stage box. Guitar goes through Knaan's own delay pedal before the J48.
3	Stomp box	DI (venue)	–	
4	G&L electric guitar (Strat-style)	Marshall 30W combo (artist-provided	Short boom	

	amp	), mic'd: SM57 or similar		

Stage plot

Position	What
Centre, seated	Knaan on a chair: vocal mic on boom, acoustic guitar, stomp box at his feet, TC Helicon, pedals and Radial J48 on the floor in front
Behind or beside Knaan	Marshall 30W combo with a mic on a short boom; G&L electric guitar (Strat-style) on a stand next to the chair
Downstage centre	One to two monitor wedges facing Knaan
Near the chair and amp	Power for the TC Helicon, pedals and amp

From the venue: 4 input channels, XLR from the Radial J48 to the stage box, +48V phantom, 1 vocal mic (SM58 or similar), 1 boom stand, 1 short boom stand, 1 instrument mic for the amp, DI for the stomp box, one to two monitors, 1 chair, power on stage.

Mix notes

Compression and reverb on all channels.
Monitor mix: everything.