



STUDYSYNC

A COLLABORATIVE GROUP STUDY PLATFORM

SOFTWARE REQUIREMENTS SPECIFICATION & ANALYSIS

Submitted By:

Kazi Nahid | BSSE-1437
Md. Jariful Rahman | BSSE-1419

Submitted To:

Dr. Mohammed Shafiul Alam Khan
Professor
Institute of Information Technology
University of Dhaka

Supervisor's Signature:_____



Table of Contents

1. Introduction.....	1
1.1 Purpose.....	1
1.2 Intended Audience.....	1
1.3 Usage Scenarios.....	1
1.4 Conclusion.....	2
2. Inception.....	3
2.1 Understanding the Problem.....	3
2.2 Icebreaking.....	3
2.3 Identifying the Stakeholders.....	3
2.4 Stakeholder Viewpoints.....	3
2.5 Working Towards Collaboration.....	4
2.6 Elicitation of CGSP (Collaborative Group Study Platform).....	4
3. Quality Function Deployment.....	5
3.1 Normal Requirements.....	5
3.2 Exciting Requirements.....	6
4. User Story.....	7
User Management.....	7
Group Management.....	7
Communication.....	8
Resource Sharing.....	8
Notification.....	8
Video Conferencing (Exciting).....	9
Group Recommendation and Search.....	9
5. Scenario Based Modeling.....	9
5.1 Use Case Diagram.....	9
Level: 0.....	10
Level: 1.....	11
Level: 1.1.....	12
Level: 1.1.1.....	14
Level: 1.1.2.....	14
Level: 1.2.....	15
Level: 1.3.....	16
Level: 1.4.....	17
Level: 1.5.....	18
Level: 1.6.....	19

5.2 Activity Diagram.....	20
Level: 1.....	20
Level: 1.1.....	21
Level: 1.....	20
Level: 1.1.....	21
Level: 1.1.1.....	22
Level: 1.1.2.....	23
Level: 1.2.....	24
Level: 1.3.....	24
Level: 1.4.....	25
Level: 1.5.....	26
Level: 1.6.....	27
6. Data Based Modeling.....	29
6.1 Noun Identification:.....	29
6.2 Final Data Objects:.....	33
6.3 Relations:.....	33
6.4 ER DIAGRAM:.....	34
6.5 Schema Diagram:.....	34
7. Class Based Diagram.....	37
7.1 Identified Nouns:.....	37
7.2 Identified Verbs:.....	40
7.3 General Classification:.....	42
7.5 Class Card:.....	47
7.8 CRC Diagram:.....	57
Diagram Id: 1	
Name: GroupAdmin.....	57
Diagram Id: 2	
Name: Teacher,Student(GroupMember).....	58
8. Behavioral Diagram.....	59
8.1 Event Table :.....	59
8.2 State Transition Diagram.....	60
Diagram ID: 1.....	60
Class Name: UserService.....	60
Diagram ID: 2.....	61
Class Name: SessionService.....	61
Diagram ID: 3.....	62
Class Name: PasswordService.....	62
Diagram ID: 4.....	64

Class Name: AuthService.....	64
Diagram ID: 5.....	65
Class Name: Group.....	65
Diagram ID: 6.....	66
Class Name: GroupMembers.....	66
Diagram ID: 7.....	67
Class Name: GroupChat.....	67
Diagram ID: 8.....	68
Class Name: Notification.....	68
Diagram ID: 9.....	68
Class Name: FileRepository.....	68
8.3 Sequence Diagram.....	69
9. Data Flow Diagram.....	71
9.1 Level 0: Collaborative Group Study Platform.....	71
9.2 Level 1: Collaborative Group Study Platform.....	71

1. Introduction

The Collaborative Group Study Platform (CGSP) is envisioned as an all-in-one solution to address the evolving needs of modern study groups. With the shift towards virtual and hybrid learning environments, there is a growing demand for platforms that facilitate effective collaboration. CGSP combines advanced communication tools, resource sharing, and group management features to create a seamless collaborative experience.

1.1 Purpose

The Collaborative Group Study Platform (CGSP) aims to provide an intuitive and robust environment for students, educators, and professionals to collaborate effectively in study groups. The platform combines real-time communication, resource sharing, and group management to enhance the learning experience. By integrating exciting features like video conferencing and personalized group recommendations, CGSP facilitates collaborative learning in a seamless and efficient manner.

1.2 Intended Audience

The primary audience for this SRS document includes:

- **Developers:** To understand the functional and non-functional requirements for implementing the platform.
- **Project Managers:** To plan and allocate resources efficiently.
- **Stakeholders:** To review and provide feedback on the project's goals and requirements.
- **Quality Assurance Team:** To ensure all features are delivered as specified.
- **End Users:** Students, educators, and professionals who will use the platform for collaborative study purposes.

1.3 Usage Scenarios

Scenario 1: Joining and Participating in a Group Study

1. A student logs into CGSP using their secure credentials.
2. The student browses recommended study groups based on their interests and joins a "Data Science" study group.

3. Inside the group dashboard, the student views the list of group members and recent activities.
4. The group admin assigns discussion topics, and members begin a real-time group chat to share ideas and resources.
5. One member shares a relevant PDF file, which is uploaded to the group's file repository for everyone to access.

Scenario 2: Hosting a Video Conference for Collaborative Learning

1. An educator creates a group titled "Mathematics Revision" and invites students to join.
2. The educator schedules a video conference to explain complex topics with an interactive whiteboard.
3. During the session, attendees discuss the topics, share screens, and record the session for future reference.
4. Notifications are sent in real-time to remind members of the session.

Scenario 3: Personalized Group Recommendations and Notifications

1. A professional enters their areas of interest (e.g., "Machine Learning") during profile setup.
2. CGSP suggests a list of active study groups matching their preferences.
3. Upon joining a group, the user receives notifications about new discussions, resource uploads, and upcoming video conferences.

1.4 Conclusion

This document serves as a comprehensive reference for the requirements of CGSP. It ensures all stakeholders have a shared understanding of the project's objectives and scope, paving the way for successful development and deployment.

2. Inception

2.1 Understanding the Problem

Collaborative learning is crucial in today's educational and professional environments. Existing tools either lack specific features tailored for study groups or fail to integrate multiple functionalities seamlessly. The CGSP is designed to address the following challenges:

- Fragmentation of tools for communication, resource sharing, and group management.
- Lack of personalized recommendations for group formation.
- Limited interactivity in virtual collaborative environments.
- Inadequate notification systems leading to missed activities.

2.2 Icebreaking

The CGSP bridges the gap between traditional and digital collaborative methods by fostering a unified platform that:

- Encourages real-time interactions.
- Supports diverse user needs, from basic communication to advanced video conferencing.
- Promotes resource sharing and efficient group management.
- Provides timely notifications and personalized suggestions for a better user experience.

2.3 Identifying the Stakeholders

The key stakeholders for CGSP are:

- Student: As primary users, they rely on the platform for study group formation, discussions, and collaboration.
- Teacher: They utilize the platform to guide study groups and share resources.

2.4 Stakeholder Viewpoints

After talking with the stakeholders, we collected the following viewpoints of requirements from them.

Student

Students are looking for a platform that helps them discover and join study groups focused on advanced subjects. They want to share detailed academic resources, engage in topic-based discussions, and collaborate on projects. A structured platform that supports deep learning, effective organization of study sessions, and role-based group management is essential. Personalized group recommendations based on interests, timely notifications for activities, and tools that aid in both coursework and research projects will enhance their learning experience and collaboration opportunities.

Teacher

Teachers seek a platform to create and moderate academic groups, guide students, and share educational materials. They want tools that help them manage group discussions, monitor activity, and encourage student participation. They may also value video conferencing for virtual class discussions or office hours.

2.5 Working Towards Collaboration

Collaborative efforts are focused on:

- Aligning the platform's features with stakeholder needs.
- Establishing open channels for feedback throughout the development lifecycle.
- Encouraging active involvement of key stakeholders during testing phases to refine the platform's usability and functionality.

2.6 Elicitation of CGSP (Collaborative Group Study Platform)

The following CGSP were identified during requirements gathering:

- Real-time Communication: Support for group chat and video conferencing.
- Resource Sharing: Secure upload, storage, and sharing of files.
- Group Management: Roles, permissions, and dashboards for effective group interaction.
- Notifications: Real-time and activity-specific alerts.
- Personalization: Recommendations for group formation based on user preferences.

3. Quality Function Deployment

Quality Function Deployment (QFD) is a systematic approach to translate the needs of users into measurable technical requirements. By employing QFD, the platform ensures that customer expectations are transformed into design specifications that align with the goals of CGSP. This methodology helps maximize user satisfaction by bridging subjective user needs with objective, quantifiable criteria. The requirements listed above were identified and refined successfully using QFD to meet the collaborative and technical demands of the platform.

Collaborative Requirements Gathering

Requirements for CGSP were gathered through collaborative workshops involving representatives from all stakeholder groups. This approach ensured:

- A holistic understanding of user needs.
- Prioritization of features based on stakeholder input.
- Early identification of potential challenges and mitigation strategies

3.1 Normal Requirements

User Authentication & Management:

- **Sign Up/Log In:** Users can create accounts using email, password etc.
- **User Profiles:** Users can see and edit their profiles and information.
- **Secure Authentication:** JWT-based authentication for secure user sessions.

Group Management:

- **Create/Join Study Groups:** Users can create a new group or join groups using invitation.
- **Group Dashboard:** Display group details, member list, and recent activity in a basic layout. Admin only layout for group update.
- **Role Management:** Allow group creators to assign admin roles with limited options (e.g., add members or remove members).

Real-time Communication:

- **Group Chat:** Basic real-time text-based chat using sockets.
- **Post Discussions:** Users within a group can post discussions on certain topics.

Resource Sharing:

- **Upload and Share Files:** Basic file upload feature (e.g., PDFs, images) within groups.
- **File Repository:** A central place to store and access shared resources like documents and study guides.

Notification System:

- **Real-time Notifications:** Users receive real-time notifications for important activities, such as new members added in group, and new discussion posts.
- **Activity Alerts:** Notify users when they are added to a new group, assigned a role, or removed from a group.

3.2 Exciting Requirements

- **Video Conferencing:** Users can host real-time video calls with screen sharing, interactive whiteboards, and recording features.
- **Personalized Group Recommendation:** Allow users to input specific subjects or topics of interest, which are then used to recommend personalized group suggestions.

4. User Story

User Management

- **Authentication** : Users can create their profiles by providing their name, email address, and password. The system stores the users credentials in the database, completing the registration process. Users can log into their accounts afterward using their email and password, with the system authenticating these credentials against the database. If a user forgets their password, they can use the "Forgot Password?" feature, which guides them through a password reset process. Users also have the option to change their password from their account settings. They can log out of their account anytime they want to end their session.
- **Dashboard** : Users can view their dashboard with detailed information about their profile. They can add images of certificates, grades, and resumes or CVs to the dashboard. Users have the option to hide specific details on their dashboard, ensuring that other users cannot view that information.

Group Management

- **Group Creation** : Any registered student/teacher can create a study group by providing a group name, specifying the subject or topic focus, and selecting the group status (public or private). The creator, who assumes the role of the group admin, can invite other users to join the group by sending an invitation using their user ID. The creator also has the option to make the group private, which means the group will not be visible in the search results.
- **Group Join** : A user can join a group by searching for it using the search panel. After the user clicks the "Join" button, a notification will be sent to the admin of that group. If the admin accepts the request, the user will be able to join the group.
- **Group Admin** : The student who creates the group automatically becomes an admin. Group admins can assign other members as

additional admins to help manage the group. They have the ability to add new members, remove inactive ones, and update group details, such as the description and focus area.

Communication

Members of a group can interact using a real-time chat system, allowing instant communication. The chat system supports text messaging, with users able to share URLs and resource links directly in the chat. Group admins can post discussion topics to discuss specific matters. Admin needs to close that discussion. Discussions are visible in the chat panel for their duration. Group members can search for a discussion by topic name and will be placed at the start of that discussion in the chat panel.

Resource Sharing

- **File Uploading:** Members can upload study materials such as PDFs, images, notes, or external resource links directly into the group.
- **File Repository:** Uploaded files are stored in a central repository for each user. Files are organized within the repository. Users can download or delete files from their repository. Each file contains the metadata of file name, file type, file size, file description, upload time.

Notification

Users receive real-time notifications for the following events:

- A new member joins or creates a group
- A new discussion thread is started
- A file is shared
- Group join requests (for admins)
- A group starts video conferencing

Users also receive invitations via notifications, which they can accept or reject. Each notification contains its sender (if sent by someone), notification content.

Video Conferencing (Exciting)

Group members can initiate video conferences directly within the group panel. The system supports basic video and audio calls, allowing participants to communicate in real-time. Members receive notifications when a video call starts, inviting them to join.

Group Recommendation and Search

Users can discover groups through recommendations on the dashboard or by searching in the group search panel. Users can filter groups by topics, size, majority members.

5. Scenario Based Modeling

5.1 Use Case Diagram

A Use Case describes the system behavior under various conditions as the system responds to a request from one of its stakeholders. In fact, a use

case diagram is a kind of visualization of the system where an end-user has an idea of a specific feature. It simply describes a story

using corresponding actors who perform important roles in the story and makes the story understandable for the users.

The first step in writing a Use Case is to define that set of “actors” that will be involved in the story. Actors are the different people or systems that use the system or product within the context of the function and behavior that is to be described. Actors represent the roles that people play as system operators. They produce some information or consume some information. Every user has one or more goals when using the system.

Primary Actor: Primary actors interact directly to achieve the required system function and derive the intended benefit from the system. They work directly with the software. They produce some information and consume some information too.

Secondary Actor: Secondary actors support the system so that primary actors can do their work. They either produce or consume information. Here is given the use case diagram to observe the non-technical view of the system.

Level: 0

USE CASE ID: 0

Name: CGSP

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: AWS, Nodemailer, WebRTC




Fig 1: Collaborative Group Study Platform

Level: 1

USE CASE ID: 1

Name: CGSP

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: AWS, Nodemailer, WebRTC




Fig 2: Level 1 of Collaborative Group Study Platform

Level: 1.1

USE CASE ID: 1.1

Name: User Management

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: None




Fig 3: User Management

Level: 1.1.1

USE CASE ID: 1.1.1

Name: Authentication

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: None




Fig 4: Authentication

Level: 1.1.2

USE CASE ID: 1.1.2

Name: DashBoard

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: None




Fig 5: DashBoard

Level: 1.2

USE CASE ID: 1.2

Name: Group Management

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: None




Fig 6: Group Management

Level: 1.3

USE CASE ID: 1.3

Name: Real-time Communication

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: None




Fig 7: Real-time Communication

Level: 1.4

USE CASE ID: 1.4

Name: Resource Sharing

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: AWS




Fig 8: Resource Sharing

Level: 1.5

USE CASE ID: 1.5

Name: Notification System

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: None




Fig 9: Notification System

Level: 1.6

USE CASE ID: 1.6

Name: Video Conferencing

Primary Actor: Teacher, Student, Group Admin

Secondary Actor: WebRTC




Fig 10: Video Conferencing

5.2 Activity Diagram

Level: 1

Name: CGSP

Reference: Use case Diagram level-1




Fig 11: Collaborative Group Study Platform (Use Case - 1)

Level: 1.1

Name: User Management

Reference: Use case Diagram level-1.1




Fig 12: User Management (Use Case - 1.1)

Level: 1.1.1

Name: Authentication

Reference: Use case Diagram level-1.1.1




Fig 13: Authentication(Use Case - 1.1.1)

Level: 1.2

Name: Group Management

Reference: Use case Diagram level-1.2




Fig 14: Group Management (Use Case - 1.2)

Level: 1.3

Name: Real-time Communication

Reference: Use case Diagram level-1.3




Fig 15: Real-time Communication (Use Case - 1.3)

Level: 1.4

Name: Resource Sharing

Reference: Use case Diagram level-1.4




Fig 16: Resource Sharing (Use Case - 1.4)

Level: 1.5

Name: Notification System

Reference: Use case Diagram level-1.5




Fig 17: Notification System (Use Case - 1.5)

Level: 1.6

Name: Video Conferencing

Reference: Use case Diagram level-1.6




Fig 18: Video Conferencing (Use Case - 1.6)

6. Data Based Modeling

DATA MODELING CONCEPT : If software requirements include the necessity to create, extend or interact with a database or complex data structures need to be constructed and manipulated, then the software team chooses to create data models as part of overall requirements modeling. The entity relationship diagram (ERD) defines all data objects that are processed within the system, the relationships between the data objects and the information about how the data objects are entered, stored, transformed and produced within the system.

DATA OBJECTS : A data object is a representation of composite information that must be understood by the software. A data object can be an external entity, a thing, an occurrence, a role, an organizational unit, a place or a structure.

6.1 Noun Identification:

Serial	Nouns	Problem /Solution space	Attributes
1	User	S	4, 5, 6,13, 23, 27, 31
2	Authentication	S	
3	Profile	S	14, 16, 17, 18, 19, 20, 27, 63
4	Name	S	
5	Email	S	
6	Password	S	
7	System	P	
8	Credential	P	

9	Database	P	
10	Dashboard	P	
11	Account	P	
12	Account Settings	P	
13	Session	S	
14	Detailed information	S	
15	Logout	P	
16	Images of certificate	P	
17	Images of grades	S	
18	Images of resume	S	
19	Images of CV	P	
20	Option (Hide details)	P	
21	Information	P	
22	Student	P	
23	Study group	S	22, 24, 25, 26, 27, 32, 33, 34, 35, 37
24	Group name	S	
25	Subject or topic focus	S	
26	Group status	S	

27	User id	S	
28	Invitation	S	
29	Search result	P	
30	Search panel	P	
31	Notification	S	28, 41, 55, 56, 57
32	Group admin	P	
33	Member	S	27, 63
34	Group details	P	
35	Description	S	
36	Communication	S	
37	Chat-system	S	38, 39, 40, 41, 43, 44, 46, 55
38	Text message	S	
39	URL	S	
40	Resource-link	S	
41	Discussion topic	S	
42	Chat-panel	S	
43	Study materials	P	
44	Files	S	58, 59, 60, 61, 62
45	Central repository	S	43, 44
46	Discussion thread	P	

47	Group panel	S	
48	Video call	S	
49	Audio call	S	
50	Recommendation	S	
51	Group search	S	
52	Topics (filter)	S	
53	Size (filter)	S	
54	Majority members (filter)	S	
55	Content	S	
56	Group join	S	
57	Group join request	S	
58	File type	S	
59	File size	S	
60	File name	S	
61	File description	S	
62	Upload time	S	
63	Role	S	

6.2 Final Data Objects:

1. User
2. Profile
3. Group
4. Notification
5. Chat
6. File

6.3 Relations:





Fig 19: Entity Relation

6.4 ER DIAGRAM:

**Fig 20: ER Diagram**

6.5 Schema Diagram:

Data Object	Attribute	Type
User	<u>user_id</u> email password name session_token status last_login reset_token reset_token_expiry created_at	string string string string string string date string date date
Profile	<u>user_id</u> date_of_birth gender phone_number profile_picture address bio hobby education role is_visible If role = 'student' – course_of_study – current_year_or_semester – department – skills – grade_sheet – resume If role = 'teacher' – subjects – designation – experience – qualifications	objectId date string string string(URL) string string string string string string boolean string string string [string] string string [string] string string [string]
Group	<u>group_id</u> group_name group_description group_size group_status type	string string string number string string

	topics group_image created_by created_at	[string] string string date
User_Group	<u>group_id</u> <u>user_id</u> role joined_at	string string string date
Notification	<u>user_id</u> <u>notification_id</u> type(invitation,discussion_topic, join_request,join_group, file_shared, video_conferencing) content <u>sender</u> (user_id) <u>group_id</u> receive_date	string string string string string string date
Chat	<u>chat_id</u> type('text_message', 'link', 'discussion_topic', 'files', 'video_conferencing', 'join_group') topic discussionStatus content <u>sender</u> (user_id) file(URL) <u>group_id</u> send_at	string string string string string string string date
File	<u>file_id</u> <u>user_id</u> <u>group_id</u> file_name file_type file_size file_path (URL) uploaded_at <u>uploaded_by</u> description	string string string string string number string date string string

7. Class Based Diagram

Class-Based Modeling Concepts:

Class-based modeling represents the objects that the system will manipulate, the operations that will be applied to the objects, relationships between the objects and the collaborations that occur between the classes that are defined.

7.1 Identified Nouns:

Serial	Noun
1	User
2	Authentication
3	Profile
4	Name
5	Email
6	Password
7	System
8	Credential
9	Database
10	Dashboard
11	Account
12	Account Settings

13	Session
14	Detailed information
15	Logout
16	Images of certificate
17	Images of grades
18	Images of resume
19	Images of CV
20	Option (Hide details)
21	Information
22	Student
23	Study group
24	Group name
25	Subject or topic focus
26	Group status
27	User id
28	Invitation
29	Search result
30	Search panel
31	Notification

32	Group admin
33	Member
34	Group details
35	Description
36	Communication
37	Chat-system
38	Text message
39	URL
40	Resource-link
41	Discussion topic
42	Chat-panel
43	Study materials
44	Files
45	Central repository
46	Discussion thread
47	Group panel
48	Video call
49	Audio call
50	Recommendation

51	Group search panel
52	Topics (filter)
53	Size (filter)
54	Majority members (filter)
55	Content
56	Group join
57	Group join request
58	File type
59	File size
60	File name
61	File description
62	Upload time
63	Role

7.2 Identified Verbs:

Serial	Verbs
1	create
2	provide
3	store
4	complete
5	log

6	authenticate
7	forget
8	use
9	guide
10	reset
11	change
12	end
13	view
14	add
15	hide
16	ensure
17	specify
18	select
19	assume
20	sent
21	has
22	make
23	mean
24	join
25	search
26	accept
27	become
28	assign
29	help
30	have
31	remove
32	update
33	interact
34	allow
35	support

36	share
37	post
38	discuss
39	need
40	close
41	visible
42	place
43	upload
44	download
45	delete
46	contain
47	receive
48	join
49	start
50	reject
51	initiate
52	supports
53	allow
54	invite
55	discover
56	filter

7.3 General Classification:

Candidate classes are categorized based on the seven general classification. The analysis classes manifest themselves in one of the following ways:

1. External entities
2. Things
3. Events
4. Roles

5. Organizational units

6. Places

7. Structures

A candidate class is selected for special classification if it fulfills two or more characteristics.

Serial	Solution Space Nouns	General Classifications
1	User	4,5,7(selected)
2	Authentication	3
3	Profile	2,7(selected)
4	Name	2
5	Email	2
6	Password	2
7	Session	2
8	Detailed information	2
9	Images of grades	2
10	Images of resume	2
11	Study Group	2,5,7(selected)
12	Group name	2
13	Subject or topic focus	2

14	Group status	2
15	User id	2
16	Invitation	3
17	Notification	3,7(selected)
18	Member	4,5,7(selected)
19	Description	2
20	Communication	3
21	Chat	2,3,7(selected)
22	Text message	2
23	URL	2
24	Resource-link	2
25	Discussion topic	2
26	Chat-panel	2
27	Files	2,7(selected)
28	Central repository	2,7(selected)
29	Group panel	2
30	Video call	3
31	Audio call	3

32	Recommendation	2
33	Group search	3
34	Topics (filter)	2
35	Size (filter)	2
36	Majority members (filter)	2
37	Content	2
38	Group join	3
39	Group join request	3
40	File type	2
41	File size	2
42	File name	2
43	File description	2
44	Upload time	2
45	Role	

7.4 Selection Criteria:

The candidate classes are then selected as classes by six Selection Criteria. A candidate class generally becomes a class when it fulfills around three characteristics.

1. Retain information
2. Needed services
3. Multiple attributes

4. Common attributes
5. Common operations
6. Essential requirements

Potential general classified nouns to become a class after selection criteria :

Serial	Solution Space Nouns	Selection Criteria
1	User	1-5(selected)
2	Profile/ UserProfile	1-5(selected)
3	Group	1-5(selected)
4	GroupMember	1-5(selected)
5	Chat/GroupChat	1-5(selected)
6	Notification	1-5(selected)
7	File*	1-5(selected)
8	FileRepository*	1-5(selected)

Additional classes required :

Serial	Additional classes
1	UserService
2	SessionService
3	PasswordService
4	AuthService
5	UserProfileService
6	GroupRecommendation*
7	GroupSearch
8	VideoCall*

7.5 Class Card:

User	
Attribute	Method
-Id -Name -Email	+getId() +setId() +getName() +setName() +getEmail() +setEmail()
Responsibilities	Collaborator
• Acts as a unit of user • Contains basic user info	Student, Teacher

UserService	
Attribute	Method

	+addUser() +removeUser() +retrieveUser()
Responsibilities	Collaborator
• Add or remove user from database • Retrieve user form database	

SessionService	
Attribute	Method
	+generateSessionToken() +retrieveSessionToken() +addSessionToken() +validateSessionToken +invalidateSessionToken +isExpired()
Responsibilities	Collaborator
• Manages session related functions	

PasswordService	
Attribute	Method

-password	+checkPassword() +isValidPassword() +retrieveHashedPassword() +hashPassword() +changePassword() +resetPassword() +generateOTP() +sendResetPasswordEmail()
Responsibilities	Collaborator
Manages password related functions	

AuthService	
Attribute	Method
	+register() +login() +isAuthenticated() +logout() +updatePassword() +forgotPassword()

Responsibilities	Collaborator
• Login and register user • Manages forgot password process	User

UserProfile	
Attribute	Method
-userId -date_of_birth -age -gender -phone_number -profile_pictureURL -gradeSheetURL -resumeURL -address -bio -department -education -role -isVisible	setter and getter for all field +addProfilePicture() +getProfilePicture() +addGradeSheet() +getGradeSheet() +addResume() +getResume() +hideProfile()
Responsibilities	Collaborator
• Contains detail info of user	User

UserProfileService	
Attribute	Method

	+doesUserExist() +doesProfileExist() +createProfile() +updateProfile() +getProfileInfo()
Responsibilities	Collaborator
Create, update or get profile info	User

Group	
Attribute	Method
-group_name -group_description -group_status -type -topics -group_image -created_by	+createGroup() +retrieveGroupInfo() +updateGroup() +removeGroup()
Responsibilities	Collaborator
- Manages group related functions - Create or remove group	User

Retrieve or update group	
--	--

GroupMembers	
Attribute	Method
-groupId -members[] -admins[]	+addAdmin() +joinMember() +removeMember() +retrieveAllGroupMember() +retrieveAllAdmins() +getAllGroupsOfMember() +updateMemberRole() +getUserRole() +_getMembersByRole()
Responsibilities	Collaborator
- Contains all group members - Join or remove members in group - Add or remove admins in group	User, GroupAdmin

GroupChat	
Attribute	Method

-groupId -chat[] (Chat)	+postMessage() +removeChat() +fileUpload() +postDiscussion() +retrieveAllChat() +retrieveLatestChat() +retrieveAllDiscussion() +checkDiscussionExists() +retrieveChats()
Responsibilities	Collaborator
• Contains all group chats • PostChat or discussion by users • Retrieve chats from database	

Notification	
Attribute	Method
-type -content -sender(User) -receive_date	+storeNotification() +deleteNotification()

Responsibilities	Collaborator
• Acts as a single notification entity • Contains notification info • SendNotification for all events	

File	
Attribute	Method
-name -type -size -description -pathURL	getter and setter for all fields
Responsibilities	Collaborator
• Acts as a single file entity	

FileRepository	
Attribute	Method

-user_id	+retrieveAllUserFile() +retrieveFile()
Responsibilities	Collaborator
• Contains all the saved files • Organize the files • Download files to machine	

VideoCall	
Attribute	Method
	+setUpWebRTC() +initateCall() +endCall()
Responsibilities	Collaborator
• Manage video call • Setup external technology • Initiate and end call	

GroupRecommendation	
Attribute	Method
-groupType	+retrieveAllGroups() +findRecommendedGroups()
Responsibilities	Collaborator
• Manage user data for recommendation • Retrieve groups from database	

GroupSearch	
Attribute	Method
-type -topics -size	+searchGroup() +retrieveAllGroups()
Responsibilities	Collaborator
• Filter groups by search	

7.8 CRC Diagram:

Diagram Id: 1

Name: GroupAdmin




Fig 21: CRC(GroupAdmin)

Diagram Id: 2

Name: Teacher,Student(GroupMember)




Fig 22: CRC(Teacher,Student)

8. Behavioral Diagram

8.1 Event Table :

Serial	Event	Initiator	Associated
--------	-------	-----------	------------

			Methods
1	Login	User	+register()
2	Register	User	
3	Join Group	User	+createGroup()
4	Create Group	Group Admin	
5	Update Group	Group Admin	+createGroup() +joinGroup()
6	Remove Group	Group Admin	+createGroup()
7	Add Admin	Group Admin	+createGroup()
8	Add member	Group Admin	+register() +createGroup()
9	Remove member	Group Admin	+createGroup() +addMember()
10	Update Profile	User	+createProfile()
11	Post Chat	User	+createGroup() +sendNotiifacation
12	Post Discussion	Group Admin	+createGroup() +sendNotification()
13	Upload File	User	+sendNotification()
14	Download File	User	+uploadFile()
15	Search Group	User	+createGroup()
16	Video Call	Group Admin	+setUpWebRTC() +initateCall() +endCall()

8.2 State Transition Diagram

A UML state diagram, which depicts the active states for each class and the occasions (triggers) that induce changes between these active states, is part of a behavioral

model. Here we've listed the most important events that trigger the change of states.

Diagram ID: 1

Class Name: UserService




Fig 23: UserService State Transition

Diagram ID: 2

Class Name: SessionService




Fig 24: SessionService State Transition

Diagram ID: 3

Class Name: PasswordService




Fig 25: PasswordService State Transition

Diagram ID: 4

Class Name: AuthService




Fig 26: AuthService State Transition

Diagram ID: 5

Class Name: Group




Fig 27: Group State Transition

Diagram ID: 6

Class Name: GroupMembers




Fig 28: GroupMember State Transition

Diagram ID: 7

Class Name: GroupChat





Fig 29: GroupChat State Transition

Diagram ID: 8**Class Name: Notification****Fig 30: Notification State Transition****Diagram ID: 9****Class Name: FileRepository**




Fig 31: FileRepository State Transition

8.3 Sequence Diagram




Fig 32: Sequence Diagram

9. Data Flow Diagram

A data-flow diagram is a visual representation of how data moves through a system or a process. A data flow diagram (DFD) shows how information moves through any system or process. It displays data inputs, outputs, storage locations, and routes between each destination using predefined symbols such as rectangles, circles, and arrows as well as brief text labels.

9.1 Level 0: Collaborative Group Study Platform




Fig 33: Data Flow Diagram

9.2 Level 1: Collaborative Group Study Platform




Fig 34: Data Flow Diagram