Documentation

search

Search

• rocket launch

Get started

- <u>Installation</u> add
- Fundamentals add
- First steps add
- *code*

Develop

- Concepts add
- API reference

remove

- PAGE ELEMENTS
- Write and magic

add

- <u>Text elements</u> add
- Data elements

add

• Chart elements

add

Input widgets add

Media elements

- Layouts and containers
- Chat elements

add

Status elements

add

- <u>Third-party componentsopen in new</u>
- APPLICATION LOGIC
- Navigation and pages

Execution flow

add

Caching and state

add

Connections and secrets

add

Custom components

add <u>Utilities</u> add Configuration remove config.toml ■ <u>st.get option</u> ■ <u>st.set option</u> ■ st.set page config TOOLS App testing add Command line add • <u>Tutorials</u> add • Quick reference add • web asset <u>Deploy</u> • Concepts add • Streamlit Community Cloud add • Snowflake • Other platforms add • <u>school</u> Knowledge base o <u>FAQ</u> • <u>Installing dependencies</u> • <u>Deployment issues</u> • Home/ • <u>Develop</u>/ • API reference/ • Configuration/ • st.get option st.get_option

Streamlit Version Version 1.41.0 ~

Return the current value of a given Streamlit configuration option.

Run streamlit config show in a terminal to see all available options.

Function signature[source]

st.get_option(key)

Parameters

key The config option key of the form "section.optionName". To see all available options, run streamlit config (str) show in a terminal.

Example

Still have questions?

Our forums are full of helpful information and Streamlit experts.

HomeContact UsCommunity



© 2025 Snowflake Inc. Cookie policy

forum Ask Al