



API compliance report



A question, comment or proposal, join us on [Mattermost "API Factory Support"](#)

Generated on **Sunday, October 13, 2024 10:21:21 CET**

API: FalloutManagement 1.0.1_release

Recommendation: TMF 630 Guidelines v4.0.1 [🔗](#)

1. Compliance summary report

Compliance level estimation: **95 %**

Number of rules with blocking items: **0**

In order to improve the compliance of your API before its exposition on our API Gateway,

- all detected blocking items **must** be fixed
- all applicable rules with a level of importance ★★★★★ and ★★★★☆ **must** be compliant
- rules with the level of importance ★★★☆☆ **should** be compliant
- rules with the level of importance ★★☆☆☆ **may** be compliant

1.1. Compliance by level of importance

Level of importance	# of rules	# of rules with full compliance	# of rules with partial compliance	# of rules without compliance	# of rules not applicable
mandatory ★★★★★	1	1	0	0	0
strongly recommended ★★★★☆	36	16	1	4	15
recommended ★★★☆☆	2	1	0	0	1
for information only ★★☆☆☆	1	1	0	0	0

1.2. Compliance grid

Rule patterns:

- TMF-PxCyPz: rule refers to TMF 630 Guidelines Part x, Chapter y and Paragraph z
- TMF-OAR-x: Orange Additional Rule

Rule	Summary	Level of importance	Compliance	Blocking items	Comments
🔗 TMF-P1C1P5	General: request and response HTTP headers must be valid	☆☆	Yes		
🔗 TMF-P1C2P2	Domain and URI naming standards: resource model and naming - Variable path segments contain unique resource identifiers only	☆☆☆	Yes		
🔗 TMF-P1C2P3	Domain and URI naming standards: resource ID and href are mandatory attributes	☆☆☆	Yes		
🔗 TMF-P1C2P4	Domain and URI naming standards: resource naming convention must be followed	☆☆☆	Yes		
🔗 TMF-P1C2P5	Domain and URI naming standards: resource fields convention must be followed	☆☆☆	Yes		
🔗 TMF-P1C3P1	Uniform contract methods and media types: uniform contract operations	☆☆☆	Yes		
🔗 TMF-P1C3P3	Uniform contract methods and media types: API response status - Never define nor use custom status codes	☆☆☆	Yes		
🔗 TMF-P1C3P4-1	Uniform contract methods and media types: user, application and extended error codes - Errors must set HTTP error status, never 2xx	☆☆☆	Yes		
🔗 TMF-P1C3P4-2	Uniform contract methods and media types: user, application and extended error codes - Error representation in response body must match recommended structure	☆☆☆☆	Yes		
🔗 TMF-P1C3P5	Uniform contract methods and media types: representations - No file extensions (e.g. .js, .json) to path segment, media type selection must be signaled with Accept header	☆☆☆	Yes		
🔗 TMF-P1C4P1	Query resources patterns: query single resource all attributes	☆☆☆	Yes		
🔗 TMF-P1C4P2	Query resources patterns: query multiple resources	☆☆☆	Yes		
🔗 TMF-P1C4P3	Query resources patterns: query partial resource representation or attribute selection	☆☆☆	Yes		
🔗 TMF-P1C4P4	Query resources patterns: query resources with attribute filtering	☆☆☆	No		
🔗 TMF-P1C4P5	Query resources patterns: paging	☆☆☆	Yes		
🔗 TMF-P1C4P7	Query resources patterns: sorting	☆☆☆	No		
🔗 TMF-P1C5P1	Modify resources patterns: uniform contract operations for modifying resources	☆☆☆	Yes		

Rule	Summary	Level of importance	Compliance	Blocking items	Comments
🔗 TMF-P1C5P2	Modify resources patterns: replace all attributes of a resource	★ ★ ★	Not applicable		
🔗 TMF-P1C5P3P4P5	Modify resources patterns: modify attribute subset of a resource, modify multi-valued attribute, JSON-Patch extension to manage arrays	★ ★ ★	Not applicable		
🔗 TMF-P1C6P1	Create resource patterns: creating a single resource	★ ★ ★	Not applicable		
🔗 TMF-P1C6P2	Create resource patterns: creating multiple resources	★ ★ ★	Not applicable		
🔗 TMF-P1C6P3	Create resource patterns: creating a single resource with attribute selection	★ ★ ★	Not applicable		
🔗 TMF-P1C7	Delete resource pattern	★ ★ ★	Not applicable		
🔗 TMF-P1C8P1	Task resource pattern: modeling complex operations with task resources	★ ★ ★	Not applicable		
🔗 TMF-P1C9	Monitor pattern	★ ★ ★	Not applicable		
🔗 TMF-P1C10P1P2	Notification patterns: register/unregister listener	★ ★ ★	Not applicable		
🔗 TMF-P1C10P3	Notification patterns: publishing events	★ ★ ★	Not applicable		
🔗 TMF-P1C11P1	Versioning: API version must be defined in the base path	★ ★ ★	Yes		
🔗 TMF-P1C12P3	Event management: event resource	★ ★ ★	Not applicable		
🔗 TMF-P1C12P4	Event management: topic resource	★ ★ ★	Not applicable		
🔗 TMF-P4C1P1	Export and import data tasks: export job resource	★ ★ ★	Not applicable		
🔗 TMF-P4C1P2	Export and import data tasks: import job resource	★ ★ ★	Not applicable		
🔗 TMF-OAR-1	[Orange Specific] GET /status operation returns service status info	★ ★ ★	Partial		- items to check manually: 1
🔗 TMF-OAR-2	[Orange Specific] GET /doc URI returns Swagger JSON file representation	★ ★ ★	No		
🔗 TMF-OAR-3	[Orange Specific] GET /version operation returns information about the version	★	Yes		
🔗 TMF-OAR-4	[Orange Specific] Prefix custom header names using X-<service>-* pattern (e.g. X-ISS-Key where ISS means for IoT Service Suite)	★ ★	Not applicable		
🔗 TMF-OAR-5	[Orange Specific] The server is reachable via a DNS name	★ ★ ★	Yes		
🔗 TMF-OAR-6	[Orange Specific] The API is a unique dedicated sub-domain or path	★ ★ ★	Yes		
🔗 TMF-OAR-7	[Orange Specific] Use Location header to return the URI of the newly created resource	★ ★ ★	Not applicable		

Rule	Summary	Level of importance	Compliance	Blocking items	Comments
↻ TMF-OAR-8	[Orange Specific] API documentation complies with Swagger 2.0 or OpenAPI 3.0 specifications and Orange recommendations	☆☆☆	No		

2. Assumptions

Summary: Resource types

In order to be able to apply some rules, the compliance service tries to determine the type of resource represented by each path

Item	JSONPath Location	Comments
/falloutIncident	\$('#paths')['/falloutIncident']	- According to HTTP methods used and/or the path format, the path represents a collection
/falloutIncident/{id}	\$('#paths')['/falloutIncident/{id}']	- According to HTTP methods used and/or the path format, the path represents a single resource
/status	\$('#paths')['/status']	- According to HTTP methods used and/or the path format, the path represents a reserved path to get the API status
/version	\$('#paths')['/version']	- According to HTTP methods used and/or the path format, the path represents a reserved path to get the API version

3. Compliance

Rule: **TMF-P1C1P5**

Summary: **General: request and response HTTP headers must be valid**

Level of Importance: **recommended** ★★

Item	JSONPath Location	Compliance	Comments
X-Result-Count	\$['paths']['/falloutIncident']['get']['responses']['200']['headers']['X-Result-Count']	✓	
X-Total-Count	\$['paths']['/falloutIncident']['get']['responses']['200']['headers']['X-Total-Count']	✓	

Rule: **TMF-P1C2P2**

Summary: **Domain and URI naming standards: resource model and naming - Variable path segments contain unique resource identifiers only**

Level of Importance: **strongly recommended** ★★★

Item	JSONPath Location	Compliance	Comments
/falloutIncident	\$['paths']['/falloutIncident']	✓	
/falloutIncident/{id}	\$['paths']['/falloutIncident/{id}']	✓	
/status	\$['paths']['/status']	✓	
/version	\$['paths']['/version']	✓	

Rule: **TMF-P1C2P3**

Summary: **Domain and URI naming standards: resource ID and href are mandatory attributes**

Level of Importance: **strongly recommended** ★★★

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident - Response 200	\$['paths']['/falloutIncident']['get']['responses']['200']	✓	
GET /falloutIncident/{id} - Response 200	\$['paths']['/falloutIncident/{id}']['get']['responses']['200']	✓	
GET /status - Response 200	\$['paths']['/status']['get']['responses']['200']	✓	
GET /version - Response 200	\$['paths']['/version']['get']['responses']['200']	✓	

Rule: TMF-P1C2P4

Summary: **Domain and URI naming standards: resource naming convention must be followed**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
/falloutIncident	['paths']['/falloutIncident']	✓	
/falloutIncident/{id}	['paths']['/falloutIncident/{id}']	✓	
/status	['paths']['/status']	✓	
/version	['paths']['/version']	✓	

Rule: TMF-P1C2P5

Summary: **Domain and URI naming standards: resource fields convention must be followed**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
code	['components']['schemas']['Error']['properties']['code']	✓	
reason	['components']['schemas']['Error']['properties']['reason']	✓	
message	['components']['schemas']['Error']['properties']['message']	✓	
status	['components']['schemas']['Error']['properties']['status']	✓	
referenceError	['components']['schemas']['Error']['properties']['referenceError']	✓	
@baseType	['components']['schemas']['Error']['properties']['@baseType']	✓	
@schemaLocation	['components']['schemas']['Error']['properties']['@schemaLocation']	✓	
@type	['components']['schemas']['Error']['properties']['@type']	✓	
code	['components']['schemas']['ErrorMessage']['properties']['code']	✓	
reason	['components']['schemas']['ErrorMessage']['properties']['reason']	✓	
message	['components']['schemas']['ErrorMessage']['properties']['message']	✓	
timestamp	['components']['schemas']['ErrorMessage']['properties']['timestamp']	✓	

Item	JSONPath Location	Compliance	Comments
id	['components']['schemas']['ErrorMessage']['properties']['id']	✓	
href	['components']['schemas']['ErrorMessage']['properties']['href']	✓	
@type	['components']['schemas']['ErrorMessage']['properties']['@type']	✓	
@schemaLocation	['components']['schemas']['ErrorMessage']['properties']['@schemaLocation']	✓	
id	['components']['schemas']['FalloutIncident']['properties']['id']	✓	
state	['components']['schemas']['FalloutIncident']['properties']['state']	✓	
creationDate	['components']['schemas']['FalloutIncident']['properties']['creationDate']	✓	
modificationDate	['components']['schemas']['FalloutIncident']['properties']['modificationDate']	✓	
relatedEntity	['components']['schemas']['FalloutIncident']['properties']['relatedEntity']	✓	
relatedParty	['components']['schemas']['FalloutIncident']['properties']['relatedParty']	✓	
reason	['components']['schemas']['FalloutIncident']['properties']['reason']	✓	
errorMessage	['components']['schemas']['FalloutIncident']['properties']['errorMessage']	✓	
href	['components']['schemas']['FalloutIncident']['properties']['href']	✓	
resolution	['components']['schemas']['FalloutIncident']['properties']['resolution']	✓	
@baseType	['components']['schemas']['FalloutIncident']['properties']['@baseType']	✓	
@type	['components']['schemas']['FalloutIncident']['properties']['@type']	✓	
@schemaLocation	['components']['schemas']['FalloutIncident']['properties']['@schemaLocation']	✓	
id	['components']['schemas']['RelatedEntity']['properties']['id']	✓	
@referredType	['components']['schemas']['RelatedEntity']['properties']['@referredType']	✓	
role	['components']['schemas']['RelatedEntity']['properties']['role']	✓	
href	['components']['schemas']['RelatedEntity']['properties']['href']	✓	
@type	['components']['schemas']['RelatedEntity']['properties']['@type']	✓	

Item	JSONPath Location	Compliance	Comments
id	['components']['schemas']['RelatedParty']['properties']['id']	✓	
role	['components']['schemas']['RelatedParty']['properties']['role']	✓	
name	['components']['schemas']['RelatedParty']['properties']['name']	✓	
href	['components']['schemas']['RelatedParty']['properties']['href']	✓	
@referredType	['components']['schemas']['RelatedParty']['properties']['@referredType']	✓	
@type	['components']['schemas']['RelatedParty']['properties']['@type']	✓	
status	['components']['schemas']['Resolution']['properties']['status']	✓	
comment	['components']['schemas']['Resolution']['properties']['comment']	✓	
id	['components']['schemas']['Resolution']['properties']['id']	✓	
href	['components']['schemas']['Resolution']['properties']['href']	✓	
@type	['components']['schemas']['Resolution']['properties']['@type']	✓	
name	['components']['schemas']['ServiceStatus']['properties']['name']	✓	
status	['components']['schemas']['ServiceStatus']['properties']['status']	✓	
version	['components']['schemas']['ServiceStatus']['properties']['version']	✓	
version	['components']['schemas']['ServiceVersion']['properties']['version']	✓	
deprecated	['components']['schemas']['ServiceVersion']['properties']['deprecated']	✓	
major	['components']['schemas']['Version']['properties']['major']	✓	
minor	['components']['schemas']['Version']['properties']['minor']	✓	

Rule: **TMF-P1C3P1**

Summary: **Uniform contract methods and media types: uniform contract operations**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
/falloutIncident	\$['paths']['/falloutIncident']	✓	
/falloutIncident/{id}	\$['paths']['/falloutIncident/{id}']	✓	
/status	\$['paths']['/status']	✓	
/version	\$['paths']['/version']	✓	

Rule: **TMF-P1C3P3**

Summary: **Uniform contract methods and media types: API response status - Never define nor use custom status codes**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident - Response 200	\$['paths']['/falloutIncident']['get']['responses']['200']	✓	
GET /falloutIncident - Response 400	\$['paths']['/falloutIncident']['get']['responses']['400']	✓	
GET /falloutIncident - Response 404	\$['paths']['/falloutIncident']['get']['responses']['404']	✓	
GET /falloutIncident - Response 405	\$['paths']['/falloutIncident']['get']['responses']['405']	✓	
GET /falloutIncident - Response 500	\$['paths']['/falloutIncident']['get']['responses']['500']	✓	
GET /falloutIncident - Response 503	\$['paths']['/falloutIncident']['get']['responses']['503']	✓	
GET /falloutIncident/{id} - Response 200	\$['paths']['/falloutIncident/{id}']['get']['responses']['200']	✓	
GET /falloutIncident/{id} - Response 400	\$['paths']['/falloutIncident/{id}']['get']['responses']['400']	✓	
GET /falloutIncident/{id} - Response 404	\$['paths']['/falloutIncident/{id}']['get']['responses']['404']	✓	
GET /falloutIncident/{id} - Response 405	\$['paths']['/falloutIncident/{id}']['get']['responses']['405']	✓	
GET /falloutIncident/{id} - Response 500	\$['paths']['/falloutIncident/{id}']['get']['responses']['500']	✓	
GET /falloutIncident/{id} - Response 503	\$['paths']['/falloutIncident/{id}']['get']['responses']['503']	✓	
GET /status - Response 200	\$['paths']['/status']['get']['responses']['200']	✓	
GET /status - Response 400	\$['paths']['/status']['get']['responses']['400']	✓	
GET /status - Response 404	\$['paths']['/status']['get']['responses']['404']	✓	

Item	JSONPath Location	Compliance	Comments
GET /status - Response 405	\$['paths']['/status']['get']['responses']['405']	✓	
GET /status - Response 500	\$['paths']['/status']['get']['responses']['500']	✓	
GET /status - Response 503	\$['paths']['/status']['get']['responses']['503']	✓	
GET /version - Response 200	\$['paths']['/version']['get']['responses']['200']	✓	
GET /version - Response 400	\$['paths']['/version']['get']['responses']['400']	✓	
GET /version - Response 404	\$['paths']['/version']['get']['responses']['404']	✓	
GET /version - Response 405	\$['paths']['/version']['get']['responses']['405']	✓	
GET /version - Response 500	\$['paths']['/version']['get']['responses']['500']	✓	
GET /version - Response 503	\$['paths']['/version']['get']['responses']['503']	✓	

Rule: TMF-P1C3P4-1

Summary: **Uniform contract methods and media types: user, application and extended error codes - Errors must set HTTP error status, never 2xx**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident	\$['paths']['/falloutIncident']['get']	✓	
GET /falloutIncident/{id}	\$['paths']['/falloutIncident/{id}']['get']	✓	
GET /status	\$['paths']['/status']['get']	✓	
GET /version	\$['paths']['/version']['get']	✓	

Rule: TMF-P1C3P4-2

Summary: **Uniform contract methods and media types: user, application and extended error codes - Error representation in response body must match recommended structure**

Level of Importance: **mandatory** ★★★★★

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident - Response 400	\$['paths']['/falloutIncident']['get']['responses']['400']	✓	

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident - Response 404	\$['paths']['/falloutIncident']['get']['responses']['404']	✓	
GET /falloutIncident - Response 405	\$['paths']['/falloutIncident']['get']['responses']['405']	✓	
GET /falloutIncident - Response 500	\$['paths']['/falloutIncident']['get']['responses']['500']	✓	
GET /falloutIncident - Response 503	\$['paths']['/falloutIncident']['get']['responses']['503']	✓	
GET /falloutIncident/{id} - Response 400	\$['paths']['/falloutIncident/{id}']['get']['responses']['400']	✓	
GET /falloutIncident/{id} - Response 404	\$['paths']['/falloutIncident/{id}']['get']['responses']['404']	✓	
GET /falloutIncident/{id} - Response 405	\$['paths']['/falloutIncident/{id}']['get']['responses']['405']	✓	
GET /falloutIncident/{id} - Response 500	\$['paths']['/falloutIncident/{id}']['get']['responses']['500']	✓	
GET /falloutIncident/{id} - Response 503	\$['paths']['/falloutIncident/{id}']['get']['responses']['503']	✓	
GET /status - Response 400	\$['paths']['/status']['get']['responses']['400']	✓	
GET /status - Response 404	\$['paths']['/status']['get']['responses']['404']	✓	
GET /status - Response 405	\$['paths']['/status']['get']['responses']['405']	✓	
GET /status - Response 500	\$['paths']['/status']['get']['responses']['500']	✓	
GET /version - Response 400	\$['paths']['/version']['get']['responses']['400']	✓	
GET /version - Response 404	\$['paths']['/version']['get']['responses']['404']	✓	
GET /version - Response 405	\$['paths']['/version']['get']['responses']['405']	✓	
GET /version - Response 500	\$['paths']['/version']['get']['responses']['500']	✓	
GET /version - Response 503	\$['paths']['/version']['get']['responses']['503']	✓	

Rule: TMF-P1C3P5

Summary: **Uniform contract methods and media types: representations - No file extensions (e.g. .js, .json) to path segment, media type selection must be signaled with Accept header**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
/falloutIncident	\$['paths']['/falloutIncident']	✓	

Item	JSONPath Location	Compliance	Comments
/falloutIncident/{id}	\$['paths']['/falloutIncident/{id}']	✓	
/status	\$['paths']['/status']	✓	
/version	\$['paths']['/version']	✓	

Rule: TMF-P1C4P1

Summary: **Query resources patterns: query single resource all attributes**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident/{id}	\$['paths']['/falloutIncident/{id}']['get']	✓	

Rule: TMF-P1C4P2

Summary: **Query resources patterns: query multiple resources**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident	\$['paths']['/falloutIncident']['get']	✓	

Rule: TMF-P1C4P3

Summary: **Query resources patterns: query partial resource representation or attribute selection**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident	\$['paths']['/falloutIncident']['get']	✓	
GET /falloutIncident/{id}	\$['paths']['/falloutIncident/{id}']['get']	✓	
GET /status	\$['paths']['/status']['get']	✓	
GET /version	\$['paths']['/version']['get']	✓	

Rule: TMF-P1C4P4

Summary: **Query resources patterns: query resources with attribute filtering**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident	\$['paths']['/falloutIncident']['get']	✗	- The query-string parameter "relatedEntity.Role" and the property "relatedEntity.role" must have the same case - The following query-string parameters do not match any defined property in the response: relatedEntity.state. Check if they are needed.

Rule: TMF-P1C4P5

Summary: **Query resources patterns: paging**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident	\$['paths']['/falloutIncident']['get']	✓	

Rule: TMF-P1C4P7

Summary: **Query resources patterns: sorting**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /falloutIncident	\$['paths']['/falloutIncident']['get']	✗	- The type of query-string parameter "sort" must be "string"

Rule: TMF-P1C5P1

Summary: **Modify resources patterns: uniform contract operations for modifying resources**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
/falloutIncident/{id}	\$['paths']['/falloutIncident/{id}']	✓	

Rule: TMF-P1C5P2

Summary: **Modify resources patterns: replace all attributes of a resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C5P3P4P5**

Summary: **Modify resources patterns: modify attribute subset of a resource, modify multi-valued attribute, JSON-Patch extension to manage arrays**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C6P1**

Summary: **Create resource patterns: creating a single resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C6P2**

Summary: **Create resource patterns: creating multiple resources**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C6P3**

Summary: **Create resource patterns: creating a single resource with attribute selection**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C7**

Summary: **Delete resource pattern**

Level of Importance: **strongly recommended** ★★ ★

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C8P1**

Summary: **Task resource pattern: modeling complex operations with task resources**

Level of Importance: **strongly recommended** ★★ ★

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C9**

Summary: **Monitor pattern**

Level of Importance: **strongly recommended** ★★ ★

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C10P1P2**

Summary: **Notification patterns: register/unregister listener**

Level of Importance: **strongly recommended** ★★ ★

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C10P3**

Summary: **Notification patterns: publishing events**

Level of Importance: **strongly recommended** ★★ ★

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C11P1**

Summary: **Versioning: API version must be defined in the base path**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
/api/falloutManagement/v1	['servers'] [0]	✓	

Rule: **TMF-P1C12P3**

Summary: **Event management: event resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C12P4**

Summary: **Event management: topic resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P4C1P1**

Summary: **Export and import data tasks: export job resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P4C1P2**

Summary: **Export and import data tasks: import job resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-OAR-1**

Summary: **[Orange Specific]** GET /status operation returns service status info

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /status	['paths']['/status']		- In the response "503", the following warnings have been detected: - the definition does not match a schema representing the Orange status resource - \$.properties.name: is missing but it is required - \$.properties.version: is missing but it is required - \$.properties.status.enum: is missing but it is required - \$.properties.code: is not defined in the schema and the schema does not allow additional properties - \$.properties.reason: is not defined in the schema and the schema does not allow additional properties - \$.properties.message: is not defined in the schema and the schema does not allow additional properties - \$.properties.referenceError: is not defined in the schema and the schema does not allow additional properties - \$.properties.@baseType: is not defined in the schema and the schema does not allow additional properties - \$.properties.@schemaLocation: is not defined in the schema and the schema does not allow additional properties - \$.properties.@type: is not defined in the schema and the schema does not allow additional properties

Rule: **TMF-OAR-2**

Summary: **[Orange Specific]** GET /doc URI returns Swagger JSON file representation

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /doc			- The path "/doc" with only the method "GET" must be defined

Rule: **TMF-OAR-3**

Summary: **[Orange Specific]** GET /version operation returns information about the version

Level of Importance: **for information only** ★☆☆☆

Item	JSONPath Location	Compliance	Comments
GET /version	\$['paths']['/version']	✓	

Rule: **TMF-OAR-4**

Summary: **[Orange Specific]** Prefix custom header names using X-<service>-* pattern (e.g. X-ISS-Key where ISS means for IoT Service Suite)

Level of Importance: **recommended** ★★

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-OAR-5**

Summary: **[Orange Specific]** The server is reachable via a DNS name

Level of Importance: **strongly recommended** ★★★

Item	JSONPath Location	Compliance	Comments
https://orchestration-delivery-fallout-integration.apps.fr01.paas.tech.orange/api/falloutManagement/v1	\$['servers'][0]	✓	

Rule: **TMF-OAR-6**

Summary: **[Orange Specific]** The API is a unique dedicated sub-domain or path

Level of Importance: **strongly recommended** ★★★

Item	JSONPath Location	Compliance	Comments
https://orchestration-delivery-fallout-integration.apps.fr01.paas.tech.orange/api/falloutManagement/v1	\$['servers'][0]	✓	

Rule: **TMF-OAR-7**

Summary: **[Orange Specific]** Use Location header to return the URI of the newly created resource

Level of Importance: **strongly recommended** ★★★

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-OAR-8**

Summary: **[Orange Specific] API documentation complies with Swagger 2.0 or OpenAPI 3.0 specifications and Orange recommendations**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
\$['components']['schemas']['RelatedEntity']	\$['components']['schemas']['RelatedEntity']	✗	- The field "description" must be defined
\$['components']['schemas']['Resolution']	\$['components']['schemas']['Resolution']	✗	- The field "description" must be defined
\$['components']['schemas']['Resolution']['properties']['@type']	\$['components']['schemas']['Resolution']['properties']['@type']	✗	- The field "description" must be defined
\$['paths']['/falloutIncident']['get']['parameters'][1]['schema']['items']	\$['paths']['/falloutIncident']['get']['parameters'][1 1]['schema']['items']	✗	- The field "description" must be defined