



API compliance report



A question, comment or proposal, join us on [Mattermost "API Factory Support"](#)

Generated on **Tuesday, June 3, 2025 08:07:00 CET**

API: AuthorizationManagement 2.0.0_release

Recommendation: TMF 630 Guidelines v4.0.1 [🔗](#)

1. Compliance summary report

Compliance level estimation: **94 %**

Number of rules with blocking items: **0**

In order to improve the compliance of your API before its exposition on our API Gateway,

- all detected blocking items **must** be fixed
- all applicable rules with a level of importance ★★★★★ and ★★★★☆ **must** be compliant
- rules with the level of importance ★★★☆☆ **should** be compliant
- rules with the level of importance ★★☆☆☆ **may** be compliant

1.1. Compliance by level of importance

Level of importance	# of rules	# of rules with full compliance	# of rules with partial compliance	# of rules without compliance	# of rules not applicable
mandatory ★★★★★	1	1	0	0	0
strongly recommended ★★★★☆	36	20	2	6	8
recommended ★★★☆☆	2	1	0	0	1
for information only ★★☆☆☆	1	0	1	0	0

1.2. Compliance grid

Rule patterns:

- TMF-PxCyPz: rule refers to TMF 630 Guidelines Part x, Chapter y and Paragraph z
- TMF-OAR-x: Orange Additional Rule

Rule	Summary	Level of importance	Compliance	Blocking items	Comments
↻ TMF-P1C1P5	General: request and response HTTP headers must be valid	☆☆	Yes		
↻ TMF-P1C2P2	Domain and URI naming standards: resource model and naming - Variable path segments contain unique resource identifiers only	☆☆☆	Yes		
↻ TMF-P1C2P3	Domain and URI naming standards: resource ID and href are mandatory attributes	☆☆☆	Partial		- compliant items: 9 - not compliant items: 12
↻ TMF-P1C2P4	Domain and URI naming standards: resource naming convention must be followed	☆☆☆	Yes		
↻ TMF-P1C2P5	Domain and URI naming standards: resource fields convention must be followed	☆☆☆	Yes		
↻ TMF-P1C3P1	Uniform contract methods and media types: uniform contract operations	☆☆☆	Yes		
↻ TMF-P1C3P3	Uniform contract methods and media types: API response status - Never define nor use custom status codes	☆☆☆	Yes		
↻ TMF-P1C3P4-1	Uniform contract methods and media types: user, application and extended error codes - Errors must set HTTP error status, never 2xx	☆☆☆	Yes		
↻ TMF-P1C3P4-2	Uniform contract methods and media types: user, application and extended error codes - Error representation in response body must match recommended structure	☆☆☆☆	Yes		
↻ TMF-P1C3P5	Uniform contract methods and media types: representations - No file extensions (e.g. .js, .json) to path segment, media type selection must be signaled with Accept header	☆☆☆	Yes		
↻ TMF-P1C4P1	Query resources patterns: query single resource all attributes	☆☆☆	Yes		
↻ TMF-P1C4P2	Query resources patterns: query multiple resources	☆☆☆	Yes		
↻ TMF-P1C4P3	Query resources patterns: query partial resource representation or attribute selection	☆☆☆	Yes		
↻ TMF-P1C4P4	Query resources patterns: query resources with attribute filtering	☆☆☆	Yes		
↻ TMF-P1C4P5	Query resources patterns: paging	☆☆☆	Partial		- compliant items: 2 - not compliant items: 3
↻ TMF-P1C4P7	Query resources patterns: sorting	☆☆☆	Yes		
↻ TMF-P1C5P1	Modify resources patterns: uniform contract operations for modifying resources	☆☆☆	Yes		

Rule	Summary	Level of importance	Compliance	Blocking items	Comments
🔗 TMF-P1C5P2	Modify resources patterns: replace all attributes of a resource	★ ★ ★	Yes		
🔗 TMF-P1C5P3P4P5	Modify resources patterns: modify attribute subset of a resource, modify multi-valued attribute, JSON-Patch extension to manage arrays	★ ★ ★	Yes		
🔗 TMF-P1C6P1	Create resource patterns: creating a single resource	★ ★ ★	Yes		
🔗 TMF-P1C6P2	Create resource patterns: creating multiple resources	★ ★ ★	Not applicable		
🔗 TMF-P1C6P3	Create resource patterns: creating a single resource with attribute selection	★ ★ ★	Not applicable		
🔗 TMF-P1C7	Delete resource pattern	★ ★ ★	Yes		
🔗 TMF-P1C8P1	Task resource pattern: modeling complex operations with task resources	★ ★ ★	Not applicable		
🔗 TMF-P1C9	Monitor pattern	★ ★ ★	Not applicable		
🔗 TMF-P1C10P1P2	Notification patterns: register/unregister listener	★ ★ ★	Yes		
🔗 TMF-P1C10P3	Notification patterns: publishing events	★ ★ ★	Yes		
🔗 TMF-P1C11P1	Versioning: API version must be defined in the base path	★ ★ ★	Yes		
🔗 TMF-P1C12P3	Event management: event resource	★ ★ ★	Not applicable		
🔗 TMF-P1C12P4	Event management: topic resource	★ ★ ★	Not applicable		
🔗 TMF-P4C1P1	Export and import data tasks: export job resource	★ ★ ★	Not applicable		
🔗 TMF-P4C1P2	Export and import data tasks: import job resource	★ ★ ★	Not applicable		
🔗 TMF-OAR-1	[Orange Specific] GET /status operation returns service status info	★ ★ ★	No		
🔗 TMF-OAR-2	[Orange Specific] GET /doc URI returns Swagger JSON file representation	★ ★ ★	No		
🔗 TMF-OAR-3	[Orange Specific] GET /version operation returns information about the version	★	Partial		- items to check manually: 1
🔗 TMF-OAR-4	[Orange Specific] Prefix custom header names using X-<service>-* pattern (e.g. X-ISS-Key where ISS means for IoT Service Suite)	★ ★	Not applicable		
🔗 TMF-OAR-5	[Orange Specific] The server is reachable via a DNS name	★ ★ ★	No		
🔗 TMF-OAR-6	[Orange Specific] The API is a unique dedicated sub-domain or path	★ ★ ★	No		
🔗 TMF-OAR-7	[Orange Specific] Use Location header to return the URI of the newly created resource	★ ★ ★	No		

Rule	Summary	Level of importance	Compliance	Blocking items	Comments
↻ TMF-OAR-8	[Orange Specific] API documentation complies with Swagger 2.0 or OpenAPI 3.0 specifications and Orange recommendations	☆☆☆	No		

2. Assumptions

Summary: Resource types

In order to be able to apply some rules, the compliance service tries to determine the type of resource represented by each path

Item	JSONPath Location	Comments
/permission	['paths']['/permission']	- According to HTTP methods used and/or the path format, the path represents a collection
/permission/{id}	['paths']['/permission/{id}']	- According to HTTP methods used and/or the path format, the path represents a single resource
/userRole	['paths']['/userRole']	- According to HTTP methods used and/or the path format, the path represents a collection
/userRole/{id}	['paths']['/userRole/{id}']	- According to HTTP methods used and/or the path format, the path represents a single resource
/hub	['paths']['/hub']	- According to HTTP methods used and/or the path format, the path represents a hub collection
/hub/{id}	['paths']['/hub/{id}']	- According to HTTP methods used and/or the path format, the path represents a hub resource
/listener/permissionCreateEvent	['paths']['/listener/permissionCreateEvent']	- According to HTTP methods used and/or the path format, the path represents a notification listener
/listener/permissionAttributeValueChangeEvent	['paths']['/listener/permissionAttributeValueChangeEvent']	- According to HTTP methods used and/or the path format, the path represents a notification listener
/listener/permissionStateChangeEvent	['paths']['/listener/permissionStateChangeEvent']	- According to HTTP methods used and/or the path format, the path represents a notification listener
/listener/permissionDeleteEvent	['paths']['/listener/permissionDeleteEvent']	- According to HTTP methods used and/or the path format, the path represents a notification listener
/listener/userRoleCreateEvent	['paths']['/listener/userRoleCreateEvent']	- According to HTTP methods used and/or the path format, the path represents a notification listener
/listener/userRoleAttributeValueChangeEvent	['paths']['/listener/userRoleAttributeValueChangeEvent']	- According to HTTP methods used and/or the path format, the path represents a notification listener
/listener/userRoleStateChangeEvent	['paths']['/listener/userRoleStateChangeEvent']	- According to HTTP methods used and/or the path format, the path represents a notification listener
/listener/userRoleDeleteEvent	['paths']['/listener/userRoleDeleteEvent']	- According to HTTP methods used and/or the path format, the path represents a notification listener
/entitlement	['paths']['/entitlement']	- According to HTTP methods used and/or the path format, the path represents a collection
/entitlement/{entitlementId}	['paths']['/entitlement/{entitlementId}']	- According to HTTP methods used and/or the path format, the path represents a single resource
/componentConfiguration	['paths']['/componentConfiguration']	- According to HTTP methods used and/or the path format, the path represents a collection
/componentConfiguration/{componentConfigurationId}	['paths']['/componentConfiguration/{componentConfigurationId}']	- According to HTTP methods used and/or the path format, the path represents a single resource

Item	JSONPath Location	Comments
/functionConfiguration	['paths']['/functionConfiguration']	- According to HTTP methods used and/or the path format, the path represents a collection
/functionConfiguration/{functionConfigurationId}	['paths']['/functionConfiguration/{functionConfigurationId}']	- According to HTTP methods used and/or the path format, the path represents a single resource

3. Compliance

Rule: **TMF-P1C1P5**

Summary: **General: request and response HTTP headers must be valid**

Level of Importance: **recommended** ★★

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C2P2**

Summary: **Domain and URI naming standards: resource model and naming - Variable path segments contain unique resource identifiers only**

Level of Importance: **strongly recommended** ★★★

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C2P3**

Summary: **Domain and URI naming standards: resource ID and href are mandatory attributes**

Level of Importance: **strongly recommended** ★★★

Item	JSONPath Location	Compliance	Comments
POST /entitlement - Response 201	['paths']['/entitlement']['post']['responses']['201']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required
GET /entitlement - Response 200	['paths']['/entitlement']['get']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing an array containing resources with id and href properties - \$.items.properties.href: is missing but it is required
GET /entitlement/{entitlementId} - Response 200	['paths']['/entitlement/{entitlementId}']['get']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required
PUT /entitlement/{entitlementId} - Response 200	['paths']['/entitlement/{entitlementId}']['put']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required

Item	JSONPath Location	Compliance	Comments
POST /componentConfiguration - Response 201	\$['paths']['/componentConfiguration']['post']['responses']['201']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required
GET /componentConfiguration - Response 200	\$['paths']['/componentConfiguration']['get']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing an array containing resources with id and href properties - \$.items.properties.href: is missing but it is required
GET /componentConfiguration/{componentConfigurationId} - Response 200	\$['paths']['/componentConfiguration/{componentConfigurationId}']['get']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required
PUT /componentConfiguration/{componentConfigurationId} - Response 200	\$['paths']['/componentConfiguration/{componentConfigurationId}']['put']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required
POST /functionConfiguration - Response 201	\$['paths']['/functionConfiguration']['post']['responses']['201']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required
GET /functionConfiguration - Response 200	\$['paths']['/functionConfiguration']['get']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing an array containing resources with id and href properties - \$.items.properties.href: is missing but it is required
GET /functionConfiguration/{functionConfigurationId} - Response 200	\$['paths']['/functionConfiguration/{functionConfigurationId}']['get']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required
PUT /functionConfiguration/{functionConfigurationId} - Response 200	\$['paths']['/functionConfiguration/{functionConfigurationId}']['put']['responses']['200']	✗	- In the response body, the following errors have been detected: - the definition does not match a schema representing a resource with id and href properties - \$.properties.href: is missing but it is required

Rule: TMF-P1C2P4

Summary: **Domain and URI naming standards: resource naming convention must be followed**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: TMF-P1C2P5

Summary: **Domain and URI naming standards: resource fields convention must be followed**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C3P1**

Summary: **Uniform contract methods and media types: uniform contract operations**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C3P3**

Summary: **Uniform contract methods and media types: API response status - Never define nor use custom status codes**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C3P4-1**

Summary: **Uniform contract methods and media types: user, application and extended error codes - Errors must set HTTP error status, never 2xx**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C3P4-2**

Summary: **Uniform contract methods and media types: user, application and extended error codes - Error representation in response body must match recommended structure**

Level of Importance: **mandatory** ★★★★★

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C3P5**

Summary: **Uniform contract methods and media types: representations - No file extensions (e.g. .js, .json) to path segment, media type selection must be signaled with Accept header**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C4P1**

Summary: **Query resources patterns: query single resource all attributes**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C4P2**

Summary: **Query resources patterns: query multiple resources**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C4P3**

Summary: **Query resources patterns: query partial resource representation or attribute selection**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C4P4**

Summary: **Query resources patterns: query resources with attribute filtering**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C4P5**

Summary: **Query resources patterns: paging**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /entitlement	['paths']['/entitlement']['get']	✗	- The following query-string parameters must be defined: offset, limit - The response header "X-Total-Count" in the response "200" must be defined - The response header "X-Result-Count" in the response "200" must be defined
GET /componentConfiguration	['paths']['/componentConfiguration']['get']	✗	- The following query-string parameters must be defined: offset, limit - The response header "X-Total-Count" in the response "200" must be defined - The response header "X-Result-Count" in the response "200" must be defined
GET /functionConfiguration	['paths']['/functionConfiguration']['get']	✗	- The following query-string parameters must be defined: offset, limit - The response header "X-Total-Count" in the response "200" must be defined - The response header "X-Result-Count" in the response "200" must be defined

Rule: **TMF-P1C4P7**

Summary: **Query resources patterns: sorting**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C5P1**

Summary: **Modify resources patterns: uniform contract operations for modifying resources**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C5P2**

Summary: **Modify resources patterns: replace all attributes of a resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C5P3P4P5**

Summary: **Modify resources patterns: modify attribute subset of a resource, modify multi-valued attribute, JSON-Patch extension to manage arrays**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C6P1**

Summary: **Create resource patterns: creating a single resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C6P2**

Summary: **Create resource patterns: creating multiple resources**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C6P3**

Summary: **Create resource patterns: creating a single resource with attribute selection**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C7**

Summary: **Delete resource pattern**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C8P1**

Summary: **Task resource pattern: modeling complex operations with task resources**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C9**

Summary: **Monitor pattern**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C10P1P2**

Summary: **Notification patterns: register/unregister listener**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C10P3**

Summary: **Notification patterns: publishing events**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C11P1**

Summary: **Versioning: API version must be defined in the base path**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Full compliance			

Rule: **TMF-P1C12P3**

Summary: **Event management: event resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P1C12P4**

Summary: **Event management: topic resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P4C1P1**

Summary: **Export and import data tasks: export job resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-P4C1P2**

Summary: **Export and import data tasks: import job resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-OAR-1**

Summary: **[Orange Specific]** GET /status operation returns service status info

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /status		✗	- The path "/status" with only the method "GET" must be defined

Rule: **TMF-OAR-2**

Summary: **[Orange Specific]** GET /doc URI returns Swagger JSON file representation

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
GET /doc		✗	- The path "/doc" with only the method "GET" must be defined

Rule: **TMF-OAR-3**

Summary: **[Orange Specific]** GET /version operation returns information about the version

Level of Importance: **for information only** ★

Item	JSONPath Location	Compliance	Comments
GET /version		?	- The path "/version" with only the method "GET" may be defined (optional)

Rule: **TMF-OAR-4**

Summary: **[Orange Specific]** Prefix custom header names using X-<service>-* pattern (e.g. X-ISS-Key where ISS means for IoT Service Suite)

Level of Importance: **recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
Not applicable			

Rule: **TMF-OAR-5**

Summary: **[Orange Specific]** The server is reachable via a DNS name

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
https://serverRootserverRoot/payment/v4/	\$['servers'][0]	✗	- The host in the URL is not a valid DNS name

Rule: **TMF-OAR-6**

Summary: **[Orange Specific] The API is a unique dedicated sub-domain or path**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
https://serverRootserverRoot/payment/v4/	\$['servers'][0]	✗	- The API must be available on a dedicated domain name, below a sub-path named "api" (example : http://myservice/api/...), or below a dedicated "api" sub-domain (example : http://api.myservice)

Rule: **TMF-OAR-7**

Summary: **[Orange Specific] Use Location header to return the URI of the newly created resource**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
POST /permission	\$['paths']['/permission']['post']	✗	- The response header "Location" must be defined in the response "201"
POST /userRole	\$['paths']['/userRole']['post']	✗	- The response header "Location" must be defined in the response "201"
POST /entitlement	\$['paths']['/entitlement']['post']	✗	- The response header "Location" must be defined in the response "201"
POST /componentConfiguration	\$['paths']['/componentConfiguration']['post']	✗	- The response header "Location" must be defined in the response "201"
POST /functionConfiguration	\$['paths']['/functionConfiguration']['post']	✗	- The response header "Location" must be defined in the response "201"

Rule: **TMF-OAR-8**

Summary: **[Orange Specific] API documentation complies with Swagger 2.0 or OpenAPI 3.0 specifications and Orange recommendations**

Level of Importance: **strongly recommended** ★★☆☆

Item	JSONPath Location	Compliance	Comments
\$['paths']['/entitlement']['get']	\$['paths']['/entitlement']['get']	✗	- The field "description" must be defined
\$['paths']['/componentConfiguration']['get']	\$['paths']['/componentConfiguration']['get']	✗	- The field "description" must be defined

Item	JSONPath Location	Compliance	Comments
\$['paths']['/entitlement/{entitlementId}']['put']	\$['paths']['/entitlement/{entitlementId}']['put']	✗	- The field "description" must be defined
\$['paths']['/componentConfiguration/{componentConfigurationId}']['put']	\$['paths']['/componentConfiguration/{componentConfigurationId}']['put']	✗	- The field "description" must be defined
\$['paths']['/entitlement']['post']	\$['paths']['/entitlement']['post']	✗	- The field "description" must be defined
\$['components']['schemas']['Entitlement']['properties']['id']	\$['components']['schemas']['Entitlement']['properties']['id']	✗	- The field "description" must be defined
\$['paths']['/permission/{id}']['get']['parameters'][0]	\$['paths']['/permission/{id}']['get']['parameters'][0]	✗	- The field "description" must be defined
\$['paths']['/permission/{id}']['patch']['parameters'][0]	\$['paths']['/permission/{id}']['patch']['parameters'][0]	✗	- The field "description" must be defined
\$['paths']['/userRole/{id}']['get']['parameters'][0]	\$['paths']['/userRole/{id}']['get']['parameters'][0]	✗	- The field "description" must be defined
\$['paths']['/userRole/{id}']['patch']['parameters'][0]	\$['paths']['/userRole/{id}']['patch']['parameters'][0]	✗	- The field "description" must be defined
\$['paths']['/hub/{id}']['delete']['parameters'][0]	\$['paths']['/hub/{id}']['delete']['parameters'][0]	✗	- The field "description" must be defined
\$['paths']['/functionConfiguration/{functionConfigurationId}']['get']['parameters'][0]	\$['paths']['/functionConfiguration/{functionConfigurationId}']['get']['parameters'][0]	✗	- The field "description" must be defined
\$['paths']['/functionConfiguration/{functionConfigurationId}']['put']['parameters'][0]	\$['paths']['/functionConfiguration/{functionConfigurationId}']['put']['parameters'][0]	✗	- The field "description" must be defined
\$['paths']['/functionConfiguration/{functionConfigurationId}']['delete']['parameters'][0]	\$['paths']['/functionConfiguration/{functionConfigurationId}']['delete']['parameters'][0]	✗	- The field "description" must be defined
\$['paths']['/entitlement']['post']['requestBody']	\$['paths']['/entitlement']['post']['requestBody']	✗	- The field "description" must be defined
\$['paths']['/entitlement/{entitlementId}']['put']['requestBody']	\$['paths']['/entitlement/{entitlementId}']['put']['requestBody']	✗	- The field "description" must be defined
\$['paths']['/componentConfiguration']['post']['requestBody']	\$['paths']['/componentConfiguration']['post']['requestBody']	✗	- The field "description" must be defined
\$['paths']['/componentConfiguration/{componentConfigurationId}']['put']['requestBody']	\$['paths']['/componentConfiguration/{componentConfigurationId}']['put']['requestBody']	✗	- The field "description" must be defined
\$['paths']['/functionConfiguration']['post']['requestBody']	\$['paths']['/functionConfiguration']['post']['requestBody']	✗	- The field "description" must be defined
\$['paths']['/functionConfiguration/{functionConfigurationId}']['put']['requestBody']	\$['paths']['/functionConfiguration/{functionConfigurationId}']['put']['requestBody']	✗	- The field "description" must be defined