Pyspark

PHASE 0 — FOUNDATIONS

0.1 What Problem Apache Spark Actually Solves

0.1.1 Core Definition

Apache Spark is a **distributed data processing engine** designed to process **large-scale datasets** across **multiple machines** using **parallel execution**, while exposing a **high-level programming model** that abstracts away explicit network communication, fault handling, and task scheduling.

Spark does **not** exist to:

- Make Python faster
- Replace databases
- Replace streaming systems
- Guarantee global ordering
- Automatically optimize bad logic

Spark exists to **execute computation close to data**, at scale, reliably.

0.1.2 The Real Problem Spark Was Built to Solve

The real problem is **not data size alone**.
The real problem is the **combination** of:

1. Data that does not fit on a single machine
2. Computation that must finish within a practical time window
3. Hardware that fails unpredictably
4. Engineers who cannot manually manage distributed systems

Before Spark, teams faced a forced choice:

- **Single machine tools**
  - Simple
  - Correct
  - Too slow or impossible at scale
- **Low-level distributed systems (MapReduce)**
  - Scalable
  - Fault-tolerant
  - Extremely slow to develop and iterate

Spark exists to remove that tradeoff.

0.1.3 Why Traditional Approaches Break Down

1. Vertical Scaling Has Hard Limits

Single-machine processing relies on:

- CPU cores
- RAM
- Disk throughput

These scale **linearly in cost** and **non-linearly in complexity**.

At some point:

- RAM is insufficient
- Disk becomes the bottleneck
- CPU parallelism plateaus

No optimization fixes this.

2. Databases Are Not General Compute Engines

Databases are optimized for:

- Indexed access
- Point lookups
- Transactional consistency
- Query latency

They are **not optimized** for:

- Large-scale transformations
- Complex procedural logic
- Multi-stage analytical pipelines

Forcing databases into this role leads to:

- Expensive queries
- Resource contention
- Operational instability

3. Manual Distributed Systems Do Not Scale Humanly

Low-level distributed systems require engineers to handle:

- Data partitioning
- Node failures
- Retry logic
- Network shuffles
- Task coordination

This does not scale with team size or delivery timelines.

Spark automates these concerns.

0.1.4 What Spark Actually Provides (And What It Does Not)

Spark **provides**:

1. Automatic parallelization of computation
2. Fault tolerance via lineage-based recomputation
3. In-memory processing when beneficial
4. Unified APIs for batch, SQL, streaming, and ML workloads


Spark **does NOT provide**:

1. Free performance
2. Automatic correctness
3. Elimination of data skew

4. Optimal execution for bad data models

Spark amplifies good design and **punishes bad design at scale**.

0.1.5 Conceptual Diagram



Key Points:

- “Computation moves to data”
- “Failures are recomputed, not retried blindly”

Spark coordinates work centrally, executes it distributively.

0.1.6 Practical Rules You Must Internalize

1. Spark solves scale, not logic errors
2. Distributed systems magnify inefficiencies
3. Network I/O is always expensive
4. Data layout matters more than syntax
5. Spark does not think for you

If you misunderstand any of these, Spark will still run — and silently burn time and money.

0.1.7 Final Technical Takeaway

Apache Spark exists to make **large-scale data processing feasible**, not effortless.

It replaces:

- Manual parallelism
- Manual fault handling
- Manual coordination

It does **not** replace:

- Engineering judgment
- Data modeling
- Performance awareness

Spark is a force multiplier.
Whether it multiplies correctness or failure depends entirely on you.

0.2 Batch vs Distributed Batch (Why Spark Is Not “Fast Python”)

0.2.1 Core Definition

Batch processing is the execution of a finite dataset as a single, bounded unit of work.
Distributed batch processing is the execution of that same finite dataset **partitioned across multiple machines**, coordinated by a central scheduler, and executed in parallel.

Apache Spark is a **distributed batch engine** first.
Everything else Spark does is built on top of this model.

0.2.2 Why This Distinction Exists (The Real Reason)

Most engineers incorrectly assume:

“If I write Python code and run it on Spark, it will just run faster.”

That assumption is wrong.

The distinction exists because:

1. **Single-node batch**
    a. One process
    b. One memory space
    c. One disk
    d. One failure domain
2. **Distributed batch**
    a. Multiple JVM processes
    b. Independent memory spaces
    c. Network-bound data movement
    d. Partial failures are expected, not exceptional

Spark exists because **single-node batch hits physical limits** and cannot scale further.

0.2.3 What Changes When You Move to Distributed Batch

When computation becomes distributed, three things fundamentally change:

1. Data Is Partitioned, Not Shared

- No global arrays
- No shared variables
- No implicit ordering

Each executor processes **only its own partition**.

If data must move:

- It moves over the network
- It becomes expensive
- It introduces synchronization

2. Computation Is Scheduled, Not Called

Function calls are replaced by:

- Logical plans
- Physical plans
- Task scheduling

Your code **describes what should happen**, not how it runs.

Execution order is decided by Spark, not Python.

3. Failures Are Normal

In distributed systems:

- Nodes die
- Executors are lost
- Tasks fail mid-computation

Spark assumes failure and recovers by **recomputing lost partitions**, not by retrying blindly.

0.2.4 Why Spark Is Not “Fast Python”

Spark does **not** speed up Python code.

Spark:

- Executes plans on the JVM
- Uses Python only as a control layer
- Penalizes Python when crossing process boundaries

If your logic:

- Cannot be parallelized
- Requires shared mutable state
- Depends on execution order

Spark will not help you. It will slow you down.

0.2.5 Where Spark Wins (And Where It Loses)

Spark Wins When:

1. Data is large and splittable
2. Computation is associative and parallelizable
3. Work can be expressed as transformations
4. Failures must not stop the job

Spark Loses When:

1. Data fits in memory on one machine
2. Logic is highly sequential
3. Latency matters more than throughput
4. Python-side computation dominates

Spark is a throughput engine, not a low-latency executor.

0.2.6 Practical Rules You Must Internalize

1. Parallelism comes from data partitioning, not threads
2. Network I/O dominates distributed workloads
3. Ordering is not guaranteed unless explicitly enforced
4. Python code inside Spark is a liability
5. Scale reveals design flaws

If something feels harder in Spark than in Python, it usually is — by design.

0.2.7 Final Technical Takeaway

Spark is not an optimization layer for Python.
Spark is a **distributed execution engine** that happens to expose a Python API.

If you think in terms of:

- Loops
- Mutable variables
- Step-by-step execution

Spark will fight you.

If you think in terms of:

- Data flow
- Partitioned computation
- Declarative transformations

Spark will scale cleanly.

0.3 Spark vs MapReduce

0.3.1 Core Definition

Apache Spark, Hadoop MapReduce, and databases solve **different classes of problems**, even though they all process data.

- **MapReduce** is a low-level distributed batch computation model.
- **Spark** is a high-level distributed data processing engine.

Treating them as interchangeable tools leads to poor system design.

0.3.2 Why This Comparison Matters (The Real Reason)

Engineers often ask:
“Why not just use MapReduce?”

These questions exist because all three:

- Read data
- Process data
- Produce results

The difference is **how much responsibility is placed on the engineer** and **what the system optimizes for**.

0.3.3 Hadoop MapReduce: What It Really Is

Execution Model

MapReduce enforces:

1. A **map phase**
2. A **shuffle**
3. A **reduce phase**

Every job:

- Writes intermediate results to disk
- Has rigid stage boundaries
- Requires explicit key-based aggregation

This guarantees correctness but destroys iteration speed.

Strengths

1. Extremely fault tolerant
2. Simple execution guarantees
3. Works well for one-pass batch jobs

Limitations

1. Disk-heavy execution
2. Rigid programming model
3. Poor for iterative or interactive workloads
4. High development overhead

MapReduce optimizes for **system reliability**, not developer productivity.

0.3.4 Apache Spark: What Changed

Spark replaces MapReduce's rigidity with:

1. In-memory execution where possible
2. Lazy evaluation

3. DAG-based execution planning
4. Unified APIs (DataFrame, SQL, Streaming, ML)

Spark does **not** remove disk usage.
It removes **unnecessary disk usage**.

Spark optimizes for:

- Throughput
- Developer speed
- Iterative computation

0.3.5 Where Each System Breaks Down

MapReduce Breaks When:


1. Multiple iterations are required
2. Development speed matters
3. Interactive analysis is needed

Spark Breaks When:

1. Data is small
2. Latency is critical
3. Workloads are highly transactional

Each system fails **outside its design boundary**.

0.3.7 Conceptual Diagram



Keu Points:

- “Spark minimizes disk, not eliminates it”

0.3.8 Practical Rules You Must Internalize

1. Spark is a compute engine, not a storage system
2. Databases manage state; Spark transforms state
3. MapReduce is stable but inflexible
4. Spark trades simplicity for speed and flexibility
5. Use tools for their intended purpose

Choosing the wrong tool does not fail immediately — it fails at scale.

0.3.9 Final Technical Takeaway

- Use **databases** to store and query data
- Use **Spark** to transform and process data at scale
- Use **MapReduce** when simplicity and durability outweigh speed

Spark exists because:

- Databases are not compute engines
- MapReduce is too rigid for modern data workloads

Understanding this boundary is foundational.
Everything else in Spark builds on it.