



Track favourites/boosts/replies and post to Mastodon.

[Analytics + Posting](#)[Medium Setup](#)[Open this guide as a PDF ↗](#)

WHAT YOU'LL NEED

- A Mastodon account on any instance
- An access token with read + write scopes

STEP BY STEP

1 Open your instance's Development page

On your instance go to **Preferences** → **Development** → **New application**.

Application	Scopes	
Pawpoller	read profile write follow	X Delete

Preferences, the Development page: Your applications with the New application button

2

Create an application

Name it "PawPoller" and leave the redirect URI as it is.

New application

Application name *

Application website

Redirect URI *

Use one line per URI

Use `urn:ietf:wg:oauth:2.0:oob` for local tests

Scopes *

Which APIs the application will be allowed to access. If you select a top-level scope, you don't need to select individual ones.

- | | |
|--|--|
| ☐ read
read all your account's data | ☐ read:follows
see your follows |
| ☐ read:accounts | ☐ read:lists |

The New application form: Application name, Application website, Redirect URI

3

Tick the scopes

Tick the **read** scope (for polling) and **write** scope (for posting), then Submit.

☒ read read all your account's data	☐ read:follows see your follows
☐ read:accounts see accounts information	☐ read:lists see your lists
☐ read:blocks see your blocks	☐ read:mutes see your mutes
☐ read:bookmarks see your bookmarks	☐ read:notifications see your notifications
☐ read:collections Read:Collections	☐ read:search search on your behalf
☐ read:favourites see your favourites	☐ read:statuses see all posts
☐ read:filters see your filters	
☒ profile read only your account's profile information	
☒ write modify all your account's data	☐ write:follows follow people

The Scopes list with the top-level read and write boxes ticked

4

Copy the access token

Open the app you just created and copy **Your access token**.

Application: PawPoller walk

Be very careful with this data. Never share it with anyone!

Client key	
Client secret	
Your access token	

[Regenerate access token](#)

The application page: Client key, Client secret and Your access token (all three blurred here)

5

Connect in PawPoller

Enter your instance URL (e.g. `https://mastodon.social`) and the access token in Settings.

WHERE IT GOES IN PAWPOLLER

Settings → Mastodon → Instance URL + Access token

KEEPING IT ALIVE

Tokens don't expire unless you delete the app. Re-create the application and paste the new token.

GOOD TO KNOW

- For **posting** the token must include the **write** scope — a read-only token polls fine but can't post.