



Track views/likes/replies and post to X — via your session cookies.

Analytics + Posting

Involved Setup


[Open this guide as a PDF ↗](#)

WHAT YOU'LL NEED

- An X account
- Two logged-in cookies: auth_token and ct0

STEP BY STEP

1

Log into XSign in at x.com in a desktop browser. [x.com](#) ↗



The image shows the X sign-in dialog. At the top is a back arrow and the X logo. Below is the heading "See what's happening" and the instruction "Select an option below:". There are three large buttons: "Continue with phone" (black with a phone icon), "Continue with Google" (white with the Google logo), and "Continue with Apple" (white with the Apple logo). Below these is a horizontal line with the word "or" in the center. Underneath is a text input field with the placeholder "Email or username". At the bottom is a large grey "Continue" button. Below the button is the text "By continuing, you agree to our Terms of Service, Privacy Policy and Cookie Use."

X's sign-in dialog: phone, Google or Apple, or e-mail / username then Continue

2

Copy auth_token and ct0

To read a cookie: log in on a desktop browser, press **F12** to open DevTools, go to **Application** (Chrome/Edge) or **Storage** (Firefox) → **Cookies** → the site, then copy the **Value** of each named cookie. You need the cookies named **auth_token** and **ct0**.



The image shows the DevTools Application panel with the 'Cookies' section selected. The table lists various cookies for the domain x.com. The 'auth_token' and 'ct0' cookies are highlighted, and their values are blurred.

Name	Value	Domain	Path	Expires	Size	HttpO...	Secure	Same...	Partiti...	Cross ...	Priority
__cf_bm		.x.com	/	2026-...	206	✓	✓	None			Mediu...
__cuid		.x.com	/	2027-...	42						Mediu...
__cuid		.x.com	/	2027-...	42						Mediu...
auth_token		.x.com	/	2027-...	50	✓	✓	None			Mediu...
cf_clearance		.x.com	/	2027-...	438	✓	✓	None	https...		Mediu...
ct0		.x.com	/	2027-...	163		✓	Lax			Mediu...
g_state		.x.com	/	2027-...	147						Mediu...
gt		.x.com	/	2026-...	21		✓	Lax			Mediu...
guest_id		.x.com	/	2027-...	31		✓	None			Mediu...
guest_id_ads		.x.com	/	2027-...	35		✓	None			Mediu...
guest_id_marketing		.x.com	/	2027-...	41		✓	None			Mediu...
lang		.x.com	/	Session	6						Mediu...
personalization_id		.x.com	/	2027-...	47		✓	None			Mediu...
twid		.x.com	/	2027-...	27		✓	None			Mediu...

X with DevTools open on Application → Cookies, the auth_token and ct0 rows named, their values blurred here

Connect in PawPoller

Paste both cookies and the X username to track in Settings.

WHERE IT GOES IN PAWPOLLER

Settings → X/Twitter → auth_token + ct0 (+ target user)

KEEPING IT ALIVE

X expires these cookies aggressively — expect to re-do this fairly often. Log into X again, grab fresh `auth_token` and `ct0` cookies, and paste them.

GOOD TO KNOW

- X actively fights automation, so this is the most fragile platform — posting can break when X rotates its internal endpoints.
- Posting reuses the same cookie session (no separate developer app needed).