



Threads

Track views/likes/reposts/replies on your Threads posts.

[Analytics](#)[Involved Setup](#)[Open this guide as a PDF ↗](#)

WHAT YOU'LL NEED

- A Threads account (public)
- A free Meta developer app — the same one Instagram uses, if you have that too
- A long-lived access token

STEP BY STEP

1 Create (or open) a Meta developer app

On **My Apps** press **Create app**. Name it anything, and on the **Use cases** step tick **Access the Threads API** (tick *Manage messaging & content on Instagram* at the same time if you want Instagram). No business portfolio is needed; finish the wizard. Already have the app? Open it and use **Add use cases**. developers.facebook.com/apps ↗

The screenshot shows the 'Create an app' wizard in the Meta Developer console. The 'Use cases' step is selected, indicated by a blue circle and a blue bar. The wizard has five steps: App details (checked), Use cases (selected), Business, Requirements, and Overview. Two use cases are listed with checkboxes:

- Access the Threads API** (checked): Use the Threads API and choose to authenticate users, retrieve user information, post threads, reply to threads, manage reply settings and/or gather insights for a Threads profile you own or manage on behalf of others. [About the Threads API](#)
- Manage messaging & content on Instagram** (checked): Publish posts, share stories, respond to comments, answer direct messages and more with the Instagram API. [About the Instagram API](#)

Create an app: the Use cases step, with Access the Threads API and Manage messaging & content on Instagram

2

Open the Threads use case

Dashboard → **Use cases** → **Customize** next to *Access the Threads API*. `threads_basic` is already in the permissions table. Adding `threads_manage_insights` is optional: on the app this guide was written from it was never added and the stats still arrive — that table is about App Review, not your own tester token.

Permissions and features ↑	API Calls ⓘ ↑↓	Status ↑↓	Action
threads_basic Display a user's own Threads posts within an app, and make these visible only to the user who created them for the purpose of managing the user's presence on Threads. Allowed Usage ⓘ Full Description	4.1 k	Ready for testing	Actions ▾
threads_content_publish The threads_content_publish permission allows an app to create and publish content on behalf of a Threads profile. ⓘ Full Description	—	—	+ Add

The Threads use case permissions table: `threads_basic` Ready for testing, the rest with an Add button

3

Add yourself as a Threads Tester

On the use case's **Settings** tab press **Add or Remove Threads Testers** (it is the same page as **App roles** → **Roles**). **Add People** → pick **Threads Tester** under *Additional roles* → type your Threads username.

Add people to your app

Assign a role

☐

Administrator

Can modify all app settings, grant app roles, create test apps, users, and pages, test all permissions, features, and products, and view app insights.

☐

Developer

Can modify all app settings except app secret and app removal, create test apps, users, and pages, test all permissions, features, and products, and view app insights.

☐

Tester

Can test all permissions, features, and products.

☐

Analytics User

Can view app insights.

Additional roles for this app ⓘ

☐

Instagram Tester

Can test all permissions, features, and products, required by the Instagram Basic Display API.

☐

Threads Tester

Can test all permissions, features, and products, available via the Threads API.

Cancel

Add

Add people to your app: Instagram Tester and Threads Tester under Additional roles

4

Accept the invite inside Threads

In the Threads app or on threads.net: **Settings** → **Account** → **Website permissions** → accept the tester invite. Until you do, the token generator will not list you.

PawPoller — Getting Started

Page 3 of 5

5 Generate the long-lived token

Back on the use case's **Settings** tab, under **User Token Generator** your username now has a **Generate Access Token** button. Approve what it asks for, then copy the whole token — it is several hundred characters.

Threads app ID

Threads app secret

Show

Threads Display Name

Pawpoller

Redirect Callback URLs

Valid OAuth Redirect URIs

Uninstall Callback URL

What should we ping when a user deauthorizes your app?

Delete Callback URL

What should we ping when someone requests you delete their data?

Cancel Save

User Token Generator

Generate long-lived access tokens for Threads Testers of this app. Tokens can only be generated for public Threads accounts. Refer to our [developer documentation](#) for more information.

Add or Remove Threads Testers

Name	Action
knaughtykat	Generate Access Token

Threads use case Settings tab: display name, empty callback URLs, and the User Token Generator with a Generate Access Token button

6 Connect in PawPoller

Settings → Platforms → Threads: paste the token, leave the user ID blank, press **Connect**. PawPoller reads your username back from the token — check it is the account you meant.

Threads

Connect to Threads with a long-lived access token from a Meta app that has the threads_basic + threads_manage_insights scopes. Note: Meta gates this behind app review and restricts adult content — it may not work for all accounts. The numeric User ID is optional — leave it blank and PawPoller reads it from your token. A handle will not work there: Meta only answers to the number.

Long-lived access token

Numeric user ID (optional — leave blank)

Connect Setup guide

PawPoller Settings, Threads card: access token, optional user id, Connect

WHERE IT GOES IN PAWPOLLER

Settings → Threads → Access token (user id optional — leave blank)

KEEPING IT ALIVE

Long-lived tokens last ~60 days. PawPoller auto-refreshes the token while it's polling. If it goes unused past ~60 days and lapses, generate a fresh one on the same Settings tab and paste it in — the app, tester role and use case all stay valid.

GOOD TO KNOW

- Do the whole setup on a **desktop** (not mobile) in **Microsoft Edge — or any browser that is NOT Chrome**. Chrome reliably breaks Meta's developer dashboard and token generator: the flow silently fails or the token never appears. Edge/Firefox work.
- Leave the app **Unpublished**. Development mode with your own account needs no App Review, and the Publish button stays greyed out until you add a privacy policy — you do not need one.
- Meta adds **Facebook Login for Business** and a **Manage everything on your Page** use case by itself. PawPoller never uses either; ignore them.
- Meta gates the API behind App Review for public use and removes adult content — for your own account in Development mode it works without review.