



Track views/likes/replies and post to X — via your session cookies.

Analytics + Posting

Involved Setup

[Open this guide as a PDF ↗](#)

WHAT YOU'LL NEED


- An X account
- Two logged-in cookies: auth_token and ct0

STEP BY STEP

1

Log into X

Sign in at x.com in a desktop browser. x.com ↗




The image shows the X login interface. At the top is the X logo. Below it is the heading "See what's happening" followed by the instruction "Select an option below:". There are four main options: "Continue with phone" (a black button with a phone icon), "Continue with Google" (a white button with the Google logo), "Continue with Apple" (a white button with the Apple logo), and a text input field labeled "Email or username". Below these options is a large grey "Continue" button. At the bottom, there is a line of text: "By continuing, you agree to our Terms of Service, Privacy Policy and Cookie Use."

X's sign-in dialog: phone, Google or Apple, or e-mail / username then Continue

2

Copy auth_token and ct0

To read a cookie: log in on a desktop browser, press **F12** to open DevTools, go to **Application** (Chrome/Edge) or **Storage** (Firefox) → **Cookies** → the site, then copy the **Value** of each named cookie. You need the cookies named **auth_token** and **ct0**.



The image shows the DevTools Application panel with the 'Cookies' section selected. The table lists various cookies for the domain x.com. The 'auth_token' and 'ct0' cookies are highlighted, and their values are blurred.

Name	Value	Domain	Path	Expires	Size	HttpO...	Secure	Same...	Partiti...	Cross ...	Priority
__cf_bm		.x.com	/	2026-...	206	✓	✓	None			Mediu...
__cuid		.x.com	/	2027-...	42						Mediu...
__cuid		.x.com	/	2027-...	42						Mediu...
auth_token		.x.com	/	2027-...	50	✓	✓	None			Mediu...
cf_clearance		.x.com	/	2027-...	438	✓	✓	None	https...		Mediu...
ct0		.x.com	/	2027-...	163		✓	Lax			Mediu...
g_state		.x.com	/	2027-...	147						Mediu...
gt		.x.com	/	2026-...	21		✓	Lax			Mediu...
guest_id		.x.com	/	2027-...	31		✓	None			Mediu...
guest_id_ads		.x.com	/	2027-...	35		✓	None			Mediu...
guest_id_marketing		.x.com	/	2027-...	41		✓	None			Mediu...
lang		.x.com	/	Session	6						Mediu...
personalization_id		.x.com	/	2027-...	47		✓	None			Mediu...
twid		.x.com	/	2027-...	27		✓	None			Mediu...

X with DevTools open on Application → Cookies, the auth_token and ct0 rows named, their values blurred here

Connect in PawPoller

Paste both cookies and the X username to track in Settings.

WHERE IT GOES IN PAWPOLLER

Settings → X/Twitter → auth_token + ct0 (+ target user)

KEEPING IT ALIVE

X expires these cookies aggressively — expect to re-do this fairly often. Log into X again, grab fresh `auth_token` and `ct0` cookies, and paste them.

GOOD TO KNOW

- X actively fights automation, so this is the most fragile platform — posting can break when X rotates its internal endpoints.
- Posting reuses the same cookie session (no separate developer app needed).