PAWPOLLER · GETTING STARTED GUIDE

X / Twitter

Track views/likes/replies and post to X — via your session cookies.

Analytics + Posting | Involved Setup

Open this guide as a PDF ↗


WHAT YOU'LL NEED

- An X account
- Two logged-in cookies: auth_token and ct0

STEP BY STEP

1 Log into X


Sign in at x.com in a desktop browser. x.com ↗



X's sign-in dialog: phone, Google or Apple, or e-mail / username then Continue

2 Copy auth_token and ct0

To read a cookie: log in on a desktop browser, press **F12** to open DevTools, go to **Application** (Chrome/Edge) or **Storage** (Firefox) → **Cookies** → the site, then copy the **Value** of each named cookie. You need the cookies named `auth_token` and `ct0`.



X with DevTools open on Application → Cookies, the auth_token and ct0 rows named, their values blurred here

3 Connect in PawPoller

Paste both cookies and the X username to track in Settings.

WHERE IT GOES IN PAWPOLLER

Settings → X/Twitter → auth_token + ct0 (+ target user)

KEEPING IT ALIVE

X expires these cookies aggressively — expect to re-do this fairly often. Log into X again, grab fresh `auth_token` and `ct0` cookies, and paste them.

GOOD TO KNOW

- X actively fights automation, so this is the most fragile platform — posting can break when X rotates its internal endpoints.
- Posting reuses the same cookie session (no separate developer app needed).