




KNEURALABS

Brand Identity & Design Guidelines



AI Governance Consulting · U.S. Mid-Market · NIST AI RMF · ISO/IEC 42001 · EU AI Act

Document Version: 2.0 | Issued: 2025 | Classification: Internal & Agency Use

Maintained by: Brand & Communications · hello@kneuralabs.com

10 Brand Colour Tokens	12 Sections Covered	3 Regulatory Standards
--	---	--

Brand Foundation

Kneuralabs is a structural AI governance advisory firm. The brand does not sell technology — it sells accountability, precision, and institutional resilience. Every visual and verbal decision reinforces this. The brand feels closer to a premium legal or audit firm than a technology startup.

Brand Positioning Statement

"For U.S. mid-market companies navigating AI risk, Kneuralabs provides the only governance advisory service built to operate inside the organisation — not to file on its behalf."

Core Brand Pillars

AUTHORITY	PRECISION	RESILIENCE	CLARITY
Grounded in NIST AI RMF, ISO/IEC 42001, and the EU AI Act. We cite the standard, not the trend.	Three scoped services. Transparent timelines. Deliverables that can be audited.	Governance that survives an audit, survives a leadership change, and survives a regulator.	Plain language. No jargon. If a board member cannot read it, we rewrite it.

Mission

To turn AI risk into organisational resilience through governance programmes that are built to operate — not to archive.

Vision

A mid-market landscape where every company deploying AI can demonstrate, in writing, that it is doing so responsibly.


Target Audience Profile

Company Profile	Key Stakeholders	Trigger Events
U.S. companies with \$50M–\$1B revenue deploying AI across business functions	CTO, CRO, General Counsel, Chief Compliance Officer, Board Risk Committee	RFP includes AI governance clause; regulator inquiry; enterprise client audit request

Logo & Symbol

The Kneuralabs mark is a geometric chevron/arrow constructed from three planes: Royal Authority Blue (field), Precision Red (direction), and Structural Silver (path). The shape communicates forward momentum — governance that moves — while the angular precision signals structural integrity.

Primary Logo



The master logo on its field. The silver arrow bisects blue authority and red urgency — governance in motion.

Logo Usage Rules

✓ DO	✗ DO NOT
✓ Use on white, Canvas White, or Deep Navy backgrounds only	✗ Place on photographic backgrounds without a colour block behind it
✓ Maintain clear space equal to the mark's full height on all 4 sides	✗ Scale below 48px (digital) or 15mm (print)
✓ Use the full-colour version as the default in all communications	✗ Recolour any element of the mark independently
✓ Use the white version on Dark Navy or solid blue backgrounds	✗ Rotate, skew, or apply drop shadows to the mark
✓ Download from the master asset library only	✗ Recreate the mark from memory or screenshots

✓ Include alt text: 'Kneuralabs logo' in all digital uses

X Use the mark as a decorative pattern or texture tile

Proprietary Trademark

KneuraLens™ is the firm's proprietary readiness assessment methodology. The ™ symbol must appear on first use in every document, presentation, and web page. Subsequent references within the same document may omit it. Never omit the capital L in KneuraLens.

Colour System

The palette is derived directly from the logo mark. Three primary brand colours anchor the system; seven supporting tones provide hierarchy, state, and surface control. No colour outside this system may be introduced without written brand approval.

Primary Brand Colours

These three colours define Kneuralabs. They appear together as a unit in the logo and must always maintain the same relative proportion and relationship.

Royal Authority Blue #1C5CAA	ROLE Primary Brand PANTONE Pantone 289 C	RGB 28 92 170 CMYK 94 46 0 33	
Precision Red #C8281E	ROLE Accent & Alert PANTONE Pantone 485 C	RGB 200 40 30 CMYK 0 90 95 33	
Structural Silver #D0D2D6	ROLE Logo Shape / Neutral PANTONE Pantone Cool Gray 9 C	RGB 208 210 214 CMYK 14 14 10 16	
Deep Navy #0D2E5A	ROLE Dark BG / Headers PANTONE Pantone 289 C	RGB 13 46 90 CMYK 96 40 0 65	
Sky Blue #4A8BC8	ROLE Tint / Hover States PANTONE Pantone 270 C	RGB 74 139 200 CMYK 63 34 0 33	
Crimson Depth #8B1A12	ROLE Dark Red Variant PANTONE Pantone 4705 C	RGB 139 26 18 CMYK 0 94 97 45	
Canvas White #F7F8FA	ROLE Page Background PANTONE Pantone White 100	RGB 247 248 250 CMYK 1 1 0 0	
Ink Charcoal #1A1D23	ROLE Primary Text PANTONE Pantone Black 6 C	RGB 26 29 35 CMYK 96 17 0 96	
Slate Gray #6B7280	ROLE Body / Secondary Text	RGB 107 114 128 CMYK 46 44 0 50	

Frost Gray #E0E4EA	ROLE Borders / Dividers PANTONE Pantone Cool Gray 10	RGB 224 228 234 CMYK 4 3 0 0	
------------------------------	--	---	--

Colour values above are print-accurate. Always use the hex codes for digital. Request ICC profiles for offset printing.

Colour Hierarchy & Application Rules

Colour	Primary Use	Detailed Application Notes
Royal Authority Blue	Brand primary	All primary CTAs, section headers, logo field, active nav states, hyperlink hover, data highlight bars
Precision Red	Accent & urgency	Alert badges, regulatory emphasis, error states, priority tags, 'Do Not' indicators in guidelines
Structural Silver	Neutral / structural	Logo path, card borders on dark backgrounds, icon strokes, inactive toggle states
Deep Navy	Dark backgrounds	Hero section backgrounds, footer, dark-mode surfaces, executive presentation decks, print cover pages
Sky Blue	Interactive / hover	Button hover states, selected nav items, info tooltips, progress indicators, chart secondary series
Canvas White	Page background	Primary page background, card surfaces, input fields, modal backgrounds. Never use pure #FFFFFF
Ink Charcoal	Primary text	All body copy, headings on light backgrounds, table data, footnotes. Use at 100% opacity only

Colour Accessibility

- ▶ Royal Authority Blue on Canvas White: contrast ratio 6.8:1 — passes WCAG AA and AAA
- ▶ Precision Red on Canvas White: contrast ratio 5.1:1 — passes WCAG AA for large text
- ▶ Ink Charcoal on Canvas White: contrast ratio 18.4:1 — passes all WCAG levels
- ▶ Never use Slate Gray text below 16pt on Canvas White without increasing weight to Bold
- ▶ Always test colour combinations with the WCAG Contrast Checker before approving new layouts

Typography System

The type system uses Inter (Google Fonts) as the primary web and UI font, with Aptos Display as the fallback for environments where Inter is unavailable, and Georgia as the print body option for long-form documents. All weights belong to a single family to maintain optical consistency across weights.

Type Scale

Role	Size	Weight	Line-H	Tracking	Typical Use
Display	48–64pt	Bold 700	1.15×	-0.03em	Hero headline, cover page title
H1 Section	36–44pt	Bold 700	1.20×	-0.02em	Major section openers
H2 Sub	26–32pt	SemiBold 600	1.25×	-0.01em	Sub-section headings
H3 Card	20–24pt	Medium 500	1.30×	0em	Card titles, FAQ questions
Body Large	17–19pt	Regular 400	1.65×	0em	Lead paragraphs, executive summaries
Body	15–17pt	Regular 400	1.60×	0em	Standard body copy
Caption	12–14pt	Regular 400	1.50×	+0.01em	Image captions, footnotes, metadata
Label/Tag	11–13pt	Bold 700	1.20×	+0.08em	Service codes (S1, S2, S3), badges, all-caps labels

Typographic Principles

- Line length (measure): 60–75 characters for body; never exceed 90 characters on wide viewports
- Paragraph spacing: 0.75em between paragraphs; 1.5em before a new H3 within body copy
- Italics: reserved for proprietary terms (KneuraLens™), legal citations, and soft emphasis — never for decoration
- All-caps: permitted only for service codes (S1, S2, S3) and eyebrow labels; never for body sentences
- Widows and orphans: no single word on its last line; enforce in InDesign and Word styles
- Numerals: use tabular lining numerals in tables and financial data; proportional oldstyle in narrative prose
- Hyphens vs dashes: en-dash for ranges (2–4 weeks), em-dash for parenthetical — never a double hyphen --

Font Stack (CSS)

```
font-family: 'Inter', 'Aptos Display', sans-serif; /* UI & Headings */  
font-family: 'Georgia', 'Times New Roman', serif; /* Long-form print body */  
font-family: 'Courier New', monospace;           /* Code, config values */
```


Voice & Tone

Kneuralabs communicates as a senior partner at a specialised advisory firm — not as a SaaS vendor, not as a think tank, and not as a regulator. The voice is calm, evidence-based, and direct. It does not hedge unnecessarily, but it is never aggressive.

Four Tone Registers

Advisory	Instructive	Reassuring	Urgent
Used in: service descriptions, website copy, reports. Measured, authoritative, evidence-based.	Used in: FAQs, guides, onboarding docs. Clear steps, plain language, no condescension.	Used in: discovery calls, emails, proposals. Confident, not alarming; we have done this before.	Used in: risk callouts, regulatory deadlines. Factual urgency — not fear-mongering.

Writing Principles

- ▶ Lead with consequence: 'When AI makes a wrong call, who is responsible?' — before any feature description
- ▶ Be specific about timelines: always name a duration ('2–4 weeks'), never 'quick' or 'fast'
- ▶ Define standards on first use: 'NIST AI Risk Management Framework (NIST AI RMF)'
- ▶ Avoid superlatives: 'precisely scoped' over 'best-in-class', 'world-leading', or 'cutting-edge'
- ▶ Never use passive voice to deflect accountability: 'we deliver' not 'it is delivered'
- ▶ Contractions are acceptable in web and email copy; avoid in formal reports and evidence packs
- ▶ UK English spelling is preferred: 'organisation', 'programme', 'recognise', 'practise' (verb)

Word & Phrase Reference

✓ SAY THIS	✗ AVOID THIS
Governance built to run	End-to-end AI compliance platform
When AI makes a wrong call — who is responsible?	AI risk management challenges
2–4 weeks. Standalone. Transparent.	Quick turnaround, flexible engagement
We give you an honest assessment.	Our experts will provide tailored advice
Regulators are arriving. The gap is structural.	In today's fast-evolving AI landscape
Board-ready executive summary	C-suite aligned deliverable

You cannot win the contract without it.	Potential competitive disadvantage
KneuraLens™ readiness assessment	Our proprietary AI scoring tool

Service Identity

The three services are a complete, interlocking programme. Each service has its own code, name, colour treatment, and timing. They are always presented in sequence (S1 → S2 → S3) and always with the same structural layout.

Service Architecture

Code	Service Name	Description	Duration
S1	AI Risk Assessment	Full AI system inventory across all business units · risk register ranked by likelihood and severity · NIST AI RMF mapping · board-ready executive summary · prioritised remediation roadmap	2–4 weeks
S2	Governance Framework Setup	Sector-specific AI governance policy suite · RACI matrix and escalation paths · AI lifecycle controls · monitoring cadence · dual alignment to NIST AI RMF and ISO/IEC 42001	4–8 weeks
S3	AI Standards Readiness	KneuraLens™ readiness assessment · complete gap register · gap-closure roadmap · audit-ready policies and evidence packs · ISO/IEC 42001 and NIST AI RMF alignment	4–10 weeks

Service Card Design Rules

- ▶ Service code (S1, S2, S3) always appears in Royal Authority Blue on a white chip, top-left of the card
- ▶ Duration badge always appears bottom-right in Deep Navy with white text
- ▶ Feature list uses an en-dash (–) list, not bullets or numbers, at 15pt Regular
- ▶ All three cards must appear at equal width and height when shown together
- ▶ Standalone service presentations may expand the relevant card and compress the others
- ▶ Never remove the 'Explore →' link from any service card

Layout & Grid System

The layout is built on a 12-column grid with consistent gutters and margins across all breakpoints. Density is earned — white space is not wasted space, it is authority. Every element on a page must justify its presence relative to the hierarchy.

Spacing Scale (8pt Base Unit)

Token	Multiplier	px Value	Common Use
space-1	×1	8px	Icon-to-label gap, inline badge padding
space-2	×2	16px	Input field vertical padding, tag spacing
space-3	×3	24px	Card internal padding (mobile), list item gap
space-4	×4	32px	Card internal padding (desktop), form field gap
space-6	×6	48px	Between content blocks within a section
space-8	×8	64px	Section top/bottom padding (mobile)
space-12	×12	96px	Section top/bottom padding (desktop)
space-20	×20	160px	Hero section vertical padding

Responsive Breakpoints

Device	Viewport	Margin	Columns	Gutter	Key Layout Behaviours
Mobile Portrait	0–479px	16px	4	12px	Single column; nav → hamburger; hero text 36pt; cards stack full-width
Mobile Landscape	480–767px	20px	4	16px	Single column; increased line-length cap to 70ch
Tablet Portrait	768–1023px	32px	8	20px	2-col cards; nav expands; hero text 44pt
Tablet Landscape	1024–1279px	48px	12	24px	3-col service cards; sidebar possible
Laptop	1280–1439px	64px	12	24px	Full navigation; 3-col service grid; max-w 1200px

Desktop	1440px+	auto	12	24px	Centred layout; max-w 1200px; hero supports split layout
---------	---------	------	----	------	--

Digital & Motion

Animation is functional. It confirms state changes, guides attention, and signals transitions. It must never become decorative noise. Every motion decision should pass this test: if removed, does the user lose information? If yes, keep it. If no, question it.

Motion Principles

- ▶ Entrances: ease-out cubic-bezier(0.0, 0.0, 0.2, 1) — content arrives quickly and settles
- ▶ Exits: ease-in cubic-bezier(0.4, 0.0, 1, 1) — content departs sharply, no lingering
- ▶ Duration: 150ms micro-interactions; 300ms component transitions; 400ms page-level fades
- ▶ Stagger: sequential list items animate at 50ms intervals; never exceed 60ms or 8 items
- ▶ Scale: entrance animations may use a 0.97→1.0 scale transform; never exceed 1.04 scale
- ▶ Translate: vertical entrance offset 12px max; horizontal 0 unless indicating directional navigation
- ▶ Colour transitions: 200ms on interactive elements (buttons, links); never animate body text colour
- ▶ prefers-reduced-motion: all transform and opacity animations must be disabled; layout transitions retained at 0ms

Interactive Element States

Element	Default	Hover / Active	Focus (keyboard)
Primary CTA Button	Royal Blue fill, white text	Deep Navy fill, 2px lift shadow	3px Royal Blue outline, 2px offset
Secondary Button	Royal Blue border, blue text	Royal Blue fill, white text	3px Royal Blue outline, 2px offset
Text Link	Royal Blue, no underline	Underline appears, Sky Blue colour	Royal Blue underline, 2px offset
Service Card	Canvas White, Frost Gray border	1px Royal Blue border, 4px shadow	Visible blue ring outline

Regulatory Standards

These three frameworks form the technical and regulatory foundation of all Kneuralabs service delivery. They must be cited with precision in every client-facing document. Incorrect citation — including wrong abbreviations, outdated version numbers, or inaccurate scope descriptions — damages credibility.

Abbreviation	Full Name	Scope	Commercial Status
NIST AI RMF	NIST AI Risk Management Framework	U.S. federal voluntary standard; de facto audit and procurement benchmark for all sectors	Growing commercial requirement in enterprise RFPs and federal contracting
ISO/IEC 42001	ISO/IEC 42001:2023 — Information technology — Artificial intelligence — Management system	International certification standard for AI management systems; audited by accredited third parties	Increasingly written into vendor qualification requirements globally
EU AI Act	Regulation (EU) 2024/1689 of the European Parliament and of the Council	Applies to any organisation deploying AI to EU-based users, regardless of incorporation country	Mandatory compliance for applicable systems; fines up to 3% of global annual turnover

Citation Rules

- ▶ First use in any document: spell out the full name followed by the abbreviation in parentheses
- ▶ Subsequent uses within the same document: abbreviation only is acceptable
- ▶ ISO/IEC 42001 always includes the year: 42001:2023 — never '42001' alone
- ▶ NIST AI RMF is always written with a space between NIST and AI — not 'NISTAI RMF'
- ▶ EU AI Act: capitalise all three words when used as a proper noun
- ▶ Never describe any framework as 'mandatory' for NIST AI RMF — it is voluntary; commercial pressure is distinct from legal obligation

Print & Presentation Standards

All print and presentation materials extend the digital brand with the same palette, typography, and structural logic. Executive presentations use the Deep Navy and Royal Blue palette prominently — they must communicate authority in a boardroom.

Document Hierarchy

Document Type	Primary Palette	Paper / Format	Typeface
Executive Presentation (board)	Deep Navy + Royal Blue	16:9 widescreen	Inter Bold / Regular
Evidence Pack / Report	Canvas White + Frost Gray	A4 / US Letter	Georgia / Arial
Proposal / SOW	Canvas White + Royal Blue header	A4 / US Letter	Arial
Letterhead / Email Signature	White + Royal Blue rule	A4 / HTML email	Arial

Print Colour Specification

- ▶ All print materials must be produced in CMYK; RGB values are for screen use only
- ▶ Royal Authority Blue print: CMYK 84 / 46 / 0 / 33 — request Pantone 293 C match for spot-colour printing
- ▶ Precision Red print: CMYK 0 / 80 / 85 / 22 — request Pantone 485 C match
- ▶ Minimum print resolution: 300 DPI for all images and logo assets
- ▶ Logo minimum print size: 15mm wide; below this the silver path becomes too fine to reproduce

Imagery & Visual Language

Kneuralabs does not use stock photography of people shaking hands, lightbulbs, or padlocks. The visual language is structural — architecture, geometry, systems, and materials. Imagery must suggest governance infrastructure, not AI cliché.

Approved Imagery Categories

- Structural architecture: clean buildings, glass facades, organised systems — lit in natural or cool light
- Data and systems: server rooms, circuit geometry, clean technical environments
- Documents and evidence: well-organised papers, folders, legal environments — never chaotic
- People in context: senior professionals in discussion, not staged smiles — candid, boardroom, or advisory settings
- Abstract geometry: structural shapes that echo the logo mark (angles, planes, precision)

Prohibited Imagery

- Robotic hands, humanoid AI figures, neural network visualisations, glowing brain imagery
- Padlocks, shields, or any 'cybersecurity cliché' — we govern AI, we do not secure networks
- Stock-obvious imagery: perfect lighting, models pointing at screens, coffee cup close-ups
- Any image with visible text in languages other than English without explicit approval
- Low-resolution, compressed, or watermarked source images

Image Treatment

- Apply a subtle Royal Blue colour wash (15–25% opacity overlay) to anchor photography to the brand palette
- Full-bleed photography always has a minimum 60% contrast area for text legibility
- Use Frost Gray (#E0E4EA) as the image placeholder colour during loading states

Asset Management & Governance

Brand assets are managed through a versioned central library. All external partners — agencies, designers, developers — must download assets from the approved source. Cached, screenshot, or reconstructed assets are not permitted in production.

Asset Library Structure

1. Logo master files: SVG (vector), PNG (300 DPI, transparent), PNG (72 DPI web), EPS (print)
2. Colour tokens: JSON (CSS custom properties), SCSS variables file, Figma shared library
3. Typography: Inter font files (WOFF2, TTF), licensed for web and print
4. Templates: PowerPoint master deck, Word letterhead, proposal template, email signature HTML
5. Photography: approved images at full resolution, colour-corrected and pre-cropped to brand ratios
6. Icons: outlined SVG icon set, 24px grid, Royal Blue and Ink Charcoal variants

Approval Process for New Assets

7. Request submitted to brand@kneuralabs.com with intended use case and target audience
8. Review within 5 business days by the Brand & Communications lead
9. Approved assets added to the central library with version number and date
10. Deprecated assets flagged with sunset date; removed after 30 days

Version Control

- This document is Version 2.0. The previous version (1.0, 2024) is superseded and must not be referenced
- Minor updates (new colour usage note, corrected URL) increment to 2.x
- Major structural changes (new service, rebrand element) increment to a new major version (3.0)
- All major versions require sign-off from the Managing Director before distribution