



Performance

Accessibility

Best
Practices

SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100

ST

Showcase Transport

≡

Precision Docking,
Every Time

Watch our professional drivers execute
perfect backing maneuvers with safety and

First Contentful Paint

1.6 s

Largest Contentful Paint

1.6 s

Total Blocking Time

0 ms

Cumulative Layout Shift

0.022

Speed Index

1.6 s

ST Showcase Transport

Precision Dock Every Time

Watch our professional drivers ex perfect backing maneuvers with si

ST Showcase Transport

Precision Dock Every Time

Watch our professional drivers ex perfect backing maneuvers with si

ST Showcase Transport

Precision Dock Every Time

Watch our professional drivers ex perfect backing maneuvers with si

ST Showcase Transport

Precision Dock Every Time

Watch our professional drivers ex perfect backing maneuvers with si

ST Showcase Transport

Precision Dock Every Time

Watch our professional drivers ex perfect backing maneuvers with si

ST Showcase Transport

Precision Dock Every Time

Watch our professional drivers ex perfect backing maneuvers with si

ST Showcase Transport

Precision Dock Every Time

Watch our professional drivers ex perfect backing maneuvers with si

ST Showcase Transport

Precision Dock Every Time

Watch our professional drivers ex perfect backing maneuvers with si

Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Go back to audits

Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

- ▲

Render blocking requests — Est savings of 350 ms

▼
- ▲

Network dependency tree

▼
- Layout shift culprits

▼
- LCP breakdown

▼
- 3rd parties

▼

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

- Reduce unused JavaScript — Est savings of 24 KiB

▼
- Minimize main-thread work — 2.3 s

▼
- Avoid long main-thread tasks — 1 long task found

▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (25)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

▲

Background and foreground colors do not have a sufficient contrast ratio.

▼

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)

Show

NOT APPLICABLE (35)

Show



Best Practices

TRUST AND SAFETY

○

Ensure CSP is effective against XSS attacks

▼

- ☐ Use a strong HSTS policy ▼
- ☐ Ensure proper origin isolation with COOP ▼
- ☐ Mitigate clickjacking with XFO or CSP ▼
- ☐ Mitigate DOM-based XSS with Trusted Types ▼

PASSED AUDITS (15)

Show

NOT APPLICABLE (2)

Show

90

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

- ▲ Links do not have descriptive text — 1 link found ▼

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (6)

Show

NOT APPLICABLE (3)

Show

11/5/25, 9:57 AM

about:blank

Captured at Nov 5, 2025,
9:54 AM EST
Initial page load

Emulated Moto G Power with
Lighthouse 12.8.2
Slow 4G throttling

Single page session

Using Chromium 142.0.0.0
with devtools

Generated by **Lighthouse** 12.8.2 | [File an issue](#)