



Surgical Conditions in Oral Lesions and Homeopathic Remedies

Oral lesions often require surgical interventions when conservative treatments fail. Conditions such as cysts, tumors, and non-healing ulcers may necessitate surgical care. Homeopathy plays a important role in managing symptoms, promoting healing, and preventing recurrence.

Table of Surgical Conditions and Remedies

| Surgical Condition | Description | Symptoms | Homeopathic Remedies | Potency/Usage | Notes |
|--|--|--|---|---------------------------|---|
| Oral Cysts (Radicular or Dentigerous) | Fluid-filled sacs in the jaw or around teeth roots. | Swelling, pain, or difficulty in chewing. | <i>Calcarea fluorica, Silicea</i> | 30C, once or twice daily. | <i>Calc fluor</i> for hard swellings; <i>Silicea</i> promotes cyst drainage. |
| Oral Tumors (Benign) | Non-cancerous growths in the oral cavity, such as fibromas | Painless lumps, difficulty in speaking or chewing. | <i>Thuja occidentalis, Conium maculatum</i> | 30C, once daily. | <i>Thuja</i> for benign growths; <i>Conium</i> for hardened or slow-growing masses. |



SURGISCOPE 2025



| Surgical Condition | Description | Symptoms | Homeopathic Remedies | Potency/Usage | Notes |
|------------------------------------|---|--|--|-----------------------|---|
| | or lipomas. | | | | |
| Oral Cancer | Malignant lesions in the mouth requiring surgical removal. | Non-healing ulcers, bleeding, pain, and weight loss. | <i>Carcinosin</i> , <i>Phytolacca</i> , <i>Hydrastis</i> | 30C, once daily. | <i>Carcinosin</i> for constitutional support; use alongside conventional care. |
| Non-Healing Ulcers | Chronic ulcers often seen in conditions like lichen planus or trauma. | Painful, inflamed, and persistent ulcers. | <i>Kali bichromica</i> , <i>Mercurius solubilis</i> | 30C, 2–3 times daily. | <i>Kali bich</i> for deep ulcers; <i>Merc sol</i> for ulcers with excessive salivation. |
| Leukoplakia (Pre-cancerous) | Thickened, white patches in the mouth often | White patches, burning sensation, | <i>Arsenicum album</i> , <i>Hydrastis canadensis</i> | 30C, once daily. | <i>Hydrastis</i> aids in mucosal healing; <i>Arsenicum</i> |



SURGISCOPE 2025



| Surgical Condition | Description | Symptoms | Homeopathic Remedies | Potency/Usage | Notes |
|-----------------------------|--|--|--|-----------------------|---|
| | requiring biopsy and excision. | difficulty eating spicy food. | | | for burning pain. |
| Gingival Hyperplasia | Overgrowth of gum tissue, often requiring surgical recontouring. | Swollen, bleeding gums, and difficulty maintaining oral hygiene. | <i>Calcarea fluorica</i> , <i>Mercurius vivus</i> | 30C, 2–3 times daily. | <i>Calc fluor</i> for hard, fibrous growths; <i>Merc vivus</i> for inflamed gums. |
| Pyogenic Granuloma | Red, vascular lesions in the mouth prone to bleeding and requiring excision. | Bleeding, swelling, and pain. | <i>Phosphorus</i> , <i>Hamamelis virginiana</i> | 30C, 2–3 times daily. | <i>Hamamelis</i> reduces bleeding; <i>Phosphorus</i> for vascular conditions. |
| Periapical Abscess | Infection at the root of a | Severe toothache, | <i>Hepar sulphuris</i> , | 30C, 2–3 times daily. | <i>Hepar sulph</i> for abscess |



SURGISCOPE 2025



| Surgical Condition | Description | Symptoms | Homeopathic Remedies | Potency/Usage | Notes |
|---------------------------------|--|--|---|--|---|
| | tooth, often requiring drainage or extraction. | swelling, fever, and pus discharge. | <i>Silicea</i> , <i>Myristica</i> | | drainage; <i>Myristica</i> as a "homeopathic knife." |
| Traumatic Oral Lesions | Wounds or ulcers due to accidental bites, burns, or surgical trauma. | Pain, redness, and swelling. | <i>Arnica montana</i> , <i>Calendula officinalis</i> | 30C, 2–3 times daily; tincture for external use. | <i>Arnica</i> reduces trauma; <i>Calendula</i> promotes wound healing. |
| Cleft Lip/Palate Surgery | Surgical repair of congenital deformities of the lip or palate. | Post-surgical pain, delayed healing, or infection. | <i>Staphysagria</i> , <i>Calendula</i> , <i>Silicea</i> | 30C, 2–3 times daily. | <i>Staphysagria</i> for surgical wound healing; <i>Silicea</i> improves recovery. |



SURGISCOPE 2025



| Surgical Condition | Description | Symptoms | Homeopathic Remedies | Potency/Usage | Notes |
|-----------------------------------|--|--|--|-----------------------|--|
| Osteonecrosis of Jaw (ONJ) | Bone death in the jaw, often following surgery or trauma. | Pain, exposed bone, difficulty in chewing. | <i>Symphytum officinale</i> , <i>Silicea</i> | 30C, 2–3 times daily. | <i>Symphytum</i> promotes bone healing; <i>Silicea</i> for slow recovery. |
| Salivary Gland Stones | Calcified deposits in salivary ducts requiring surgical removal. | Swelling, pain, and difficulty in saliva flow. | <i>Calcarea carbonica</i> , <i>Berberis vulgaris</i> | 30C, 2–3 times daily. | <i>Berberis</i> for radiating pain; <i>Calc carb</i> for chronic cases. |
| Dental Sinuses | Abnormal tract leading to a persistent drainage from infected teeth or gums. | Swelling, pus discharge, and persistent infection. | <i>Silicea</i> , <i>Hepar sulphuris</i> , <i>Myristica</i> | 30C, 2–3 times daily. | <i>Silicea</i> for expelling pus; <i>Myristica</i> for chronic infections. |



SURGISCOPE 2025



| Surgical Condition | Description | Symptoms | Homeopathic Remedies | Potency/Usage | Notes |
|--------------------|--|--|--|-----------------------|---|
| Dental Fistula | Abnormal connection between oral cavity and skin or sinus tract. | Chronic discharge, swelling, and pain. | <i>Hepar sulphuris</i> , <i>Mercurius solubilis</i> | 30C, 2–3 times daily. | <i>Hepar sulph</i> for infection; <i>Merc sol</i> for accompanying inflammation. |