KNODE

BRAND IDENTITY · V1 · 2026


CONNECT YOUR THOUGHTS. NATURALLY.

Knode turns your notes and your AI conversations into a map of knowledge that is yours, saved in an open .knode file.


01 THE MARK


TWO BLOCKS. ONE NODE.

The K is two blocks joined by a bridge: two connected ideas. It is drawn on a 10 × 25 cell grid, with the stem as an exact square and a single rounding rule: every corner, outward or inward, has a radius of one cell.



Construction · 10 × 25 grid · radius 1 cell (½ cell of the type)






Horizontal logo · primary use




Stacked logo · square formats



Wordmark only · when the mark is already nearby

Clear space

Leave at least the width of the slot (x) around the mark. Nothing enters that space.



Minimum size

The mark alone from 16 px. The horizontal logo from 88 px wide.




16 24 40 88

MISUSE




Don't distort



Don't outline



No gradients or effects



Don't rotate

02 COLOUR

THREE INKS.

A short palette: ink and paper for almost everything, indigo for the mark and what matters.
No gradients, no supporting colours.

INK

#0B0B14 · RGB 11 11 20
Main background, text on paper and indigo

PAPER

#F3F2EE · RGB 243 242 238
Light background, text on ink

INDIGO

#818CF8 · RGB 129 140 248
Mark, accent, active state

PROPORTION

Ink 60 | Paper 30 | 10

PAIRINGS

AAA
Indigo on ink · 6.6 : 1 · any size

AAA
Paper on ink · 17.9 : 1 · text

AAA
Ink on paper · 17.9 : 1 · text

AAA
Ink on indigo · 6.6 : 1 · buttons, mark

AA
Indigo on paper · 2.7 : 1 · large shapes only, never text

×
Paper on indigo · 2.7 : 1 · do not use

03 TYPOGRAPHY

THREE VOICES.

Two in-house typefaces built with the rules of the mark, and a text family for everything that is read.

KNODE BLOCK · HEADLINES. NUMBERS. BRAND

ABCDEFGHIJKLM
NOPQRSTUVWXYZ
0123456789 .,:!?

KNODE LINE · LABELS AND INTERFACE

ABCDEFGHIJKLM
NOPQRSTUVWXYZ
0123456789 .,:!?

The same skeleton as Block, with the stroke of the icons. For short text.

GEIST AND GEIST MONO · EVERYTHING THAT IS READ

Aa

Regular 400
Medium 500
Semibold 600
Bold 700

0123456789
map.knode

Neutral and made for screens: it lets Block and Line bring the character. Running text, interface and buttons. Geist Mono, its partner, for the technical: file names, codes and data. In the native app, the system font plays the same role.

Display · Block 72	248 NODES
Section · Line 20	IMPORTED CONVERSATIONS
Title · Text 600 / 40	**Everything you've thought, connected**
Subtitle · Text 500 / 22	Every idea becomes a node you can link, move and find.
Text · 400 / 16	Drop in a ChatGPT or Claude export and Knode finds the topics, creates the nodes and links them. Everything lives in a .knode file you can open, move and keep wherever you like.
Technical · Geist Mono 13	`map.knode · 248 nodes · 611 links · saved 01:56`

04 SYSTEM

ONE CELL. ONE RADIUS.

Everything in Knode, from the mark to the last icon, comes from the same rule. If something new follows it, it already belongs to the brand.

1 · The cell

2 · The radius

3 · Two weights

4 · Slots, not lines

Everything is drawn with square cells. Letters are 5 tall; icons 7 × 7; the mark 10 × 25 in half cells.

Half a cell on every corner, convex or concave. A one-cell gap always ends in a semicircle, like the slots of the K.

A 2-cell stroke for the mark and Block. A 1-cell stroke for Line and the icons. They never mix within one piece.

Detail is made by cutting into the mass (slots, notches, dots), not by adding strokes. No thin diagonals, no outlines.

05 ICONS

SIXTY-THREE.

A 7 × 7 grid and a one-cell stroke, the same weight as Knode Line. Import and Export also cover download and upload. Fills are kept for the mark and for active states.

BRAND AND MAP 7


Knode


Node


Connect


Map


Tree


Group


Link

FILES 8


File


Note


Folder


Import


Export


Save


Archive


Delete

EDITING 11


Edit


Text


Tasks


Copy


Cut


Paste


Undo


Redo


Select


Drag


Add

VIEW 10


Zoom in


Zoom out


Focus


Expand


Sidebar


Grid


List


Show


Hide


Pin

NAVIGATION 12


Home


Search


Filter


Sort


Menu


More


Back


Forward


Up

Down

Close

Done

CONTENT 6

Chat

Image

Calendar

History

Tag

Bookmark

ACCOUNT AND STATUS 9

Profile

People

Private

Cloud

Alerts

Info

Warning

Help

Settings

16 · 24 · 32 PX


ON PAPER




06 PATTERNS

NODE FIELD.


Backgrounds for covers, loading screens and large pieces, all made with the cell and radius of the mark. The node field repeats the idea of the K: blocks joined by bridges.




Node field · indigo on ink




Node field · ink on indigo



Node field · ink on paper



Cell screen · the mark made of cells, animated



Mark repeat



Type as pattern

07 VOICE

CLEAR. YOURS. CALM.

Knode talks like a tidy person helping you tidy up, not like an AI product. Short sentences, plain words, and the person always at the centre.

Clear

We say what happened in everyday words.

We created 248 nodes.

~~Semantic processing complete.~~

Yours

Your ideas, your file. Never "our data".

Saved on your Mac, in map.knode.

~~Syncing with our cloud.~~

Calm

No rush, no exclamation marks, no magic.

Done. Your map is ready to explore.

~~Magic! ✨ Your AI did it!~~

BRAND LINES

CONNECT YOUR THOUGHTS.

EVERYTHING YOU'VE

YOUR IDEAS. YOUR FILE.

NATURALLY.

THOUGHT,
CONNECTED.

.KNODE

08 IN USE

IN USE.



App icon · macOS and iOS



App icon · dark variant



.knode file icon



App icon · light variant



KNODE

Product The .knode format Pricing

FOR MAC AND IPHONE

CONNECT YOUR THOUGHTS.

NATURALLY.

Import your ChatGPT and Claude conversations and Knode turns them into a map of nodes you can explore. Yours, in an open file.

Download for Mac

See how it works

248 NODES

Imported from 63 conversations in 4 seconds.

KNODE

CONNECT YOUR THOUGHTS. NATURALLY.

KNODE

KNODE

Ángel Martín

hello@knode.md · knode.md

YOUR IDEAS. YOUR FILE.

KNODE

09 KNODE DEVELOPERS

THE BRAND, IN TEXT.

The second part of the identity: the sub-brand for everything that reads or writes code.
Same logo, same grid and same inks, written in characters.

knode [developers]

together logo system cli api mcp format docs usage



[developers] cli · api · mcp · sdk · the .knode format

your map, programmable.


Knode Developers is the sub-brand for people who build on Knode. It is the same brand, written in text: the logo, the grid and the three inks stay; only the material changes.

developers / together

one brand, two materials.

Knode is drawn in vector for the people who use the app. Knode Developers is written in characters for the people who program it. They share everything that makes the brand recognisable and change only the finish.


knode · main brand



Vector · Knode Block and Line · Geist

app, main site, app stores, social, campaigns

knode developers · sub-brand



ascii, Geist Mono only

cli, api, mcp, sdk, docs, changelog, github


	Shared by both	Developers only
mark	The same 10 × 25 K, never redrawn	Painted with density characters
colour	Ink, paper and indigo	One functional grey (#6E6D8C), only for secondary text in the terminal
type	The Geist family	Only Geist Mono: running text, headlines, code and labels
material	The same shapes and grid	Logo, icons, buttons and favicon are written in characters; never a vector shape or an image
shape	The cell and the round corner	Boxes ⌒ and connections ⌙, always with a round corner
voice	Clear, yours, calm	Shorter and literal; lowercase; says what happened and what to do

Handover rule: the main brand links to developers with an ordinary link, "Developers"; developers links back in characters, with the Back icon and knode.md. The two never mix within one piece.

developers / logo

knode + developers.

The logo is the usual one, the mark with KNODE in Knode Block, written in characters. The "developers" descriptor follows in indigo, in brackets, like a terminal: knode [developers].




[developers]

primary · ASCII logo + descriptor




knode [developers]

compact · docs headers, github, terminal



knode [developers]

on paper · all in ink




plain text, 22 characters: the smallest symbol that keeps the slot

developers / system

characters, inks, states.

.:-=+*#%@

density · mark and patterns



blocks · progress, plain-text mark



boxes · always with a round corner

[ok] [..] [--] !!

states · no green, no red

[ok] done

done · indigo

[..] reading

running · grey

[--] skipped

skipped · grey, with a reason


!! error

error · inverted

terminal theme · ghostty


```
# ghostty · knode theme
background = 0b0b14
foreground = f3f2ee
cursor-color = 818cf8
selection-background = 2b2f66
palette = 0=0b0b14  8=3a3a58
palette = 4=818cf8 12=a5adfb
palette = 7=c9c8da 15=f3f2ee
```

pattern · node field in text




icons in text

brand and map / 7



files / 8




editing / 11



view / 10



navigation / 12



content / 6



account and status / 9



developers / cli

knode, in the terminal.

One verb per action, output for people by default and `--json` for machines. Importing is the brand moment: it is where you watch text turn into nodes.

knode --help

```
knode 1.0.0   connect your thoughts. naturally.

usage
  knode <verb> [object] [--options]

verbs
  import   <file>       turn conversations and notes into
  open     <map>        open a map in the app
  search   <text>       search your nodes
  tree     [node]       show the map as a tree
  link     <a> <b>      link two nodes
  export   <map>        export to markdown, json or .knod
  mcp                   serve your map to Claude and othe

options
  --map <map>     active map (default: the last one)
  --json          output for machines
  --quiet         errors only

more at knode.md/docs
```

import

```
$ knode import ~/Downloads/chatgpt-export.zip

[..] reading conversations ..... 63
[..] finding topics ............ 41
[ok] nodes created   ▓▓▓▓▓▓▓▓▓▓▓▓ 248
[ok] links ..................... 611
[--] 3 topics without a title (see review)

  saved to ~/Documents/map.knode  4.1 s
```

errors · what happened and how to go on

```
$ knode import notes.pdf

 !! i can't read .pdf files yet.

    i can import .zip from ChatGPT and Claude, .md and .
    try: knode import notes.md
```

tree · rounded connections


```
$ knode tree "ideas for knode"

ideas for knode
├─ name and brand ·2
│  ├─ geometric logo
│  └─ block typeface
├─ the .knode file ·3
│  └─ open schema
├─ import from claude
└─ native app ·1
```

--json · no decoration

```
$ knode search brand --json

[
  { "id": "n_8f2a", "title": "name and brand", "links": 2
  { "id": "n_31c0", "title": "geometric logo", "links": 4
]
```



knode open --tui · the map in the terminal

developers / api and sdk

your map, as a local service.

Knode is local: your own machine serves the API with `knode serve` and the SDKs read the file directly. Nothing goes through Knode servers.

knode serve · local api

```
$ knode serve  --port 4747

[ok] serving map.knode at http://localhost:4747
     only on this machine. nothing leaves your mac.

$ curl localhost:4747/v1/nodes?q=brand

{
  "data": [ { "id": "n_8f2a", "title": "name and brand" }
  "total": 1
}
```

routes · v1

```
GET    /v1/nodes            list and search
GET    /v1/nodes/{id}       one node with its links
POST   /v1/nodes            create a node
POST   /v1/links            link two nodes
POST   /v1/import           import an export
GET    /v1/map              the whole map, as .knode
```

typescript · @knode/sdk

```ts
// typescript · @knode/sdk
import { open } from "@knode/sdk";

const map = await open("map.knode");
const node = map.create({ title: "new idea" });
map.link(node, map.search("brand")[0]);
await map.save();
```

swift · KnodeKit

```swift
// swift · KnodeKit
import KnodeKit

let map = try KnodeMap(url: file)
let node = map.create(title: "new idea")
try map.link(node, to: map.search("brand").first!)
try map.save()
```

developers / mcp

claude, inside your map.

With `knode mcp`, Claude and other MCP clients can search, read, create and link nodes in your map. It closes the loop: conversations become nodes, and nodes come back into the conversation.

setup

```
// claude_desktop_config.json
{
  "mcpServers": {
    "knode": { "command": "knode", "args": ["mcp"] }
  }
}

tools claude will see:
  search_nodes   read_node   create_node   link_nodes
```

in the conversation

```
you  what did we decide about the logo?

[..] knode · search_nodes("logo")
[ok] 3 nodes

claude you chose the two-block K with the square
       stem; it's in the node
       name and brand, linked to geometric logo.
```

developers / format


.knode is yours.

A map is one open, readable JSON file. Version it with git, open it without Knode and read it from any language.

map.knode

```
// map.knode · json · open and readable
{
  "knode": "1.0",
  "map": "ideas for knode",
  "nodes": [
    { "id": "n_8f2a", "title": "name and brand",
```

readme · github



knode · connect your thoughts. naturally.
turns your notes and ai conversations into a map of knowl

```
        "source": { "type": "claude", "conversation": "c_01
        "pos": [-120, 80] }
    ],
    "links": [ ["n_8f2a", "n_31c0"] ]
  }
```

yours, in an open .knode file.

```
$ brew install knode
```

[macos 14+] [ios 17+] [open format] [mit]

developers / web and docs

developers.knode.md

knode [developers] docs cli api mcp format changelog

// in design. nothing to install yet.

your map, programmable.

CLI, local API, MCP and SDKs for TypeScript and Swift. All on an open format that is yours.

watch on github read the roadmap



docs

get started
cli
› local api
mcp
sdk
.knode format
changelog

docs / local api

list nodes

Returns the nodes of the active map. With q it searches titles and content.

GET	/v1/nodes	list and search
GET	/v1/nodes/{id}	one node with its links
POST	/v1/nodes	create a node
POST	/v1/links	link two nodes
POST	/v1/import	import an export
GET	/v1/map	the whole map, as .knode

v1 local stable

	On developers.knode.md	Never
type	Geist Mono only, lowercase voice	Geist, Knode Block or Knode Line
logo	The logotype in characters, 90 to 120 wide; the symbol alone on narrow screens; 22 wide in the header	The vector mark or block characters
icons	Grid icons painted with characters, 14 wide	SVG icons
buttons	A label in a round box, ╭──╮ | label | ╰──╯ ; the primary one indigo	Filled pills or square corners
links	Text, each with its grid icon written one character per cell	SVG icons in links
favicon	The Knode Block K in characters, indigo on ink	The knode.md favicon

`header`	Sticky, with the compact lockup

`developers / usage`

when it is developers.

yes

Everything that reads or writes code: CLI, API, MCP, SDKs, docs, changelog, GitHub, the developers site and technical communication (releases, talks, stickers).

no

The app, the main site, the app stores and general communication use the vector brand. The two never mix within one piece.

10 RESOURCES

DOWNLOADS.

The typefaces and the mark in vector, generated from the playground.

Knode Block.ttf · Knode Line.ttf · Mark.svg · Horizontal logo.svg · Icons (63).svg

Downloads aren't available in this view.