```
{"conceptdoi":"10.5072/zenodo.1094582","conceptrecid":"1094582","created":"2022-08-18T07:50:43.451000+00:00","doi":"10.5072/zenodo.1094583","doi_url":"https://doi.org/10.5072/zenodo.1094583","files":
```

[{"checksum":"58ada548660be47acc5357acce4dbff7","filename":"Microsoft Excel-Arbeitsblatt (neu).xlsx","filesize":7985,"id":"1905447c-fa93-44f0-a065-a6a9c6c44e8f","links": {"download":"https://sandbox.zenodo.org/api/files/4b5b184a-0b97-43e1-8f6e-51c431a81edc/Microsoft%20Excel-

Arbeitsblatt%20%28neu%29.xlsx","self":"https://sandbox.zenodo.org/api/deposit/depositions/1094583/files/1905447c-fa93-44f0-a065-a6a9c6c44e8f"}},

{"checksum":"cb4c3e6d55a840c70c596f03cab6ec3f","filename":"test.docx","filesize":11721,"id":"374e54f7-d45e-482f-8246-346c6fd2a376","links":

{"download": https://sandbox.zenodo.org/api/files/4b5b184a-0b97-43e1-8f6e-

51c431a81edc/test.docx", "self": "https://sandbox.zenodo.org/api/deposit/depositions/109458 3/files/374e54f7-d45e-482f-8246-346c6fd2a376"}}], "id":1094583, "links":

{"badge":"https://sandbox.zenodo.org/badge/doi/10.5072/zenodo.1094583.svg","bucket":"https://sandbox.zenodo.org/api/files/4b5b184a-0b97-43e1-8f6e-

51c431a81edc", "conceptbadge": "https://sandbox.zenodo.org/badge/doi/10.5072/zenodo.10 94582.svg","conceptdoi":"https://doi.org/10.5072/zenodo.1094582","discard":"https://sandb ox.zenodo.org/api/deposit/depositions/1094583/actions/discard","doi":"https://doi.org/10.5 072/zenodo.1094583", "edit": "https://sandbox.zenodo.org/api/deposit/depositions/1094583/ actions/edit", "files": "https://sandbox.zenodo.org/api/deposit/depositions/1094583/files", "ht ml":"https://sandbox.zenodo.org/deposit/1094583","latest":"https://sandbox.zenodo.org/api/ records/1227382","latest\_draft":"https://sandbox.zenodo.org/api/deposit/depositions/12275 51","latest\_draft\_html":"https://sandbox.zenodo.org/deposit/1227551","latest\_html":"https:// sandbox.zenodo.org/record/1227382","newversion":"https://sandbox.zenodo.org/api/deposit /depositions/1094583/actions/newversion","publish":"https://sandbox.zenodo.org/api/depos it/depositions/1094583/actions/publish", "record": "https://sandbox.zenodo.org/api/records/1 094583", "record html": "https://sandbox.zenodo.org/record/1094583", "registerconceptdoi": " https://sandbox.zenodo.org/api/deposit/depositions/1094583/actions/registerconceptdoi","s elf":"https://sandbox.zenodo.org/api/deposit/depositions/1094583"},"metadata": {"access\_right":"open","communities":[{"identifier":"robertkochinstitut"}, {"identifier":"zenodo"}],"creators":[{"name":"Perseke, Knut"}],"description":" nur ein kleiner Test

","doi":"10.5072/zenodo.1094583","license":"CC-BY-4.0","prereserve\_doi": {"doi":"10.5072/zenodo.1094583","recid":1094583},"publication\_date":"2022-08-18","title":"Testdatensatz Knut","upload\_type":"dataset"},"modified":"2023-08-02T14:29:04.563854+00:00","owner":129406,"record\_id":1094583,"state":"inprogress","sub mitted":true,"title":"Testdatensatz Knut"}HTTP/1.0 200 Connection established HTTP/1.0 200 Connection established // Copyright 2013 The Obvious Corporation. /\*\* \* @fileoverview

Helpers made available via require('phantomis') once package is \* installed. \*/ var fs = require('fs') var path = require('path') var spawn = require('child process').spawn var Promise = require('es6-promise').Promise /\*\* \* Where the phantom binary can be found. \* @type {string} \*/ try { var location = require('./location') exports.path = path.resolve( dirname, location.location) exports.platform = location.platform exports.arch = location.arch } catch(e) { // Must be running inside install script. exports.path = null } /\*\* \* The version of phantomis installed by this package. \* @type {number} \*/ exports.version = '2.1.1' /\*\* \* Returns a clean path that helps avoid `which` finding bin files installed \* by NPM for this repo. \* @param {string} path \* @return {string} \*/ exports.cleanPath = function (path) { return path .replace( $/:[^:]*node_modules[^:]*/q, ''$  .replace( $/(^|:)\.\/bin(\:|$)/q, ':'$ ) .replace(/^:+/, '') .replace(/:+\$/, '') } // Make sure the binary is executable. For some reason doing this inside // install does not work correctly, likely due to some NPM step. if (exports.path) { try { // avoid touching the binary if it's already got the correct permissions var st = fs.statSync(exports.path) var mode = st.mode | parseInt('0555', 8) if (mode !== st.mode) { fs.chmodSync(exports.path, mode) } } catch (e) { // Just ignore error if we don't have permission. // We did our best. Likely because phantomis was already installed. } } /\*\* \* Executes a script or just runs PhantomJS \*/ exports.exec = function () { var args = Array.prototype.slice.call(arguments) return spawn(exports.path, args) } /\*\* \* Runs PhantomJS with provided options \* @example \* // handy with WebDriver \* phantomjs.run('--webdriver=4444').then(program => { \* // do something \* program.kill() \* }) \* @returns {Promise} the process of PhantomJS \*/ exports.run = function () { var args = arguments return new Promise(function (resolve, reject) { try { var program = exports.exec.apply(null, args) var isFirst = true var stderr = "program.stdout.on('data', function () { // This detects PhantomJS instance get ready. if (!isFirst) return isFirst = false resolve(program) }) program.stderr.on('data', function (data) { stderr = stderr + data.toString('utf8') }) program.on('error', function (err) { if (!isFirst) return isFirst = false reject(err) }) program.on('exit', function (code) { if (!isFirst) return isFirst = false if (code == 0) { // PhantomJS doesn't use exit codes correctly: (if (stderr.indexOf('Error:') == 0) { reject(new Error(stderr)) } else { resolve(program) } } else { reject(new Error('Exit code: ' + code)) } }) } catch (err) { reject(err) } }) } .� & Emodule.exports.location = "phantom\\bin\\phantomjs.exe" module.exports.platform = "win32" module.exports.arch = "x64"

## **Dokumentation**

```
$\big| \cdot \cdot
```