## A.1.1

 $\mathbf{a}$ 

Ja

 $\mathbf{b}$ 

Ja (må omskrives)

 $\mathbf{c}$ 

Nei (kvadratledd)

 $\mathbf{d}$ 

Ja

 $\mathbf{e}$ 

Nei, produktledd

## A.1.2

a

$$\mathbf{x} - 5\mathbf{y} = (1, 2, 3, 4) - 5(10, 1, 0, 4)$$
$$= (1 - 50, 2 - 5, 3, 4 - 20)$$
$$= (49, -3, 3, -16)$$

 $\mathbf{b}$ 

$$\frac{3}{2}\mathbf{z} = \frac{3}{2}(12,7,3)$$
$$= (18, \frac{21}{2}, \frac{9}{2})$$

c

 $\mathbf{x}-5\mathbf{y}+\frac{3}{2}\mathbf{z},$ ikke mulig grunnet forskjellig antall dimensjoner

 $\mathbf{d}$ 

$$\mathbf{x} \cdot 3\mathbf{y} = (1, 2, 3, 4) \cdot (30, 3, 0, 12)$$
$$= (1, 6, 0, 48)$$

# A.1.3

$$(x_1, x_2, x_3) = (4, 3, 7)$$

$$(x_1, x_2, x_3, x_4, x_5) = (1, 18, 2, 9, 3)$$

$$\mathbf{x} = (2, 0, 3)$$

$$\mathbf{y} = (-3, 0, 2)$$

$$\mathbf{x} = (2, 1, 3)$$

$$\mathbf{y} = (2, -5, 1)$$

### A.1.4

 $\mathbf{a}$ 

$$7x - 5x = 3$$
$$2x = 3$$
$$x = \frac{3}{2}$$

 $\mathbf{b}$ 

$$7x - 5y = 3$$

$$7x - 5s_1 = 3$$

$$7x = 3 + 5s_1$$

$$x = \frac{3}{7} + \frac{5}{7}s_1$$

$$\left\{ (\frac{3}{7} + \frac{5}{7}s_1, s_1) : s_1 \in R \right\}$$

 $\mathbf{c}$ 

$$7x - 5y = 3$$
$$x + 5y = 1$$
$$8x = 4$$
$$x = \frac{1}{2}$$

$$\frac{1}{2} + 5y = 1$$
 
$$5y = \frac{1}{2}$$
 
$$y = \frac{1}{10}$$

 $\mathbf{c}$ 

$$2x + 3y = 8$$

$$2x + 3 \cdot 2(1 - x) = 8$$

$$x + 3 - 3x = 4$$

$$-2x = 1$$

$$x = -\frac{1}{2}$$

$$y = 2 - 2(-\frac{1}{2} = 3)$$

$$x + y + z = 3$$
  
 $z = 3 - x - y = 3 + \frac{1}{2} - 3 = \frac{1}{2}$ 

y = 2 - 2x = 2(1 - x)

### A.1.5

 $\mathbf{a}$ 

$$x + y + x = 0$$

$$x + y - x = 0$$

$$z = 0$$

$$x + y = 0$$

$$(x, y, z) \in \{(s_1, -s_1, 0) : s_1 \in R\}$$

 $\mathbf{b}$ 

$$x + y - z = 3$$
 
$$2x + 2y - 2z = 6$$
 
$$(x, y, z) \in \{(3 + s_1 - s_2, s_2, s_1) : s_1, s_2 \in R\}$$

 $\mathbf{c}$ 

$$\begin{array}{l} x+y+z+w=15\\ x-2y+4z-w=12\\ 2x-y+5z=3\\ y=-3+5s_3+2s_1 \end{array}$$
 
$$(x,y,z,w)\in \{(s_1,-3+5s_3+2s_1,s_3,15-s_1-s_3+3-5s_3-2s_1):s_1,s_3\in R\}\\ (x,y,z,w)\in \{(s_1,-3+5s_3+2s_1,s_3,18-6s_3-3s_1):s_1,s_3\in R\} \end{array}$$

 $\mathbf{d}$ 

$$x - 2y + 2z = 4$$
$$2x - 4y + 4z = 2$$

$$2x - 4y + 4z = 8$$

Ukompatibelt

### A.1.6

 $\mathbf{a}$ 

$$3x_1 - 5x_2 + 4x_3 = 7$$

$$x_1 = \frac{7}{3} + \frac{5}{3}s_1 - \frac{4}{3}s_2$$

$$(x_1, x_2, x_3) \in \left\{ (\frac{7}{3} + \frac{5}{3}s_1 - \frac{4}{3}s_2, s_1, s_2) : s_1, s_2 \in R \right\}$$

 $\mathbf{b}$ 

$$L_1: \qquad x_1 + x_2 + 2x_3 = 8$$

$$L_2: \qquad -x_1 - 2x_2 + 3x_3 = 1$$

$$L_3: \qquad 3x_1 - 7x_2 + 4x_3 = 10$$

$$L_1 + L_2: \qquad -x_2 + 5x_3 = 9$$

$$x_2 = 5x_3 - 9$$

$$2L_1 + L_2: \qquad x_1 + 7x_3 = 17$$

$$x_1 = 17 - 7x_3$$

$$L_3: \qquad 51 - 21x_3 - 35x_3 + 63 + 4x_3 = 10$$

$$104 - 52x_3 = 0$$

$$x_3 = 2$$

$$L_1 + L_2: \qquad x_2 = 5x_3 - 9 = 1$$

$$2L_1 - L_2: \qquad x_1 = 17 - 7x_3 = 3$$

 $\mathbf{c}$ 

$$L_1:$$
  $2x - 3y = -2$ 
 $L_2:$   $2x + y = 1$ 
 $L_3:$   $3x + 2y = 1$ 
 $L_2 - L_1:$   $4y = 3$ 
 $y = \frac{3}{4}$ 
 $L_3 - \frac{3}{2}L_2:$   $\frac{1}{2}y = -\frac{1}{2}$ 
 $y = -1$ 

Ligningsettet er inkompatibelt

 $\mathbf{c}$ 

$$L_{1}: \qquad 2x_{1} + 2x_{2} + 2x_{3} = 0$$

$$L_{2}: \qquad -2x_{1} + 5x_{2} + 2x_{3} = 1$$

$$L_{3}: \qquad 8x_{1} + x_{2} + 4x_{3} = -1$$

$$3L_{1} - L_{2}: \qquad 8x_{1} + x_{2} + 5x_{3} = 1$$

$$L_{1} + L_{2}: \qquad 7x_{2} + 4x_{3} = 1$$

$$x_{3} = \frac{1}{4}(1 - 7x_{2})$$

$$L_{1}: \qquad x_{1} + x_{2} + x_{3} = 0$$

$$L_{1}: \qquad x_{1} = -x_{2} - x_{3}$$

$$x_{1} = -x_{2} - \frac{1}{4} + \frac{7}{4}x_{2} = \frac{3}{4}x_{2} - \frac{1}{4}$$

$$x_{1} = 3s - \frac{1}{4}$$

$$x_{2} = 4s$$

$$x_{3} = \frac{1}{4} - 7s$$

$$(x_{1}, x_{2}, x_{3}) \in \left\{ (3s - \frac{1}{4}, 4s, \frac{1}{4} - 7s) : s \in R \right\}$$