
Geocaching Map – Custom Tile Layers

User guide and technical reference for the userscript, version 1.55.18



Prepared for Knut Olav Sunde · October 2026

Runs on geocaching.com: the browse map (`/map`), the search map (`/play/map`) and cache pages.

Screenshots show the script's own interface, rendered on a sample map background.

Contents

1. What the script does
2. Installation
3. The toolbar
4. Choosing map layers
5. Built-in layers
6. Adding your own layers
7. Import and export
8. Finding a place
9. Coordinates
10. Measuring and projecting
11. **Routes, cache list and GPX**
12. 161 m circles
13. Cache pages
14. Language
15. Keyboard and mouse
16. Troubleshooting
17. How it works
18. Privacy and network use
19. Known limitations
20. Version history
21. Data sources and credits

1. What the script does

The script adds a single toolbar to the geocaching.com maps and turns them into a flexible map workbench:

- **Any background map** – Kartverket topographic maps, OpenStreetMap, aerial photos and more, or any map service you add yourself (XYZ/TMS tiles, WMTS, WMS, ArcGIS).
- **Overlays** on top of the map – hiking and ski routes, property boundaries and hillshade.
- **Dimming** – fade the background map towards white so caches stand out.
- **Search** for Norwegian place names and addresses (Kartverket), places abroad (OpenStreetMap data via Photon), or coordinates – in one list.
- **Coordinates** under the mouse in DMM, DD, DMS and UTM (the local zone), with copy buttons.
- **Measuring** distance and bearing, and **projecting waypoints**.
- **Routes** – pick geocaches and pins from a searchable list or straight on the map, put them in order, preview the route and download it as a **GPX route for your GPS**. NEW
- A **cache list** of the geocaches on the map you see, that follows the map (/map). NEW
- **Favourite points**, **D/T** and an **FTF** badge right on the map, and **named pins** you can export as GPX.
- **161 m circles** around traditional caches, solved caches and visible physical stages, or a single circle anywhere.
- **My location**, a **home button** that takes you to your home address, and **fullscreen**.
- A button that **hides all geocaches** for a clean map, and shows them again.
- Your chosen map also appears on the small map on **cache pages**.
- The whole interface is available in **English and Norwegian**.

The site's own zoom, location and map buttons are folded into the same toolbar, so there are no duplicate buttons.

2. Installation

1. Install a userscript manager in your browser: **Tampermonkey** or **Violentmonkey** (Chrome, Edge, Firefox, Safari).
2. Open the file `geocaching-custom-tiles.user.js` in the browser, or create a new script in the manager and paste the file's content. Save it.
3. Open a geocaching.com map. The toolbar appears at the right edge of the map.

Page	What you get
`www.geocaching.com/map/…`	Everything: toolbar, layers, search, tools.
`www.geocaching.com/play/map…`	Everything (the new search map).
`www.geocaching.com/geocache/…` `…/seek/cache_details.aspx…`	Only your chosen background map and overlays on the small map – no controls.

The toolbar finds a free place at the right edge by itself, below site buttons such as “Create Route”; site buttons it does not replace are moved to its bottom and keep working. The script needs no special permissions (`@grant none`). All settings are stored in the browser for geocaching.com, so they are shared between the map pages and cache pages.

3. The toolbar

Button	What it does
	Map layers – opens the layer panel; click again to close.
	Zoom in / out. Greyed out at the map's limits.
	Previous view – back one step at a time to where you were, up to 10 steps (every zoom step and pan counts). Greyed out when there is nothing to go back to.
Find your way	
	Find a place – place names, addresses, coordinates or GC codes. Shortcut `/`.
	Go home. Right-click the button to change the address.
	Show my location, with an accuracy circle.
	Fullscreen map. Click again to leave.
Tools	
	Measure distance and bearing. Click points on the map; a click on a geocache snaps to its coordinates.
	Route – build a route of geocaches and pins and download it as GPX (section 11). Green edge while the window is open.
	Geocaches on the map – a list that follows the map (/map only, section 11). Green edge while the list is open.
What is shown	
	Show on map – 161 m circles, marks at solved caches, favourite points, D/T, FTF and type icons (below). Green edge while the panel is open.
	Hide all geocaches; click again ( ) to show them.
The rest	
	Clear all drawings – pins, measurements, projections and single circles.
	Settings – layout, language and how the script behaves.
	Help – a one-page overview, with a link to this guide.




The toolbar.

Placing the toolbar

The toolbar can sit on the **right** (default) or **left** side of the map, or at the **top** or **bottom** – in **one or two rows**. It is **centred** along its edge (vertically on the sides, sideways at the top and bottom) in the visible part of the map, and moves to the nearest free spot if another control is in the way. In full screen it sits right at the screen edge. When one row doesn't fit – a narrow window, or beside the site's open sidebar – the toolbar uses two rows by itself, and goes back to one when there is room (Settings then shows **Two lines (automatic)**). Choose in **Settings**, or **drag** the toolbar by its grip (the dots at its top or left end): a dashed blue area shows the edge it will snap to. The choice is remembered – separately for /map and /play/map.

- On the left, top and bottom the toolbar keeps clear of the site's **Search for geocaches** panel and follows it as it opens and closes.
- At the bottom, when the toolbar would cover the zoom and coordinate readout, the readout moves to the top left – and back when the toolbar moves elsewhere. The scale bar may be covered.
- The layer panel and all dialogs open **beside the toolbar**, never on top of it or other controls: to its left or right, below it at the top, above it at the bottom. At the bottom they grow upwards, so search results stay visible.
- Drag the layer panel, the dialogs and **Show on map** by their title bar to any place in the window. They open where you last left them, also in a later session.
- Site buttons the toolbar takes in are laid out in the same row or column.



Settings.

Settings

In three sections:


- **Layout** – **Toolbar** right, left, top or bottom; **Buttons in** one or two rows; **Cache list and route** at the top right (default) or top left; **Language** English or Norsk; **Zoom and coordinates** at the bottom (on by default; also hidden with its ×).
- **On the map** – points to **Show on map**.
- **Behaviour** – **geocaching.com's own map buttons** (location and map style; its zoom buttons are always hidden); **Fold the site's side panel away when the map opens** (off by default – the point is to see **as much map as possible** from the start; after the first time nothing is seen opening or closing); **Right-click on /play/map** opens the site's own menu instead of ours (off by default).

Show on map

Show on map opens a small panel with a switch for everything the script draws on top of the caches:

- **161 m circles** (red) – traditional caches, solved caches and physical stages, from zoom 15 (section 13).
- **Marks at solved caches** – a smiley when found, a blue ? when the icon is elsewhere, from zoom 10.
- **Favourite points** – ❤ and the number above caches, from a lowest number (10 by default), from zoom 15.
- **D/T** – difficulty/terrain below the caches, from zoom 15.
- **FTF** – a red badge on active caches nobody has found yet, from zoom 15.
- **Hide the site's icon at the posted coordinates** (/play/map only) – for solved caches you have found, only our smiley at the solved spot is left; the site's icon at the posted coordinates is never drawn. Works while the marks are on; off by default. (On /map the icons are part of the map images and can't be hidden one by one.)
- **Type icon on solved caches** – the site's "solved" icon doesn't show the type, so a small type icon is added at its bottom right, from zoom 15; off by default.

Each switch says which zoom it shows from; when one is on but you are zoomed out too far, it says **Zoom in to 15 to see it**. Drag the panel by its title bar; Esc or a click outside closes it.




Show on map.

Help, touch screens and keys

Help gives a one-page overview of the buttons, the right-click menu, the keys and the differences between /map and /play/map, with a link to this guide in your language.

On a **touch screen** (iPad, phone), **press and hold** the map for half a second to open the same menu as a right-click – coordinates, pin, single circle, projection, measuring and Street View, snapped to a nearby cache.

Keys: `/` search, `+` `−` zoom, `Esc` stops measuring and closes dialogs and panels.




Help.

4. Choosing map layers

Click  to open the panel. The maps are sorted into three tabs:

- **Geocaching** – geocaching.com's own maps (for example Google Maps or the site's map styles), its own overlays, and **Geocaching.com map styles…** on pages where the site has that menu.
- **Background maps** – the built-in background maps and your own.
- **Overlays** – the built-in overlays and your own.

A blue dot shows which tab holds the background map in use, and the Overlays tab shows how many overlays are switched on. The panel opens on the tab you used last.



The layer panel's Background maps tab with Kartverket Topo selected; one overlay is on and two built-in maps have been removed. Drag the handle at the left of a row to change the order.

Background map

Choose one background, in either of the two background tabs.

Dimming the background

The **Dimming** slider (in both background tabs) dims the selected background map: drag it left and the map fades towards **white**, by at most 50 %. The value is shown in per cent. It follows you when you switch maps, and also works on geocaching.com's own maps. Your background map is always drawn fully opaque, so the geocaching.com map never shines through. Cache icons and overlays are never dimmed.

Overlays

Tick any number of overlays. The **Opacity** slider sets the opacity of all selected overlays (50–100 %); a layer with its own default keeps it relative to the slider (hillshade stays at 60 % of the slider's value). Overlays are always drawn above the background and below the caches – and among themselves **in the order of the list**: the one at the top is drawn on top.

Changing the order

Every row has a handle ⁞⁞ at the left. Drag it up or down to move the map; or click the handle and use ↑ ↓. The order is remembered for each tab.

Editing and tidying the lists

- ⧉ on a built-in layer makes an editable copy.
- ✎ edits and × deletes one of your own layers.
- × on a built-in map – or on one of geocaching.com's own maps – removes it from the list. A geocaching.com overlay that is switched on is switched off. **Restore removed maps (n)** brings them all back.
- The box at the top adds a layer straight from a pasted address.

The selected map and overlays are highlighted in blue. The buttons appear when you point at a row. Deleting or removing a map asks first, in a small dialog with a red button to confirm.

Bottom of the panel

- **Restore removed maps (n)** – shown when you have removed maps.
- ＋ **New layer**, **Import**, **Export**.

Your choices are remembered and also used on cache pages.

5. Built-in layers

Name	Type	Source and notes
Kartverket Topo	Background	Kartverket's topographic map (WMTS cache, Web Mercator).
Kartverket Gråtone	Background	Greyscale topographic map – caches stand out well.
Kartverket Toporaster	Background	Classic raster topographic map.
OpenTopoMap	Background	Worldwide topographic map from OpenStreetMap data and SRTM.
Esri World Imagery / *Esri flyfoto*	Background	Aerial and satellite photos, worldwide.
OpenStreetMap	Background	Standard OSM map.
Esri World Topo	Background	Worldwide topographic map.
Turruter (Kartverket)	Overlay · WMS	Official hiking, ski, cycling and other routes (layer `Ruter` in the Tur- og friluftsruter service).
Eiendomsgrenser (Kartverket)	Overlay · WMS	Property boundaries and gnr/bnr from the open cadastre service (CC BY 4.0). Shown from zoom 14.

Hillshade (Esri) / *Terrengskygge*	Overlay	Terrain relief, blended into the map (60 % by default).


> Norge i bilder aerial imagery is not included: Kartverket is closing its open tile service, and access is limited to Norge digitalt partners. Use Esri World Imagery for aerial photos.

6. Adding your own layers

Use **+ New layer**, or paste an address into the box at the top of the panel. Press **Detect**, or simply paste – the editor recognises:

- **Tile templates** with `{z}`, `{x}`, `{y}`, also `{-y}` (TMS), `{s}` (subdomains) and `{q}` (Bing-style quadkeys).
- **A single tile** copied from the browser's developer tools (Network tab), e.g. `…/12/1196/2164.png`. It is turned into a template; the x/y order is guessed from the area you are viewing.
- **WMTS**: a `WMTSCapabilities.xml` address, a service address, or a template with `{TileMatrix}`. Layers in a Web Mercator tile set are listed for you to pick.
- **WMS**: a GetMap address (layer names are taken from it), a service address or a GetCapabilities address. Layers are listed; hold `Ctrl` to combine several.
- **ArcGIS** addresses ending in `/MapServer` (cached, Web Mercator).

After detection the layer is **previewed** on the map with a count of tiles loaded and failed. Choose **Background map** or **Overlay on top**, give it a name and press **Save layer**.



Adding Kartverket's Tur- og friluftsruter WMS: the layer list was read automatically.

More settings

- **Highest zoom with real tiles** – beyond this, tiles are enlarged instead of requested.
- **Subdomains for {s}**, **Flip the Y axis (TMS)**.
- WMS: **image format**, **version**, **styles**, **transparent background**.
- **Show from zoom level**, **Credit text**.

> If a server does not allow the script to read its layer list (cross-site restrictions), the editor shows a link to the list. Open it, copy everything and paste it into the editor.

7. Import and export


Export shows your own layers as text (JSON) that you can copy or save as a file. **Import** accepts such text or a `.json` file – for example to move your layers to another computer or share them. Layers that already exist are skipped. Pasting a single map address into Import opens it in the editor.

8. Finding a place

Click 🔍 or press `/`.

- All hits appear **in one list** as you type, each marked with what it is: **Place** (Kartverket place names), **Address** (Kartverket addresses) or **Abroad** (places outside Norway from OpenStreetMap, via Photon). The best matches come first, whatever the source: exact names, then names starting with what you typed, then names containing it. Type a house number and addresses come first.
- The map zooms to a level suited to the hit: county, municipality, village, address – or the whole area of a place abroad.
- **Coordinates** in DMM, DD, DMS or UTM (e.g. `32V 597980 6643119`) are recognised and shown in other formats at the top of the list.
- A **GC code** (e.g. `GC1AAA`) finds the geocache: its posted coordinates, and your solved coordinates first when you have them. Unknown caches are looked up on their cache page.

Use `↑` `↓` and `Enter` to choose. The chosen place gets a pin with its name.



Search results for “lier”.

Home address

The 🏠 button takes you to your home address. The first time, it opens **Set home address** – the same search box: type your address and pick it. After that a click goes straight home and marks the spot. To change or remove the address, right-click the button, or right-click anywhere on the map and choose 🏠 **Set as home**. The address is stored only in your browser.

9. Coordinates

Readout

The coordinates under the mouse are shown at the bottom right, with the **zoom level** above them. Click the coordinates to cycle formats; the choice is remembered. Type a number in the zoom field and press `Enter` (or use its arrows) to zoom; numbers outside the map's range are adjusted to the nearest level. The ✕ in the readout hides it; show it again in ⚙ **Settings**.

⊹ in the readout turns on a **crosshair** in the middle of the map (off by default). The coordinates are then those under the cross: move the map to read them – handy on a touch screen. With the crosshair on, ⧉ **copies** the coordinates under the cross to the clipboard, in the format shown. Closing the readout hides the cross too; it comes back when the readout is shown again.

Format	Example (Oslo)	Notes
DMM	`N 59° 54.834 E 010° 45.132`	Geocaching standard.
DD	`59.913900, 10.752200`	Decimal degrees.
DMS	`N 59° 54' 50.0" E 10° 45' 07.9"`	Degrees, minutes, seconds.
UTM	`32V 597980 6643119`	Zone chosen automatically.


All coordinates are WGS84 (identical to EUREF89 for map use). UTM uses the Krüger series to 6th order (the method used by PROJ), accurate to about a millimetre even far outside a zone. Far west of a zone the easting can become negative – this is correct.

Right-click menu

Right-click anywhere on the map for a popup with the position on one line. It always opens in **DMM**; click the line to switch to DD, DMS, and UTM (the local zone). The ⧉ button copies the coordinates in the format shown. The popup also offers:

- 📍 **Pin** – drop a named pin (Pin 1, Pin 2 …, or the cache's GC code and name). Right-click or click a pin to remove it or **Download GPX**, and click its name in the popup to rename it; **All pins as GPX** saves every pin in one file for your GPS. Pins are kept while the browser tab is open, and shown from zoom 12.
- 🧭 **Project…** – project a waypoint (see below).
- ⊙ **161 m circle** – a single circle here (or ✕ **Remove circle** inside one).
- 📏 **Measure from here**.


- **Google Street View** – opens Street View at this point (or the cache) in a new tab.
- **Set as home** – save this point as your home address.



The right-click popup: one coordinate line – click it to switch format.

Snapping to a geocache

Right-click on a geocache, or within a few pixels of it (about the size of its icon), and the popup **snaps to the cache**. A blue line at the top shows the cache's **GC code**, name and **favourite points** (♥ 42), and the coordinates and all the tools in the popup – pin, projection, measuring, 161 m circle – use the cache position. Your own **pins** work the same way: right-click one and the popup snaps to it, with **Remove pin** instead of Pin.



The popup snapped to a geocache – click the GC code to open the cache page.

- Click the **GC code** to open the cache page in a new tab (a middle-click works too). The map stays as it is.
- **Use clicked point** switches to the exact point you clicked.
- On `/play/map` the caches are drawn by the site's WebGL map; the script asks it which cache lies under the pointer, which gives the GC code and the exact position. Right-click there opens our popup, not the site's own menu (unless chosen in Settings). On both maps the exact coordinates come from geocaching.com's cache search once it has answered for the area – posted coordinates, or your corrected ones for solved caches. Caches the search leaves out, such as your own, are read from their cache page in the background from zoom 15, or the first time you right-click them (the popup waits up to 0.7 s for it). Until then the position is


estimated from the cache icon, shown by ≈ after the name.
- Right-clicking the marks at solved caches and physical stages snaps to them too.
- Right-click further away and you get the clicked point, as before.

10. Measuring and projecting

Measure : click points on the map. The label shows the total distance and the length and bearing of the last leg. Double-click to start a new line, `Esc` to stop. While measuring, clicks do not open cache pop-ups.

Project a waypoint: right-click the start point and choose **Project…**. The dialog **Project a waypoint** opens:

- **From** – filled in with the point you clicked (DMM). Any coordinate format works, so you can also project from another point.
- **Bearing** in degrees (0–360), **Distance** and **Unit** (m, km or ft – the last unit is remembered). A decimal comma works, e.g. `1,5`.
- As you type, the **waypoint** is shown in DMM with a copy button, and a dashed line previews it on the map. Invalid values give a clear message, and **Project** stays greyed out.
- **Enter** or **Project** places the point: a dashed line from the start, a pin with all coordinate formats and a label with bearing and distance. **Cancel** removes the preview.



Projecting 250 m at bearing 45°.

Distances and projections use a spherical earth model – the error is well under a metre at geocaching distances.

11. Routes, cache list and GPX NEW


Plan a caching trip on the map and take it with you on your GPS. Click **Route** in the toolbar.

Pick the stops

- The window lists the **geocaches on the map you see and your pins**, nearest the middle first, each with its type icon, D/T, distance and whether it is **solved**, **found** or **owned**. Solved caches are at their solved position. The list follows the map.
- **Search** by GC code or name. A full GC code is found **anywhere in the world**, also caches the script hasn't seen yet. Place names and **addresses** are found too, like in Find a place, and can be added as stops without setting a pin.
- Click a line – or **click a cache or pin on the map** while the window is open – to add it. The right-click popup also has **Add to route**.

Put them in order

- Move stops with ↑ ↓, remove them with ×, or **Sort by nearest** from the first stop.
- Tick **Back to the start** for a **round trip**: the route ends at the first stop again – on the map, in the lengths, in the preview and in the GPX file.
- Each stop shows the leg from the previous one (distance and bearing), and the route's total length. Click a stop to see it on the map.
- The route is drawn on the map as a dashed purple line with numbered stops, and is kept while the browser tab is open.




Building a route.

Preview and download

Preview zooms the map to the whole route – in the part of the map that the window, the toolbar, the side panel and other controls leave free – and shows exactly what goes into the GPX file: each stop's name in the GPS (the GC code or the pin's name), the cache name as description, the coordinates, the leg and the running total. Then click **Download GPX route**.

- The file is a standard **GPX 1.1 route** that Garmin and most GPS units can import.
- Tick **Full cache data** (off by default) to include every geocache as a full **paperless** geocache, in the same format as the GPX file on the cache page (GPX 1.0 with Groundspeak's extension): description, hint, attributes, size, D/T, logs and the cache's additional waypoints, followed by the route. With Premium the cache page's own GPX file is used; otherwise the same is read from the cache page (with the logs shown there). Solved caches get the solved coordinates. It takes a moment, as each cache page is fetched.
- Geocaches get Garmin's **Geocache** symbol (**Geocache Found** when you have found them), pins the **blue pin**.
- The file is named with the date and time, e.g. `route-2026-10-28-121305.gpx`, so several routes on one day don't overwrite each other.
- Distances are in a straight line – the way there is always longer.

The window – like all dialogs – can be made taller or shorter by dragging its top or bottom edge, and it fits small screens.




The preview before downloading.

Cache list NEW

On `/map` **Geocaches on the map** opens a list of the geocaches on the map you see, nearest the middle first. (`/play/map` has a list of its own.)

- Each line has the type icon, GC code and name, **Solved**, **Found** and **Owned** tags, D/T, ♥ favourite points and the distance.
- The list **follows the map** – it changes as you move or zoom, and as the site's cache search answers. It also follows the site's **sidebar filters** (cache types, My Finds, My Hides, My DNFs) and the button that hides all geocaches. Type in the box to filter by code or name.
- Name, D/T, favourite points and tags are fetched from the site's cache search at any zoom while the list is open.
- **Point at a cache on the map** and its line is highlighted in the list.
- **Click a line** to zoom all the way in to the cache, beside the list. It gets a soft yellow glow on the map, and a solved cache you have found gets its mark at the solved spot. Click the same line again to let go of it and return to the map view you had.
- The button at the right of each line opens the **cache page in a new tab**.

The cache list and the route window sit at the **top right** (default) or **top left** of the map – choose in Settings – as tall as the map allows. They keep clear of the site's side panel and follow it as it opens and closes, and the two buttons switch between them.




The cache list.

12. 161 m circles

Turn on **161 m circles** in **Show on map** to draw a 161 m (0.1 mile) circle – the minimum distance between caches in the guidelines – around every place where something is placed:

- **Traditional caches**, at their exact posted coordinates.
- **Caches with solved (corrected) coordinates**, at the solved position.
- **Physical stages and final locations** of multis, mysteries, Wherigos and letterboxes that the owner has made visible on the cache page.

Where no cache icon shows the spot, a small clickable mark is drawn in the middle of the circle. The marks at solved caches are turned on and off on their own in **Show on map**; stage and final marks only appear with the circles.



The mark at a solved cache you have found.

- **Yellow smiley with a green tick** (bottom left), the size of the site's own “found” icon – a solved cache you have found (and don't own): its icon has gone back to the posted coordinates.
- **Blue round mark with ?** – a solved cache whose icon is not on the map right now.
- **Small blue dot** – a physical stage; **small green dot** – a final location.

Point at a mark to see the GC code, name and **Final location**; click it to open the cache page in a new tab. Right-clicking it gives the exact coordinates. With favourite points and D/T on, the mark gets them too.

Solved caches are **remembered** in your browser (60 days), so the mark also appears when the posted coordinates are far outside the map – typical for Wherigos and puzzles. The script learns a cache the first time its posted coordinates are in view from zoom 15.

Solved caches whose icon already sits on the corrected coordinates – your own, and those you haven't found yet – keep the site's icon. An invisible mark on top of it gives the same hover text (**Final location**) instead of the site's, and clicks still open the site's own popup. The site's “solved” icon doesn't tell the cache type, so a **small type icon** – the same as in the cache list – can be shown at its bottom right, and on our marks at solved caches you have found (Settings, off by default).

- Circles are shown from **zoom level 15**; the marks at solved caches already from zoom 10 – as blue dots at 10–11, small at 12–13 and full size from 14 (favourite points and D/T from 15). They follow the map as you pan and zoom, a circle is drawn as soon as any part of it can be in view, and they never block clicks on caches.
- Single circles anywhere: right-click → ⊙ **161 m circle**.
- **Filters:** caches you leave out in the site's sidebar on /map – **My Finds**, **My Hides** or cache types – lose their circles, marks and favourite points too, and get them back when the filter is turned on again. Your own caches are recognised by their owner name (compared in your browser only). **Hide all geocaches** hides the circles as well.

How the cache types are found: the map itself only tells the GC code, so the script asks geocaching.com's own cache search (the one /play/map uses) once for each area you look at, during each visit. The answer gives each cache's type, its exact posted coordinates, whether you have found it, and any coordinates you have corrected. If the search needs your login, the site's own short-lived access token is used – it is kept in memory only. Cache types are remembered in the browser; solved coordinates are fetched again on each visit, since you can change them.

How the stages are found: the map does not show additional waypoints, so the script reads the *Additional Waypoints* list on the cache page of each multi, mystery, Wherigo and letterbox in view – two pages at a time, from zoom 15, and each result is remembered for 14 days. Stages whose coordinates the owner has hidden (???) cannot be found. A physical stage listed without coordinates is taken to be at the posted coordinates; a final without coordinates is not shown.

How the positions are found: on the old browse map the caches are drawn as images, but the site also loads a hidden grid telling which cache covers each 4×4 pixel cell. Until the cache search has answered for an area, the centre of each cache's cells is used – accurate to a few metres. On /play/map the caches are ordinary map markers, and their exact positions are used.

13. Cache pages

On cache pages the small map shows your chosen background map and overlays, with the same dimming and opacity. The map keeps the site's own extent and zoom. Nothing else is added, and the cache page never changes your saved choice.

14. Language

The interface is available in **English** and **Norwegian (bokmål)**. By default the language follows geocaching.com and the browser (Norwegian if either is bokmål, nynorsk or “no”). Change it with **Language / Språk** in **Settings**; the change takes effect immediately and is remembered.

15. Keyboard and mouse

Key / action	Effect

`/`	Open the search (when not typing in a field).
`Esc`	Close a dialog; stop measuring.
Drag a dialog's title bar	Move the dialog.
`Enter` in the projection dialog	Place the projected point.
`↑` `↓` `Enter`	Choose a search result.
`+` `−`, mouse wheel	Zoom (Leaflet's own keys).
Right-click on the map	Coordinates and point tools.
Right-click the 🏠 button	Change or remove your home address.
Double-click while measuring	Start a new measuring line.
Click the coordinate readout	Switch coordinate format.
Type in the zoom field, `Enter`	Zoom to that level (`Esc` undoes).
Click a mark in a 161 m circle	Open that cache page in a new tab.
Click the GC code in the popup	Open the cache page in a new tab.
Drag ⠿ in the layer panel, or `↑` `↓` on it	Change the order of the maps.

16. Troubleshooting

Problem	What to do
A layer shows nothing	Open it with ✎ and press **Preview on map**: the tile counter shows whether tiles load. Check the zoom range and, for WMS, the layer name. Many services only cover certain areas.
“No geocache positions found”	The site may have changed how caches are drawn. Run `gcctReport()` (below) and send the result.
Right-click does not snap to a cache, or shows ≈	Right-click the cache, then run `gcctSnapTest('GC…')` with its code: it shows what the script knows about the cache (posted and corrected coordinates, whether the search returned it) and where it can snap.
No circles at a multi's physical stages	Run `gcctStageTest('GC…')` with the cache's code: it shows the waypoint list the script found on the cache page and the stages it picked out.
No 161 m circles, or “cache types are not known yet”	Run `gcctCacheDebug()` in the console. It shows whether the cache search answered and which fields it contained – field names and counts only, no values or personal data.

Duplicate or overlapping buttons	Run `gcctReport()`; its *siteButtons* list shows how each site button was recognised.
Want the site's own buttons back	Tick **Show geocaching.com's own map buttons too** in ⚙ **Settings**.
Search says a service did not answer	A temporary problem at Kartverket or OpenStreetMap; try again shortly.

Diagnostic report

Open the browser console (`F12` → Console) on the map page and type `gcctReport()`. A compact report is printed and copied to the clipboard. It contains the page, Leaflet version, script version, the site buttons found (with status), a summary of the map's layers and the map panes – no personal data. Errors from the script are logged with the prefix `[gcct]`.

17. How it works

Finding the map

The script starts before the page and catches Leaflet the moment the page defines it. It then recognises the site's map when it is created, or – if the map already exists – the next time the map fires any event. If the app replaces its map (single-page navigation), the script follows. Its own setup only runs after the site has finished its own, and errors never reach the site's code.

Layer stacking

Both the geocaching.com background and the cache icons can be drawn as tiles in the same Leaflet pane. The script never removes the site's layers. It identifies the site's background – from the site's layer switcher, or otherwise as the site's lowest tile layer plus any layer from a well-known map provider – and stacks: site background → your background → your overlays → preview → all other site tile layers, such as the cache tiles (raised to the top). Your background is always fully opaque, and while one of your backgrounds is selected the site's own background is hidden (on /play/map its WebGL map layers are switched off one by one, leaving any cache layers alone), so it cannot show through while your tiles load. Dimming uses a colour filter (invert, darken, invert), which fades the map towards white exactly; no extra elements are added.

Tile seams

With display scaling such as 110 % or 125 % and during zoom animations, browsers can leave hairline gaps between map tiles. The script's own tiles are therefore drawn 1 px larger than the size Leaflet gives them (so neighbours overlap) and with normal blending – Leaflet 1.9's own blend mode would add the overlapping strips up to bright lines. The site's own layers are left exactly as they are.

Site buttons

Small buttons floating over the map are found by what is actually drawn along the map's edges and by real buttons and icons. They are recognised by their text, labels, ids, class names and icon names. Zoom and locate buttons are hidden (the toolbar has them); the site's map-style button is made invisible but stays in place, and the panel opens its menu. Buttons in sidebars or list panels are never touched. As safety rules, only elements near the map's left or right edge are considered, never an element among many similar ones (such as cache icons), and if more than two elements look like the same kind of button, none of them is touched. The search for site buttons only runs while the page loads and when its controls change.

Page form

The /map page is wrapped in one large ASP.NET form. All of the script's buttons are non-submitting, and any form submission started from the script's controls is cancelled, so the page never reloads.

Stored settings

Key (localStorage)	Content
`gcct.state`	Chosen background and overlays, dimming of the background, opacity of the overlays, site-button visibility, removed built-in maps, toolbar position, favourite-point settings, whether the zoom and coordinates are shown, right-click choice on /play/map, the side of the cache list and route window.
`gcct.customLayers`	Your own layers.
`gcct.fmt`	Coordinate format of the readout at the bottom right (the popup always opens in DMM).
`gcct.autoCircles`	161 m circles on/off.
`gcct.marks`	Marks at solved caches on/off (without circles).
`gcct.cacheTypes`	Cache type for each GC code seen (so it need not be looked up again).
`gcct.tab`	The layer panel's last tab.
`gcct.stages`	Physical stages and finals read from cache pages (kept for 14 days).
`gcct.solvedCaches`	Your solved caches: corrected position, found or not, name, favourite points and D/T (kept for 60 days).
`gcct.dlgPos`	Where you last dragged the map layers panel, Find a place, Settings, Help and Show on map.
`gcct.panelSels`	What the script has learnt about the site's side panel on /map and /play/map (which element and button, and how far it folds), for starting with it folded.

`gcct.route`	Your route – only for this browser tab (sessionStorage), forgotten when it is closed. `gcct.routeLoop` and `gcct.gpxFull` keep the *Back to the start* and *Full cache data* choices the same way.
`gcct.pins`	Your named pins – only for this browser tab (sessionStorage), forgotten when it is closed.
`gcct.lang`	Language (en / no).
`gcct.home`	Your home address (name and position).
`gcct.projUnit`	Last distance unit used for projection (m / km / ft).

18. Privacy and network use

The script does not collect or send any personal data, and talks to no server of its own. It only contacts:

- the **tile and map servers** of the layers you switch on (or preview);
- **ws.geonorge.no** (Kartverket) for place-name and address search, as you type;
- **photon.komoot.io** (OpenStreetMap data) for places abroad, as you type (from three letters);
- a map service's **capabilities** address when you add a WMS/WMTS layer;
- **geocaching.com**'s own cache search for the area in view, when the 161 m circles, the marks or the favourite points are on (to find the cache types, exact positions, favourite points and your solved coordinates);
- the **cache pages** of multis, mysteries, Wherigos and letterboxes in view, from zoom 15 with the circles on, to read their visible physical stages;
- the **cache page** of a single cache when you right-click it and its exact coordinates are not yet known (once per visit);
- from zoom 15, the **cache pages** of caches in view that the cache search left out (typically your own) – two at a time, at most 20 per view, once per visit – to read their exact posted and corrected coordinates;
- the **cache pages** (and, with Premium, their GPX files) of the geocaches in your route, only when you download the route with **Full cache data** on – three at a time.

Your location is only requested when you click , by the browser's normal permission prompt. **Google Street View** is only opened when you click it in the right-click menu.

19. Known limitations

- Only map services in Web Mercator (EPSG:3857) can be shown, as geocaching.com's map uses that projection. WMTS layers in UTM tile sets are therefore not listed.
- Recognising the site's own buttons and cache positions depends on how geocaching.com builds its pages; a site redesign may require an update (`gcctReport()` helps).

- Physical stages whose coordinates the owner has hidden cannot be found, and the cache page does not say whether something is placed at the posted coordinates of a multi or mystery – use a single circle (right-click) there.
- Which caches get a 161 m circle depends on geocaching.com's cache search; if the site changes it, `gcctCacheDebug()` shows what it sends.
- The UTM search box does not accept negative eastings; use degrees for points far outside a zone.
- The home address is not read from your geocaching.com profile; you set it once in the script.
- Strava heatmaps and mobile-coverage maps are not available as open services.

20. Version history

Version	Changes
1.0	Custom XYZ tile layers on the browse map; Kartverket and other presets.
1.1	Coordinate readout (DMM/DD/DMS/UTM), go to coordinates, measuring, 161 m circles, projection, location, fullscreen.
1.2	Layer editor: URL detection, WMS/WMTS capabilities browser, live preview, edit/copy, import/export.
1.3–1.4	Layers stacked under the cache tiles; site layers never removed; Leaflet 0.7 compatibility; reliable tool clicks; dialogs above the sidebar; no form submits.
1.5	Place, address and coordinate search (Kartverket, OpenStreetMap).
1.6–1.7	More layers (OSM, CyclOSM, Esri Topo, Kartverket routes and property boundaries, hillshade, Waymarked, OpenSeaMap); clearer, more readable dialogs.
1.8	Automatic 161 m circles around every geocache.
1.9	Support for `/play/map`; diagnostic report.
1.10–1.13	Line icons; one toolbar holding all controls; site buttons folded in without duplicates; collision-free placement.
1.14	Norwegian (bokmål) interface.
1.15	Chosen map on cache pages.
1.16	UTM zone 35; exact UTM conversion (Krüger series).
1.17	Dimming fades to white; the geocaching.com map no longer shines through.
1.18	Search results in one combined list (places, addresses, abroad); places abroad as you type via Photon.
1.19	Remove built-in maps (and restore them); home button; cache tiles at unknown addresses always kept above your map; dimming with a colour filter; safer recognition of the site's buttons and much less scanning; no grid lines between tiles.

1.20	Kartverket Sjøkart, CyclOSM and the Waymarked route overlays removed; one slider per group (dims the selected background, at most 50 %; opacity of the selected overlays); right-click popup with one coordinate line that opens in DMM; no tile seams at display scaling; the site's own locate button on /play/map hidden.
1.21	New, unified look: the same colours, buttons and fields in the panel, dialogs, popup and toolbar; dialogs with a title bar you can drag; projection in its own dialog with live preview, units and copy button; confirmation dialogs instead of the browser's boxes; selected maps highlighted and slider values in per cent; Sea marks (OpenSeaMap) removed.
1.22	The same simple black-and-white line icons everywhere – also in the right-click menu, the layer panel, copy buttons and dialogs – instead of emoji.
1.23	Right-click popup snaps to a nearby geocache, showing its GC code and name (exact on /play/map, estimated on /map); the GC code opens the cache page; the popup is wide enough for every coordinate format, with more room around the copy and close buttons.
1.24	Automatic 161 m circles only around traditional caches and caches with solved coordinates (cache types and corrected coordinates from geocaching.com's cache search); `gcctCacheDebug()` diagnostic; MIT licence.
1.25	geocaching.com's own maps can be removed from the list too.
1.26	Layer panel in three tabs: Geocaching, Background maps, Overlays.
1.27	Drag maps up and down to change the order; overlays are drawn in the order of the list.
1.27.1–2	geocaching.com's own map is hidden while your background is selected, also on /play/map – it no longer shows through while tiles load.
1.28	Clickable mark at the solved position of caches you have found (their icon is back at the posted coordinates); circles kept when you zoom in.
1.29	Exact posted coordinates from the cache search for right-click snapping and circles on /map; round blue marks.
1.30	161 m circles and marks for visible physical stages and finals, read from the cache pages; `gcctStageTest()`.
1.31	**Physical here (161 m)** in the right-click menu; circles from zoom 15.
1.32	The zoom level above the coordinates – type a number to zoom. 1.32.2: smoother 161 m circles. 1.32.3: the small map on cache pages keeps the site's extent. 1.32.4: Google Street View in the right-click menu. 1.33.0: button to hide all geocaches.
1.33	**Physical here (161 m)** removed. Later: overlay slider 50–100 %; exact right-click coordinates for all caches, including your own (read from the cache page); “Final location” when hovering solved caches; finals without coordinates are not shown; `gcctSnapTest()`.
1.34	Toolbar button for the marks at solved caches without circles; stage marks only with the circles.

1.35–1.38	Toolbar on the right, left, top or bottom, in one or two rows, and draggable to another edge; kept clear of the site's search panel; **Settings** dialog (toolbar, language, site buttons); dialogs and the layer panel open beside the toolbar; the site's zoom buttons are always hidden; toolbar icons in the site's green; toolbar centred along its edge and clear of other controls; dialogs and the layer panel clear of other controls and draggable.
1.39	**Favourite points**: ❤ and the number in the right-click popup and above caches on the map (from zoom 15, only caches the site shows, from a minimum you choose); zoom and coordinate readout can be hidden; right-click on /play/map opens our popup and snaps to the site's WebGL caches. 1.39.14–25: the sidebar filters on /map (My Finds, My Hides, cache types) also hide circles, marks and favourite points.
1.40	Toolbar button  for the favourite points on the map.
1.41	GC codes in **Find a place**. 1.41.1–9: the toolbar stays centred beside the site's sidebar and wraps to two rows when needed; rounded right end; blue heart in the right-click popup.
1.42	**D/T** (difficulty/terrain) below the caches on the map, with a toolbar button  and a setting; dialog buttons stay in view.
1.43	**FTF** badge on caches nobody has found yet (Settings).
1.44	Right-click snaps to your pins too, with **Remove pin** in the popup; lighter favourite and D/T numbers.
1.45	Favourite points and D/T at the marks of solved caches you have found; smaller mark; solved caches remembered, so their mark shows even when the posted coordinates are off the map.
1.46	Marks at solved caches from zoom 10: blue dots at 10–11, small marks at 12–13, full marks from 14.
1.47	Named pins, remembered in the browser tab and exported as **GPX** – one pin or all of them; rename by clicking the name; pins from zoom 12.
1.48–1.50	**Routes**: a searchable list of geocaches and pins (worldwide by GC code), picking on the map, ordering, preview and download as a **GPX route** with Garmin symbols; dialogs can be resized by dragging; the layer panel opens beside a centred toolbar.
1.51	Routes: **Back to the start** (round trip), and **Full cache data** – the geocaches in the GPX file as full paperless caches in Groundspeak's format.
1.51.1–1.51.9	Route: preview and stops shown beside the window; renamed pins renamed in the route; the window as tall as the screen; time in GPX file names (routes and all pins); **Owned** tag; the list follows the map.
1.52–1.53	**Cache list** (/map): the geocaches on the map, following it, with hover highlight, zoom with glow and back again, and a button for the cache page. Cache list and route at the top right or left (Settings), clear of the side panel; route window as narrow as the list; the list follows the sidebar filters and the hide button; the route preview keeps clear of every control.

1.54	Setting to start with the site's **side panel folded away** – drawn folded from the first moment, without movement; a toolbar on the left sits beside the folded panel's tab and stays centred. Later: 161 m circles for your own caches on /play/map too; extras follow the site's own icons; the cache search is throttled so the site's own search doesn't fail; the layer panel, search and settings open where you left them; a type icon on solved caches (Settings); a smiley mark at solved caches you have found; the marks button independent of the circles; green edge on Route and the cache list while open.
1.55	A tidier interface: the toolbar in groups; **Show on map** – one panel for circles, marks, favourite points, D/T, FTF and type icons, with the zoom each shows from; Settings in sections; **Help**; **press and hold** on touch screens for the right-click menu; measuring snaps to geocaches; **Previous view** – up to 10 steps back; a **crosshair** and a **copy** button in the coordinate readout; UTM as zone, easting and northing (e.g. 32V 597980 6643119), local zone only; the toolbar position remembered separately for /map and /play/map; on /play/map, the site's icon at the posted coordinates of solved caches you have found can be hidden.

21. Data sources and credits

- **Kartverket** – topographic maps, Tur- og friluftsruter, Matrikkelen (CC BY 4.0), place-name and address search (Geonorge).
- **OpenStreetMap contributors** – OpenStreetMap, OpenTopoMap (with SRTM); place search abroad via **Photon** by komoot.
- **Esri** – World Imagery, World Topo Map, World Hillshade.
- **Leaflet** – the map library used by geocaching.com.

Each map service has its own terms of use; the credit for the layers in view is shown in the map's attribution line. Geocaching and geocaching.com are trademarks of Groundspeak, Inc. This script is an independent add-on and not affiliated with Groundspeak. The script is released under the MIT licence.