

2025



Lesson 05

Advanced Prompt Engineering



Introduction

- In this module, we will elevate your understanding and application of prompts, focusing on advanced techniques that enhance the effectiveness and efficiency of working with language models.
- Key topics covered:
 - Patterns in prompt design
 - Prompt Strategies:
 - Zero-shot prompting
 - One-shot prompting
 - Few-shot prompting
 - Chain of Thought Reasoning
- Retrieval Augmented Generation
- Engage the LLM

"Writing a detailed prompt really is just a different form of programming."

Mike Loukides, O'Relly Media Vice President



Prompt Patterns

Prompt Patterns



- Reusable solutions to specific problems
 - Related to output generation and interaction with LLMs.
- A structured approach to customising their output and interactions.

Types of Prompt Patterns



Output

- Persona
- Audience Persona
- Template
- Recipe

Interaction (COO)

- Clarifying Question
- Meta Language Creation



Persona Pattern

Problem Scenario



- You may feel unwell but be uncertain about the specific medical tests or analyses required to diagnose the problem. In this case, you would consult a General Practitioner (GP), who would have the expertise to ask the right questions, order appropriate tests, and interpret the results to reach a diagnosis.
- How can you consult the LLM as if it were the GP?

Solution

 I'm feeling unwell with symptoms like fatigue, headache, and fever. Act as a General Practitioner (GP), provide some general information about what these symptoms might indicate and advise me on the appropriate next steps.

Persona Pattern



Act as persona X, perform task Y.

Examples:

- Act as a computer scientist, provide a detailed explanation of quantum computing.
- Act as a financial advisor, give me advice on investing in the stock market.
- Act as a historian, explain the causes of World War II.

Note: The quality and accuracy of responses depend on the Al model's training.

Applications of Persona Pattern



- Expert Consultation:
 - e.g., Act as a climate scientist, explain the impacts of global warming.
- Understanding Different Perspectives:
 - e.g., Act as a CFO, analyze the financial impact of this investment.
- Education and Learning:
 - e.g., Act as Shakespeare, explain the themes in Hamlet.
- Creative Writing and Storytelling:
 - e.g., Act as the main character, describe your feelings about the situation.
- Simulating Systems:
 - e.g., Act as a computer terminal, provide responses.

Note: The quality and accuracy of responses depend on the AI model's training.

Sustained Persona Pattern




Act as [persona] throughout our conversation. Whatever I tell you, [directive or task].

Examples:

- Act as a software engineer throughout our conversation. Whatever I tell you, explain it in terms of coding and software development concepts.
- Act as a project manager throughout our conversation. Whatever I tell you, break it down
 into tasks, deliverables, and possible project timelines.
- Act as a data scientist throughout our conversation. Whatever I tell you, relate it back to data, statistics, and analytical methods.
- Act as a teacher throughout our conversation. Whenever I tell you, convert it into a multiple-choice question with an answer and explanation.



Al Limitation: Token Limit



Understanding Tokens and Their Limits



- Tokens are units used by AI models to process text.
- A token is about four English characters or three-fourths of a word.
 - 1-2 sentence ~= 30 tokens
 - 1 paragraph ~= 100 tokens
 - 1,500 words ~= 2048 tokens
- Example:
 - "How many tokens will this take?" uses seven tokens.
- Token Limits
 - OpenAl GPT
 - GPT-3: 4096; GPT-4: 8000
 - Google Gemini Pro
 - Input: 30720; Output: 2048
 - Claude Sonnet
 - Context window: 200K, Max output: 8192 tokens



Strategies to Avoid Issues in Conversations



- Summarise long conversations.
- Start new chats.
- Be mindful of token limits.
- Use tools to check token count.
 - OpenAl Token Counter: https://platform.openai.com/tokenizer



Audience Persona Pattern

(An extension to the Persona Pattern)



Problem Scenario



 How do you explain the concept of LLMs to a P2 student who gets bored easily?

Solution

• Explain large language models and how they work to me. Assume that I am a P2 student that gets bored easily.

Audience Persona Pattern



Explain X to me. Assume that I am Persona Y.

Examples:

- Explain blockchain to me. Assume that I have no background in computer science.
- Explain Generative AI to me. Assume that I am a bird.

Examples



Example: Explaining the Internet to a Middle School Student

 Prompt: "Explain how the Internet works and why it's important in our daily lives. Assume that I am a middle school student working on a school project."

Example: Explaining Healthy Eating to a Busy Professional

 Prompt: "Provide guidance on healthy eating and meal planning that fits a hectic schedule. Assume that I am a busy professional with limited time for cooking."



Template Pattern



Problem Scenario



- Need to produce output in a specific, precise format that may be unique to a particular application or use case.
- LLM may not have inherent knowledge of the desired format.
- For example, you want the LLM to help to plan a day of sightseeing in Paris, focusing on art museums and historical landmarks and produce the output in the following format:
 - Landmark/Museum:
 - Opening Hours:
 - Recommended Duration of Visit:
 - Tips and Notes:

Solution



Plan a day of sightseeing for me in Paris, focusing on art museums and historical landmarks.

I am going to provide a template for your output. My placeholder for content is delimited with <>. Fit the output into the placeholders that I list. Please preserve the template that I provide.

This is the template:

Landmark/Museum: <Landmark or Museum Name>

Opening Hours: < Opening Hours>

Recommended Duration of Visit: <Recommended Duration>

Tips and Notes: <Tips and Notes>

Pattern



- [Task Prompt]
- I am going to provide a template for your output. My placeholder for content is delimited with <>. Fit the output into the placeholders that I list. Please preserve the template that I provide.
- This is the template:
- Identifier: <Placeholder>
- •

Example



Plan a balanced and healthy meal for my dinner tonight, considering high protein and low carb.

I am going to provide a template for your output. My placeholder for content is delimited with <>. Fit the output into the placeholders that I list. Please preserve the template that I provide.

This is the template:

Dish: <Dish Name>

Protein Source: < Protein Source>

Vegetables: <Vegetables>

Carbohydrate Source: <Low Carb Source>

Preparation Method: <Preparation Method>



Recipe Pattern



Problem Scenario



 You want to bake a chocolate cake. you have flour, sugar, eggs, and cocoa powder. You don't know what else is needed and the step-by-step recipe.

Solution

 "I want to bake a chocolate cake. I have flour, sugar, eggs, and cocoa powder. Let me know if I need anything else. Provide a step-by-step recipe using all the ingredients."

Recipe Pattern



 Focused on providing a structured, step-by-step guide for achieving a particular goal, given some pre-known "ingredients" or steps.

Pattern:

- I would like to do ...
- I know/have ...
- Please help me with the rest
 - Provide a complete sequence of steps for me
 - Let me know if I need anything else / Fill in any missing steps

Example 1: Academic Study



- I would like to achieve a high grade in my Calculus class.
- I know that I need to attend lectures, complete homework, and do practice problems.
- Provide a complete sequence of steps for me.
- Fill in any missing steps.

Interaction (COO)



- Clarifying Question
- Meta Language Creation



Clarifying Question Pattern



Problem Scenario





I want to eat something healthy. Generate a recipe for me.



Sure, I can help you with a healthy recipe. How about a simple and nutritious Quinoa Salad? It's a great option for a healthy meal.

Ingredients:

- 1 cup quinoa
- 2 cups water
- 1 cucumber, diced

Solution



Let the LLM drive the conversation to obtain the information it needs to perform a certain task or answer a certain question.

Better Prompt:

I would like you to ask me questions to help me generate a recipe for a healthy dish. You should ask questions until you have sufficient information to give me an informed advice. Ask me the first question.

Clarifying Question Pattern



- I would like you to ask me questions to [do Task X]
- You should ask questions until [condition Y is met].
- (Optional) Limit the questioning to a maximum of [N] questions.
- (Optional) ask me the questions one/two at a time, ask me the first question, etc.

Example



- I would like you to ask me questions to plan my tasks today.
- You should ask questions until you have sufficient information to give me a task plan.
- Ask me the first question.


Example



- I would like you to ask me questions to find out how many stars are visible from outside my house at night.
- You should ask questions until you have sufficient information to give me an informed answer.
- Ask me the first question.



Meta Language Creation Pattern



Problem Scenario



- You are a maths and physics teacher in a secondary school. Below are the common prompts you use.
- "Create a multiple-choice question to test understanding of the Pythagorean Theorem. Include four answer choices, one of which is correct."
- "Design a multiple-choice questions to test knowledge of Newton's Third Law of Motion. Include four answer choices, one of which is correct."
- "Create a multiple-choice question to test understanding of solving quadratic equations using the Quadratic Formula. Include four solutions, one of which is correct."

Solution



 When I say "MCQ(topic)", I mean create a multiple-choice question to test understanding of the topic. Include four answer choices, one of which is correct.

Other Variants:

- MCQ(topic, 2)
 - The definition of "2" is your own. It can mean two correct answers for the multiple-choice question.

Meta Language Creation Pattern



- Create a custom language or notation for the LLM to understand
- For more concise, unambiguous, or clear communication

Pattern:

When I say X, I mean Y (or would like you to do Y)

Example:

When I say "N, place 1 -> place 2", I mean plan a N-day travel plan from place 1 to place 2.





Zero-Shot vs One-Shot vs Few-Shot

In machine learning and natural language processing, the term "shot" refers to how many examples a model is given to learn or perform a specific task

Zero-Shot



- Predicts unseen data without additional training.
- No need for explicit programming or templates.
- Example:
 - "Summarize the key events of World War II."
 - "Translate the following English text into French: 'The weather is beautiful today.'"

One-Shot



- Generates text with limited input data, such as a single example or template.
- Example:
 - "Write a haiku about the ocean, similar to this: 'Waves crash on the shore, Endless rhythm of the sea, Nature's melody."
 - "Create a short story beginning with this sentence: 'Once upon a time in a land far away, there lived a wise old wizard."
 - Template Pattern

Few-Shot



 Utilizes a small number of examples (typically 2-5) to quickly adapt to new examples.

Example:

Sentence: "I love this product!"

Sentiment: Positive

Sentence: "This is the worst movie I've ever seen."

Sentiment: Negative

Sentence: "I don't have an opinion on that."

Sentiment: Neutral

Sentence: "The food was delicious and the service was excellent."

Sentiment:

Comparison



Technique	Input Data Required	Model Guesses Based on	Best for
Zero-Shot	None	Training	General tasks where no specific examples or templates are available or needed.
One-Shot	Single example or template	Example and training	Tasks that require a specific structure or format, and you have a clear example to guide the model.
Few-Shot	2-5 examples	Examples	Complex or nuanced tasks that require the model to understand and adapt to specific examples or styles.

Few-Shot Example



The odd numbers in this group add up to an even number: 4, 8, 9, 15, 12, 2, 1.

A: The answer is False.

The odd numbers in this group add up to an even number: 17, 10, 19, 4, 8, 12, 24.

A: The answer is True.

The odd numbers in this group add up to an even number: 16, 11, 14, 4, 8, 13, 24.

A: The answer is True.

The odd numbers in this group add up to an even number: 17, 9, 10, 12, 13, 4, 2.


A: The answer is False.

The odd numbers in this group add up to an even number: 15, 32, 5, 13, 82, 7, 1.

A:



Chain of Thought Prompting



Chain-of-Thought (CoT) Prompting



Standard Prompting

Model Input

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: The answer is 11.

Q: The cafeteria had 23 apples. If they used 20 to make lunch and bought 6 more, how many apples do they have?

Chain-of-Thought Prompting

Model Input

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls. 5 + 6 = 11. The answer is 11.

Q: The cafeteria had 23 apples. If they used 20 to make lunch and bought 6 more, how many apples do they have?

Model Output

A: The answer is 27.



Image Source: Wei et al. (2022)

Model Output

A: The cafeteria had 23 apples originally. They used 20 to make lunch. So they had 23 - 20 = 3. They bought 6 more apples, so they have 3 + 6 = 9. The answer is 9. <

Chain of Thought Prompting

- A technique where reasoning is explained step-by-step
 - Like the process of solving a math problem where each step is explained
- Emphasizes understanding the process behind a solution, not just the final answer
- Improves LLMs' performance and reasoning capabilities.

Normal prompting

How many 'r' in 'strawberry'?



There are two "r"s in "strawberry."



CoT prompting

How many 'r' in 'strawberry'? Let's think step by step.



Sure, let's break it down step by step!

- 1. Start with the word "strawberry."
- 2. Let's go through each letter to identify any "r"s.
 - S no "r"
 - T no "r"
 - R there's an "r"
 - A no "r"
 - W no "r"
 - **B** no "r"
 - E no "r"
 - R there's an "r"
 - R another "r"
 - Y no "r"
- 3. Counting the "r"s we identified:
 - We found 3 "r"s in "strawberry."

So, there are three "r"s in "strawberry."

今日日日日日

Few-Shot + Chain-of-Thought (CoT)



The odd numbers in this group add up to an even number: 4, 8, 9, 15, 12, 2, 1.

A: All the odd numbers (9, 15, 1) add up to 25. The answer is False.

The odd numbers in this group add up to an even number: 17, 10, 19, 4, 8, 12, 24.

A: All the odd numbers (17, 19) add up to 36. The answer is True.

The odd numbers in this group add up to an even number: 16, 11, 14, 4, 8, 13, 24.

A: All the odd numbers (11, 13) add up to 24. The answer is True.

The odd numbers in this group add up to an even number: 17, 9, 10, 12, 13, 4, 2.

A: All the odd numbers (17, 9, 13) add up to 39. The answer is False.

The odd numbers in this group add up to an even number: 15, 32, 5, 13, 82, 7, 1.

A:

Zero-shot CoT Prompting



(a) Few-shot

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The answer is 8. X

(c) Zero-shot

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: The answer (arabic numerals) is

(Output) 8 X

(b) Few-shot-CoT

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls. 5 + 6 = 11. The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

Α

(Output) The juggler can juggle 16 balls. Half of the balls are golf balls. So there are 16 / 2 = 8 golf balls. Half of the golf balls are blue. So there are 8 / 2 = 4 blue golf balls. The answer is 4.

(d) Zero-shot-CoT (Ours)

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: Let's think step by step.

(Output) There are 16 balls in total. Half of the balls are golf balls. That means that there are 8 golf balls. Half of the golf balls are blue. That means that there are 4 blue golf balls.

Image Source: Kojima et al. (2022)

Zero-shot CoT Prompting Pattern



[Your question]. Let's think step by step.

Example:

The odd numbers in this group add up to an even number: 15, 32, 5, 13, 82, 7, 1.

Let's think step by step.

Particularly useful where there is no example to use.

Comparison on Complex Tasks



Model	Arithmetic				Commonsense		Symbolic			
	MultiArith	GSM8K	AddSub	AQuA	SingleEq	SVAMP	CSQA	Strategy	Letter	Coin
Zero-Shot	22.7	12.5	77.0	22.4	78.7	58.8	72.6	54.3	0.2	53.8
Zero-Shot-CoT	78.7	40.7	74.7	33.5	78.7	63.7	64.6	54.8	57.6	91.4
Few-Shot	33.8	15.6	83.3	24.8	82.7	65.7	79.5	65.9	0.2	57.2
Manual-CoT	91.7	46.9	81.3	35.8	86.6	68.9	73.5	65.4	59.0	97.2

Few-Shot-CoT

On average, Few-Shot-CoT > Zero-Shot-CoT > Few-Shot > Zero-Shot



Combination of Patterns



Example: Meta Language Creation Pattern



Recipe Pattern

Problem Scenario



- "I want to bake a chocolate cake. I have flour, sugar, eggs, and cocoa powder. Let me know if I need anything else. Provide a step-by-step recipe using all the ingredients."
- "I want to make a chicken pot pie. I have chicken, carrots, peas, and pie crust. Let me know if I need anything else. Provide a step-by-step recipe using all the ingredients."
- "I want to cook a vegetable stir-fry. I have broccoli, carrots, bell peppers, and soy sauce. Let me know if I need anything else. Provide a step-by-step recipe using all the ingredients."

• ...


Solution



 When I say "<ingredients> -> <dish>", I mean I want to cook the dish and I have the ingredients. Let me know if I need anything else. Provide a step-by-step recipe using all the ingredients.

flour, sugar, eggs, and cocoa powder -> chocolate cake

chicken, carrots, peas, and pie crust -> chicken pot pie



Other Prompt Techniques

DENSE 2.2.5

DiVeRSe 2.2.5

COSP 2.2.5

Skeleton-of-Thought 2.2.4

Tree-of-Thought 2.2.4

Max Mutual Information 2.2.5 Text-Base Prompt. Tech. Text-based prompting techniques Meta-CoT 2.2.5 Ensembling 2.2.5 MoRE 2.2.5 Self-Consistency 2.2.5 Universal Self-Consistency 2.2.5 USP 2.2.5 Prompt Paraphrasing 2.2.5 Chain-of-Verification 2.2.6 Self-Calibration 2.2.6 Self-Refine 2.2.6 Self-Criticism 2.2.6 Self-Verification 2.2.6 ReverseCoT 2.2.6 Cumulative Reason. 2.2.6 DECOMP 2.2.4 Figure 2.2: All text-based prompting techniques from our datase Faithful CoT 2.2.4 Least-to-Most 2.2.4 Source: The Prompt Report: A Systematic Survey of Plan-and-Solve 2.2.4 **Prompting Techniques** Decomposition 2.2.4 Program-of-Thought 2.2.4 Recurs.-of-Thought 2.2.4



There are more prompt techniques to be explored and frequently, new techniques are being discovered and published.



Summary

- Use structured templates to achieve predictable, consistent outputs. This simplifies prompt reuse for similar tasks.
- Prompt strategies to solve tasks without examples, provides a single example to guide the model and use multiple examples for nuanced tasks.
- Guide the model through step-by-step reasoning.



References

Prompt Engineering for Generative AI

https://catalogue.nlb.gov.sg/search/card?id=b2a8898b-5e33-53c4-9b2f-8cebb75a8219&entityType=FormatGroup

Prompt Engineering for LLMs

https://catalogue.nlb.gov.sg/search/card?id=89afa670-855e-5ad7-a387-bceef6786da1&entityType=FormatGroup

Anthropic Education Courses

https://github.com/anthropics/courses

Prompt Libraries

https://docs.anthropic.com/en/prompt-library/library

https://platform.openai.com/docs/examples





RAG




- Stands for Retrieval Augmented Generation
- A technique for enhancing the accuracy and reliability of generative AI models with facts fetched from external sources
- Benefits:
 - Prevents the LLMs from hallucinating
 - Models can cite the source(s)
 - Factual grounding
 - Access to most up-to-date information
 - Concentrate more effectively on domain-specific tasks



Activity: ChatGPT & RAG

We will use the budget statement for 2024 to perform RAG

PDF from: https://www.mof.gov.sg/singaporebudget/budget-2024/budget-statement




You can also find the PDF file "fy2024_budget_statement.pdf" shared to you.



- You need to login to ChatGPT to perform RAG
- Upload the PDF to ChatGPT
- Click the paper clip icon to start the document uploading
- You can start query the document once the document is uploaded
- What are the goodies available for 2024?
 Remember to fact check





Activity: ChatGPT & RAG




Fact Check:

https://www.mof.gov.s g/singaporebudget/res ources/budgetinfographics

(for the prompt shown on the right)

https://www.mof.gov.s g/docs/librariesprovid er3/budget2024/downl oad/pdf/fy2024_suppo rt_for_singaporeans_e nglish.pdf







Engage the LLM*

*Large Language Model




Leave Planning

- Let's do something close to our heart i.e., plan and maximize holidays for 2025!
- Source: https://www.mom.gov.sg/newsroom/press-releases/2024/0805-public-holidays-for-2025
- Goal:
 - You want to take 1 day leave (or no leave) to enjoy the maximum number of holidays in 2025
 - No error(s) in the leave calculation
 - What are the prompt patterns you would use?

Activity: Public Holidays 2025





- 1. Go to MOM website
- Copy the highlighted text to ChatGPT

Activity: ChatGPT

- ChatGPT's response after cut-and-paste
- Present an opportunity to verify the information before you start prompting ChatGPT





Here is a summary of Singapore's public holidays for 2025:

Holiday	Date	Day
New Year's Day	1 Jan 2025	Wednesday
Chinese New Year	29 Jan 2025	Wednesday
Chinese New Year	30 Jan 2025	Thursday
Hari Raya Puasa*	31 Mar 2025	Monday
Good Friday	18 Apr 2025	Friday
Labour Day	1 May 2025	Thursday
Vesak Day	12 May 2025	Monday
Hari Raya Haji*	7 Jun 2025	Saturday
National Day	9 Aug 2025	Saturday
Deepavali	20 Oct 2025	Monday
Christmas Day	25 Dec 2025	Thursday

^{*}Dates for Hari Raya Puasa and Hari Raya Haji are subject to confirmation.

Activity: Leave(s) Planning

- To determine the best day(s) for taking one day of leave in 2025 and to maximize the number of consecutive holidays, LLM were perform the analysis step-by-step
- The dates to take leave (after queried) are shown.

Step 3: Verifying and Summarizing t. Findings

Based on the above analysis, here is the table showing the best options for a one-day leave:

Leave Date to Apply	Public Holiday(s)	Number of Holidays	Dates Covered	
31 Jan 2025	Chinese New Year	5	29 Jan - 2 Feb	
2 May 2025	Labour Day	4	1 May - 4 May	
26 Dec 2025	Christmas Day	4	25 Dec - 28 Dec	

^{*}The reply you got from the LLM might differ from what is shown here.

To determine the best day for taking one day of leave in 2025 to maximize the number of consecutive holidays, we'll analyze each public holiday date and look for those adjacent to weekends or with holidays before or after them. Here's the step-by-step process:

Step 1: Listing Each Public Holiday with Day of the Week

We begin by listing each holiday and noting the day it falls on:

Holiday	Date	Day
New Year's Day	1 Jan 2025	Wednesday
Chinese New Year	29 Jan 2025	Wednesday
Chinese New Year	30 Jan 2025	Thursday
Hari Raya Puasa*	31 Mar 2025	Monday
Good Friday	18 Apr 2025	Friday
Labour Day	1 M ₍ ↓)25	Thursday
Vesak Day	12 May 2025	Monday
Hari Raya Haji*	7 Jun 2025	Saturday
National Day	9 Aug 2025	Saturday
Deepavali	20 Oct 2025	Monday
Christmas Day	25 Dec 2025	Thursday

^{*}Hari Raya Puasa and Hari Raya Haji dates are subject to confirmation.

Step 2: Checking for Possible Extended Weekends with a Single Day of Leave

Now, we identify the public holidays that can be turned into a longer break by taking just one additional leave day:

- 1. Chinese New Year (29 Jan & 30 Jan, Wednesday & Thursday)
 - By taking leave on Friday, 31 Jan 2025, you can enjoy 5 consecutive holidays (29 Jan 2

 Enb)

 Toby

 T
- 2. Labour Day (1 May, Thursday)
 - By taking leave on Friday, 2 May 2025, you can enjoy a 4-day break from 1 May 4 May.
- 3. Christmas Day (25 Dec, Thursday)
 - By taking leave on Friday, 26 Dec 2025, you get a 4-day break from 25 Dec 28 Dec.

Step 3: Verifying and Summarizing t. Findings

Based on the above analysis, here is the table showing the best options for a one-day leave:

Leave Date to Apply	Public Holiday(s)	Number of Holidays	Dates Covered
31 Jan 2025	Chinese New Year	5	29 Jan - 2 Feb
2 May 2025	Labour Day	4	1 May - 4 May
26 Dec 2025	Christmas Day	4	25 Dec - 28 Dec

Conclusion

To maximize the number of consecutive holidays with just one day of leave, you should apply for leave on 31 Jan 2025 to enjoy a total of 5 consecutive holidays around the Chinese New Year.

む む む ひ ♡ ∨





Activity: Possible Prompt



- Pattern(s) possibly used are:
 - Chain-Of-Thought Pattern
 - Persona Pattern

ChatGPT_LeavePlanning.png

Reveal Prompt

*The reply you got from the LLM might differ from what is shown here.



References



Prompt Engineering Guide

https://www.promptingguide.ai/



Thank you!