

PSY 100 - Exam 4

Chris Bayot

April 2018

Contents

Abnormal/Clinical Psychology or Psychopathology	2
Insanity	3
Anxiety Disorders	3
Generalized Anxiety Disorder	3
Panic Disorder	3
Phobias	4
Post Traumatic Stress Disorder	4
Obsessive Compulsive Disorders	4
Obsessive Compulsive Disorder	4
Hoarding Disorder	4
Body Dysmorphic Disorder	4
Somatic Disorders	5
Somatic Symptom Disorder	5
Conversion Disorder	5
Dissociative Disorders	5
Dissociative Amnesia	5
Dissociative Identity Disorder	5
Psychotic Disorders	6
Schizophrenia	6
Depressive Disorders	7
Depression	7
Bipolar and Related Disorders	8
Mania	8

Therapy	8
Psychotherapy	8
Psychoanalytic Therapy (Freud)	8
Short-Term Dynamic Therapy	9
Humanistic Therapy	9
Behavior Therapy	9
Cognitive Therapy	10
Biomedical	11
Antipsychotics	11
Anxiolytics	11
Lithium	11
Antidepressants	11
Electroconvulsive Therapy	11
What to Expect from Therapy	12
Social Psychology	12
Social Influence	12
Conformity	12
Compliance	13
Obedience	13
Receiving Help in an Emergency	14
Diffusion of Responsibility	14
Kitty's Tale	14

Abnormal/Clinical Psychology or Psychopathology

- what most people think **psychologists** do
- largest *subfield*
- 52 different subfields in psychology
- study of abnormal behavior and mental disorders
- Diagnostic and Statistical Manual of Mental Disorders - 5th edition
- prevalence
 - currently - 10-30% of people with active mental disorder
 - lifetime - 30-50% of people over their lifetimes will have active mental disorder and should seek help
- who to see
 - counseling psychologist
 - deals with everyday problems of patients
 - front lines
 - clinical psychologist
 - deals with mental disorders
 - may be referred to from counseling psychologist

- give you diagnosis
 - give you treatment plan
- psychiatrist
 - medical doctor with two years of psych training
 - works for clinical psychologist
 - handles medications
 - can prescribe medications
 - does little to no therapy
 - basically just does meds
- therapist
 - specializes in treatment for a specific disorder
- criteria for mental disorder
 - is strange within culture
 - causes distress
 - causes danger to self or others
 - is maladaptive
 - interfering quality of life
 - meet all 4 of these at a high level, they have a disorder, 3 probably

Insanity

- not guilty by reason of insanity if, at the time of the crime, the person could not know right from wrong
 - a few mental disorders interfere with your ability to know what you are doing
 - does not include drug use
- insanity is a legal term

Anxiety Disorders

Generalized Anxiety Disorder

- disorders characterized by anxiety and avoidance behaviors
- don't have sufficient reason to be stressed out

Panic Disorder

- has panic attacks

Phobias

- irrational fear
- specific phobia
 - irrational fear of single event or object
- most common form of anxiety disorder
- social anxiety
 - irrational fear of
 - being humiliated
 - public bathrooms
 - giving speeches
- agoraphobia
 - fear of leaving home or some safe place
 - not uncommon to be source of panic attacks

Post Traumatic Stress Disorder

- person goes through a trauma and then starts having flashbacks

Obsessive Compulsive Disorders

Obsessive Compulsive Disorder

- obsessions
 - unwanted thoughts
- compulsions
 - rituals

Hoarding Disorder

- keeping things with no predictable or sentimental value

Body Dysmorphic Disorder

- “body wrong shape” disorder
- you believe an aspect of your body and image is not right and causes all your problems

Somatic Disorders

- disorders characterized by physical symptoms that are psychological in origin
 - mind decides that you are physically ill

Somatic Symptom Disorder

- you believe you have a disease despite evidence that you do not
- used to be called hypochondriasis

Conversion Disorder

- loss of function
- some part of body stops working
- most of the time, person does not seem to care
 - “doctor, it’s nothing”
 - because it does a job
 - e.g. war, people dying, hysterical blindness is good +> don’t see dead people
 - brain shuts out the signals and shit
 - triggered by some kind of psychological thing

Dissociative Disorders

- disorders characterized by the disruption of a person’s memory, identity, or consciousness

Dissociative Amnesia

- lose access to your memory
- usually going to be for a single event for a repressed memory
- dissociative fugue
 - forget who you are, go somewhere else, become a new person
 - your life has become so horrible that amnesia is not enough
 - hard to treat, because you have to find them

Dissociative Identity Disorder

- distinct identity shows up in the wrong place

- e.g. party self shows up at work
- rare
 - suspect this happens due to hypnotherapists

Psychotic Disorders

- when a person has a break from reality
- person is no longer functioning in reality

Schizophrenia

- positive symptoms
 - something the average person does not possess
 - inappropriate affect
 - affect $+>$ emotion
 - emotion does not match the situation
 - grossly disorganized behavior/movement
 - hallucinations
 - might hear voices
 - could be drugs though
- delusions
 - fixed false belief
 - not just matter of opinion
 - something demonstrably false
 - persecution
 - “they’re out to get me”
 - grandeur
 - “i am an important person”
 - will believe they are someone else, in extreme cases
 - sin & guilt
 - “i’ve done something horrible”
 - hypochondriacal
 - believe they have a bizarre disease
 - control
 - “they’re controlling my thoughts”
 - reference
 - “they’re talking about me”
 - thought broadcasting
 - “people can hear my thoughts”
 - thought withdrawal
 - “they’re stealing my thoughts”
 - thought insertion
 - “they’re putting thoughts in my brain”

- nihilistic
 - belief that part of the world is unreal
- disorders of language
 - neologism
 - a new word
 - word salad / loose associations
 - going off topic
 - clanging
 - rhyming
 - poverty of content
 - have nothing to tell you, so they will tell you in great detail
- negative symptoms
 - flat affect
 - lack of emotion
 - limited speech
 - social withdrawal
 - scared of people, don't know who to trust

Depressive Disorders

Depression

- clinical depression
- depressed mood for a long time
 - between 6 months and 2 years
- anhedonia
 - loss of pleasure
 - no more pleasure in things you used to take pleasure in
 - all things you used to take pleasure in
- cognitions
 - thoughts depressed
 - negative thoughts about self
 - “i am worthless”
 - negative thoughts about others
 - “no one cares”
 - negative thoughts about future
 - sense of hopelessness
 - “it's never gonna get any better”

Bipolar and Related Disorders

Mania

- polar opposite of depression
- 7 weeks to 7 months
- elevated mood
- impulsive
 - career impulsive
 - sexually impulsive
- treated with medications for whole life

Therapy

Psychotherapy

- no one path, multiple ways of doing talk therapy
- “talk therapy”
- more important one

Psychoanalytic Therapy (Freud)

- repressed
 - source of problems is repressed
- insight
 - figure out why you are the way you are
 - finding source of problem
- free association
 - let it all out, just talk talk talk
 - word pairing exercise
 - dream interpretation
 - write dream diary
- resistance
 - person pushes back as therapy approaches source of problem (scary place)
 - people want to quit therapy
 - therapy only works to the degree you trust the therapist
- transference
 - treat therapist as source of problems

Short-Term Dynamic Therapy

- object relations
 - people are objects
 - objects must fulfill their function
 - much more direct than Freudian style therapy

Humanistic Therapy

- trying to focus on positive aspects of the client's life

Client-Centered Therapy (Rogers)

- client is the boss
- genuineness/congruence
 - no curtain between client and therapist
- unconditional positive regard
 - care about you no matter what
- empathetic understanding
 - understand your pain

Gestalt Therapy (Perls)

- german word for “whole”
- you have to make sense as one whole thing
 - thoughts, feelings, and actions need to fit together
- listen and talk and figure out what pieces are not making sense

Behavior Therapy

- focuses simply on changing people's behaviors

Classical Conditioning

- aversive conditioning
 - make a good thing bad
 - e.g. smoking
- counterconditioning
 - make a bad thing good
- systematic desensitization
 - treatment for fear
 - step 1 is to teach client how to relax
 - then create fear hierarchy

Operant Conditioning

- token economy
 - involves institutional setting
 - person in facility
 - if person behaves, they get a token
 - with enough tokens, person can redeem tokens for prizes
 - used to bring someone to a level so you can start some kind of therapy

Modeling

- observational learning
- assertiveness training
 - teach client how to get what they want without aggression
 - sometimes used for couples to teach them how to resolve conflicts

Cognitive Therapy

- work on the way you think
- does psychotherapy work?
 - study found it works no better than talking with your friends
 - study was flawed
 - it does work, but you have to use the right therapy

Rational Emotive Therapy (Ellis)

- if your thoughts are rational, so will be your emotions
- when thoughts lead to wrong emotion
- activating event
 - what sets you off, triggers
- beliefs
 - who you think you should be
- consequences
 - what happens when you're not who you should be

Cognitive Therapy (Beck)

- distorted thinking/logic
- false beliefs
- goal of therapy is beliefs and logic
- do not need to find the triggers
 - when your thinking is distorted, you will always find a trigger
- used a lot for depression
 - “okay, you're worthless, so what?”

Cognitive Behavioral Therapy

- have client prove themselves wrong

Group Therapy

- people who suffer from same thing
- family and couple therapy
 - broken family
 - couple therapy sometimes court ordered

Biomedical

- “drug therapy”
- should always be a supplement, not a replacement

Antipsychotics

Anxiolytics

- anti-anxiety

Lithium

- bi-polar

Antidepressants

- sometimes also used to treat anxiety (side effect)
 - and vice versa

Electroconvulsive Therapy

- electric shock therapy
- muscle relaxants
- for severe depression
 - seizure induced by shock resets mood center
 - found this from people with insulin problems
 - insulin induced seizure
- some short-term memory loss

What to Expect from Therapy

- you will work
 - keeping diary
 - read books
 - do homework
 - download apps
- relief is not a cure
 - simply feeling better does not mean you are better
- understanding is not a cure
- you will change
- don't sleep with your therapist

Social Psychology

- small findings
- the study of how people think about, influence, and relate to one another
 - intersection of sociology and psychology

Social Influence

- what are other people going to make us do

Conformity

- a change in behavior or belief as a result of real or imagined group pressure
- far easier to change someone's behavior than their beliefs
- peer pressure
 - usually does not change beliefs
- norms
 - rules of social behavior
 - when we succumb to peer pressure
- Asch
 - standard study of conformity
 - study a line
 - study other lines
 - which line of the other lines is closest to the original line
 - add people who were wrong
 - study found you will conform with strangers from 3 to 7 strangers
 - conformity goes to 40% with strangers
 - study found a quarter of people would never conform
- conformity also increases when

- people are unsure of the answer
 - lack information
- behavior is in public

Compliance

- changing one's behavior because of a request
- norm in society to do what you are asked to do
- compliance techniques
 - foot in the door
 - initial small request, then follow it up
 - defense
 - say no
 - have a partner
 - door in the face
 - initial large request
 - get turned down
 - follow up with more reasonable request
 - low ball
 - don't tell them all of the price

Obedience

- doing what an authority figure has told you to do
- Milgram
 - post-WWII
 - researched why soldiers did what they were ordered to
 - Milgram gets quizzed while strapped to electric chair
 - every wrong question, intensity of electric shock goes up
 - it is study participant administering electric shock
 - gets ordered to administer shock
 - if subject refused 4 times, experiment was over
 - maximum of 450 volts (death)
 - 65% of people obeyed to 450 volts
 - distant
 - victim in another room
 - 40% obeyed to 450v
 - immediate
 - victim in the same room
 - 30% obeyed to 450v
 - contact
 - subject holds victim's hand with insulated glove
 - 25% obeyed to 450v
 - voice on phone administering instructions to subject

- one group that never obeyed in all of Milgram's studies was 5 year olds

Receiving Help in an Emergency

- notice event
 - someone has to see the emergency
- interpret as emergency
 - people have to see that you are in an emergency
- feel responsible
 - someone has to feel responsible for helping you
- know how to help
 - someone has to know how to help
- be allowed to help
 - possible safety hazard when trying to help?

Diffusion of Responsibility

- as there are more people present, each person feels less responsible
- we obey because authority figures can diffuse all of our responsibility
- obey law, avoid responsibility
- blind obedience occurs because of diffusion of responsibility

Kitty's Tale

- some lady Kitty
- nice lady, bar manager
- gets killed with 38 witnesses
- no one calls for help until some other witness finally does much later
- she got help
 - two people called police, one person yelled
 - not a demonstration of diffusion of responsibility