


Power input, soft-latch, supplies




Sheet: power
STM32G431 + LM5109B x3 + IPT015N10N5 x6 + INA240A1 x3
48V 35A hub motor controller
Sheet: /Power input, soft-latch, supplies/
File: power.kicad_sch

Title: Power input, soft-latch, supplies

Size: A3	Date: 2026-10-06	Rev: A
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 2/5

3-phase power stage and current sensing




Sheet: bridge
STM32G431 + LM5109B x3 + IPT015N10N5 x6 + INA240A1 x3
48V 35A hub motor controller
Sheet: /3-phase power stage and current sensing/
File: bridge.kicad_sch

Title: 3-phase power stage and current sensing

Size: A3 | Date: 2026-10-06 | KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4

Rev: A
Id: 3/5

STM32G431¹ controller



```
Sheet: mcu
STM32G431 + LM5109B x3 + IPT015N10N5 x6 + INA240A1 x3
48V 35A hub motor controller
Sheet: /STM32G431 controller/
File: mcu.kicad_sch
Title: STM32G431 controller
Size: A3 | Date: 2026-10-06
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4
```

Connectors and I/O conditioning

