


Power input, soft-latch, supplies




Sheet: power
STM32G431 + LM5109B x3 + IPT015N10N5 x6 + INA240A1 x3
48V 35A hub motor controller
Sheet: /Power input, soft-latch, supplies/
File: power.kicad_sch


Title: Power input, soft-latch, supplies

Size: A3	Date: 2026-10-06	Rev: A
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 2/5

3-phase power stage and current sensing



STM32G431¹ controller




Sheet: mcu
 STM32G431 + LM5109B x3 + IPT015N10N5 x6 + INA240A1 x3
48V 35A hub motor controller

Sheet: /STM32G431 controller/
 File: mcu.kicad_sch

Title: STM32G431 controller

Size: A3	Date: 2026-10-06	Rev: A
KiCad E.D.A.	kicad-cli 7.0.11+dfsg-1build4	Id: 4/5

Connectors and I/O conditioning



Sheet: io
STM32G431 + LM5109B x3 + IPT015N10N5 x6 + INA240A1 x3
48V 35A hub motor controller
Sheet: /Connectors and I/O conditioning/
File: io.kicad_sch

Title: Connectors and I/O conditioning

Size: A3	Date: 2026-10-06	Rev: A
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 5/5