

**IPD ASSESSMENT
PHYSIOTHERAPY DEPARTMENT**

Patient Name
Date of Birth (DD/MM/YYYY):
Age
HN : VN /AN :
Visit/ Admit Date : Gender:
Allergies:.....

Date..... Time..... Doctor.....
Room.....
Transportation ☐ Walk ☐ Wheelchair ☐ Stretcher ☐ Other
PR.....bpm RR.....breaths/min BP...../.....mmHg SpO2.....%

Chief complaint

Diagnosis

Physiotherapy Precaution

Underlying Disease ☐ None ☐ Heart Disease ☐ Cancer

☐ Diabetes Mellitus ☐ Hypertension ☐ Other.....

Pain ScoreLocation of Pain

Pain assessment Tool ☐ newborn - 1 year (NIPS) ☐ >1-3 years (FLACC)

☐ 3-8 years (FRS) ☐ >8years (NRS) ☐ CPOT (Critical care Pain Observation Tool)

Characteristic ☐ Prick ☐ Sharp ☐ Dull ☐ Burning ☐ Tight

☐ Throbbing ☐ Radiating ☐ Pin & Needles ☐ Other.....

Duration of Pain Frequency ☐ Constant ☐ Intermittent

Fall risk: ☐ Standard fall ☐ Strict fall ☐ Highly Strict fall

Precaution: ☐ Standard Precaution ☐ Airborne ☐ Droplet

☐ drug-Resistance ☐ Contact ☐ Protective

Barthel Index ☒ Yes ☐ No

Physical Examination: Visit.....

☐ Orthopedics (if condition applied to) ☐ N/A

Observation

Palpation

Muscle Power

Range of Motion

Sensation

Functional Movement

☐ Cardiopulmonary (if condition applied to) ☐ N/A

Observation

Palpation

Percussion

Auscultation

☐ Neurology (if condition applied to) ☐ N/A

Observation

Muscle Tone

Balance

Bed mobility and Transferring

Muscle Power

Sensation

Treatment Plan:

.....

.....

.....

.....

.....

Participatory Goal Setting:

Short term goal

.....

Long term goal.....

.....

Physiotherapy Treatment

☐ Ultrasound: ☐ Pulse ☐ Continuousminutes area.....

☐ Manual Therapy ☐ Paraffin ☒ Tilt Table.....minutes Degree

☐ Electrical Stimulation :.....minutes area

☐ Hydrocollator:.....minutes area

☐ Cryotherapy:minutes area

☐ Traction: ☐ Cervical ☐ Lumbarkilogramsminutes

☒ Laser: ☐ Pulse ☐ Continuousminutes areaJul/cm²

☒ Shockwave Diathermy :area

☒ Peripheral Diathermy: Modeminutes area

☐ Shortwave Diathermy:.....minutes area

☐ Range of Motion Exercise ☐ Hand Exercise ☐ Strengthening Exercise

☐ Balance Training ☐ Balance Test ☒ Bicycle Training : ...Intensity...minutes

☒ Treadmill Training: Speed.....km/hminutesDistance

☒ Continuous Passive Motion:.....minutes Flexion/ExtensionDegree

☐ Percussion ☒ Vibration ☐ Chest Mobilization ☐ Breathing Exercise

☐ Suction.....

☐ Ambulation: with

☐ Partial Weight Bearing ☐ Non Weight Bearing ☐ Full Weight Bearing

☐ Other

Treatment Detail :

Re-assessment: Time.....

PR....bpm RR.....breaths/min BP...../.....mmHg SpO2.....%

Pain Score:..... Location of Pain :.....

Pain assessment Tool ☐ newborn - 1 year (NIPS) ☐ >1-3 years (FLACC)

☐ 3-8 years (FRS) ☐ >8years (NRS) ☐ CPOT (Critical care Pain Observation)

Characteristic : ☐ Prick ☐ Sharp ☐ Dull ☐ Burning ☐ Tight

☐ Throbbing ☐ Radiating ☐ Pin & Needles ☐ Other.....

Duration of Pain: Frequency: ☐ Constant ☐ Intermittent

☐ Orthopedics (if condition applied to) ☐ N/A

Observation

Palpation

Muscle Power

Range of Motion

Sensation

Functional Movement

☐ Cardiopulmonary (if condition applied to) ☐ N/A

Observation

Palpation

Percussion

Auscultation

☐ Neurology (if condition applied to) ☐ N/A

Observation

Muscle Tone

Balance

Bed mobility and Transferring

Muscle Power

Sensation

คำแนะนำที่ได้รับ ☐ การบริหารร่างกาย (P/I-BSI-024.1) ☐ การลดปวด (P/I-BSI-025.1) ☐ Fall

☐ การฝึกเดิน (P/I-BSI-023.1) ☐ การเคาะปอด (P/I-BSI-022.1) ☐ การออกกำลังกายในผู้ป่วยอัมพาต (P/I-BSI-017.)

Discharge status: ☐ รู้สึกดี ☐ ชื่น ☐ สับสน ☐ ไม่รู้สึกตัว ☐ อื่นๆ.....

PhysioTherapistDate.....Time.....