

./ example bus booking flow



**Raj**



**Home**



**Mall**




**Raj**



**Home**



**Mall**



**Beckn Protocol Enabled  
Mobility App**




Raj



Home




Mall



Beckn Protocol Enabled  
Mobility App

Launch Open Mobility  
application






Local  
Mobility BAP

BG

Local Mobility  
BPP






Mr Raj types  
"Book a ride to  
Phoenix Mall"

Local  
Mobility BAP

BG

Local Mobility  
BPP





Mr Raj types  
**"Book a ride to  
Phoenix Mall"**




BAP adds origin  
and destination to  
**search** packet



Local  
Mobility BAP

BG

Local Mobility  
BPP





Mr Raj types  
**"Book a ride to  
Phoenix Mall"**



BAP adds origin  
and destination to  
**search** packet



Send search packet to  
BG


**search**





BG



Local Mobility  
BPP









Mr Raj types  
**"Book a ride to  
Phoenix Mall"**

BAP adds origin  
and destination to  
**search** packet

Send search packet to  
BG

search

BG Broadcasts search request  
to all BPPs matching search  
context

search


BPPs generate  
catalog of mobility  
services matching  
the search query







Local  
Mobility BAP



BG



Local Mobility  
BPP































































Local  
Mobility BAP

BG

Local Mobility  
BPP

