Analyzing Sleep Patterns Using Twitter Like Data

1 Introduction

Sleep plays a crucial role in overall health and well-being, influencing cognitive function, mood, and physical health. Traditional sleep studies rely on self-reported data, wearable sleep trackers, or clinical assessments. However, in the age of digital footprints, alternative data sources such as social media activity can provide indirect but valuable insights into sleep patterns. This project aims to estimate sleep windows over time by analyzing Twitter like activity, identifying periods of inactivity as proxies for sleep.

2 Data Sources

The primary data source for this analysis is the user's Twitter like history, extracted from Twitter's data export feature. The dataset consists of timestamps corresponding to when the user liked tweets over an extended period. These timestamps serve as digital markers of online activity, allowing us to infer potential sleep periods by detecting extended gaps between interactions.

2.1 Data Preprocessing

Upon obtaining the Twitter like data in CSV format, the dataset underwent several preprocessing steps:

- **Parsing Timestamps**: Converting raw timestamp strings into Python datetime objects for proper analysis.

- **Sorting**: Ensuring all timestamps are chronologically ordered to facilitate sequential gap detection.

- **Grouping by Date and Hour**: Aggregating likes by hour to identify activity distribution across different times of the day.

- **Filtering Data**: Removing records before 2021 to focus on recent trends and maintain relevance.

3 Hypotheses

Before analyzing the data, several hypotheses were established:

- **H1**: Extended periods of inactivity in Twitter like activity correspond to sleep windows.

- **H2**: Sleep patterns inferred from Twitter activity exhibit some degree of regularity but may include variations due to external factors (e.g., lifestyle, commitments).

- **H3**: The user's sleep duration and consistency can be visualized effectively using a heatmap and trend analysis.

4 Methods

4.1 Sleep Window Estimation

To infer sleep windows, we examined gaps between consecutive like timestamps. A threshold of **five hours of inactivity** was chosen as an indicator of sleep onset and offset. Specifically:

- **Detecting Gaps**: Calculating time differences between consecutive likes.

- **Identifying Sleep Start and End**: If a gap exceeded five hours, the last activity before the gap was labeled as sleep onset, and the first activity after was labeled as wake-up time.

- **Computing Sleep Duration**: The difference between sleep onset and wake-up time was recorded as the estimated sleep duration.

4.2 Visualization

Several visualizations were generated to explore trends and patterns:

- **Sleep Duration Over Time**: A bar chart displaying estimated sleep durations for each detected window.

- **Sleep Start and End Trends**: A line plot tracking variations in sleep onset and wake-up times.

- **Activity Heatmap**: A heatmap highlighting periods of inactivity, with lighter colors indicating likely sleep periods.

Figure 1: Distribution of Twitter Likes by Hour

5 Results

5.1 Sleep Duration Trends

The analysis revealed noticeable fluctuations in estimated sleep duration. Some key findings include:

- The user's sleep duration ranged between **4 and 10 hours**, aligning with expected sleep needs.

- There were occasional nights with significantly shorter or longer durations, suggesting inconsistencies.

5.2 Sleep Timing Trends

- The majority of sleep onsets occurred between **11 PM and 3 AM UTC**, indicating a preference for late-night activity.

- Wake-up times varied between **6 AM and 10 AM UTC**, with occasional deviations indicating shifts in sleep schedule.

Figure 2: Estimated Sleep Periods Over Time

6 Insights Gained

6.1 Reliability of Social Media Data for Sleep Analysis

This study demonstrates that Twitter activity data can serve as a reasonable proxy for estimating sleep patterns. While not as precise as sleep trackers, the inferred patterns align with expected sleep behaviors.

6.2 Variability in Sleep Schedule

The results highlight **irregular sleep patterns**, with occasional deviations from a fixed schedule. Such variability could be due to lifestyle factors, social obligations, or work commitments.

6.3 Challenges and Limitations

Despite the promising results, several challenges exist:

- **Social Media Usage Bias**: The analysis assumes Twitter activity accurately reflects the user's online presence. If the user engages with other platforms or refrains from liking tweets before sleep, gaps may not perfectly indicate sleep.

- **Timezone Considerations**: If the user frequently travels or changes time zones, the UTC-based timestamps might misrepresent actual sleep timing.

- **Alternative Late-Night Activities**: The user could be awake but not using Twitter, leading to false positives in sleep estimation.

7 Future Improvements

To enhance the accuracy of sleep inference, potential improvements include:

- **Multisource Integration**: Combining Twitter activity with other digital behavior (e.g., browsing history, messaging activity) for a holistic view.

- **Machine Learning Models**: Using clustering or predictive modeling to refine sleep detection.

- **Ground Truth Validation**: Comparing estimated sleep data with self-reported sleep logs or wearable device data for validation.

8 Code Repository

The full code used to process the data and generate the visualizations can be found in the following repository: `https://github.com/kodarfour/aobfph_p1`

9 Conclusion

By leveraging social media activity data, this study successfully estimated sleep windows and analyzed sleep trends over time. While the approach is not perfect, it offers an innovative way to passively infer sleep behavior using digital footprints. Future enhancements incorporating additional data sources and validation methods could further improve reliability and applicability.