

# Drafting Success: Using Machine Learning to Identify Star Quarterbacks

By: Jimmy Brawner, Michael Hargroder,  
Nathan Kosiba, and Chris Marchini

5/9/2020



# Key Objective

Using a variety of **extant data sources**, we **leveraged** Machine Learning techniques to build a model that **predicts success** of quarterbacks from the recent NFL draft class.

***Machine Learning**  
for college football?*



*That's a **bold strategy, Cotton** -  
let's see if it pays off!!*

# Why look at NFL draft picks?


- *Moneyball*-ification of sports, FiveThirtyEight
- Determine if predicting success of a draftee is feasible
- Demystify data analysis in sports
- Draft picks can make or break a team
- Teams are not great at predicting QB success



# QBs drafted in 1<sup>st</sup> and 2<sup>nd</sup> round since 1987

GMs have been drafting more QBs early ...

... but QB success rates have stayed almost flat



# Enter our model ...

- Data used for players:
  - College football stats
  - NFL combine metrics
  - Personal biometrics
- Data sources used:
  - [sports-reference.com](http://sports-reference.com) (pro and college football)
  - [nflcombinerresults.com](http://nflcombinerresults.com)





# Defining a “successful” NFL QB



- Original definition
  1. At least one (1) pro-bowl appearance
  2. Made the All-Pro team
  3. Made the Hall of Fame
  4. Started for at least six (6) seasons
  
- Relaxed definition for model:
  1. At least one (1) pro-bowl appearance
  2. Started for at least five (5) seasons

# The data we had access to includes ...

## College Stats

- Rushing Average
- Adjusted Yards/Attempt
- Efficiency Rating
- Plays/game
- Completion Percentage

## NFL Combine Metrics

- 40-Yard Dash
- Vertical Leap
- Broad Jump
- Shuttle
- 3-Cone

## Personal Biometrics


- Height
- Weight

# Our ETL Process


1. Used Pandas to work with our data
2. Filled missing combine data using mean values
3. Used Seaborn (Matplotlib) to visually explore our data
4. Loaded individual tables into SQLite database
5. Created model data from merging tables from our SQLite database







# Correlation of all features



# Correlation of narrowed-down features



# Narrowed-down feature distributions



# Our smoothed features post-ETL

## College Stats

- **Rushing Average**
- **Adjusted Yards/Attempt**
- **Efficiency Rating**
- ~~Plays/game~~
- ~~Completion Percentage~~

## NFL Combine Metrics

- **40-Yard Dash**
- **Vertical Leap**
- ~~Broad Jump~~
- ~~Shuttle~~
- ~~3-Cone~~

## Personal Biometrics

- **Height**
- ~~Weight~~

# Building our model with TensorFlow

- Made two separate test models:
  - College football
  - Combine stats
- Garbage in, garbage out
  - Early models skewed toward failures
  - Adjusted success distribution in training dataset
- Built neural network
  - Used consistent scaling of X data
  - Layers: Four (4) dense, one (1) input, two (2) intermediate, one (1) output
  - Activation function: ReLU
  - Optimization: Adam
  - Loss: Categorical Cross Entropy
  - Epochs: 1,000



# Model demo

# Results Summary, Why this Matters, and Next Steps

- No turnkey solution: making a reliable model is not easy
- Had a 78% success rate between 1987 and 2014
- Some variables aren't available (e.g., player intelligence)
- Can't predict unexpected events like player injuries
- We could optimize our model further



# Thank you! Questions?