




1


1a. Identify the structure painted blue - **Paracentral lobule**

b. Identify the area probed – **Calcarine Sulcus**




2

- 2a. What is the anatomical fusion rounded black called (be specific) – **Bregma**
- b. It fuses around birth T/F – **False**
- c. The area circled pink is known as (be specific) - **Obelion**



3. What structure is related to area painted blue – **Falx Cerebri**
- b. What artery passes through the area probed blue – **None**
- c. What structure passes through the area probed Green – **Hypoglossal Nerve**

4.



- 4a. What structure is related to the area painted blue and state its embryonic origin – **Temporalis, 1st pharyngeal arch**
- b. Identify the area painted black and state what passes through –Mental foramen, Mental nerve & vessels.
- c. Identify the region painted pink – Digastric fossa
- d. Identify the structure related to the area painted white – Buccinator.



5. Identify the structure pinned green – Putamen
- b. State the area painted pink – Choroid plexus of the lateral ventricle

6



6. What bones form the structure pinned blue – **Maxilla and palantine bones.**
- b. What is the embryological origin of the area painted green (be specific) – **Hypobranchial eminence**



7

7. Identify the structure pinned blue (be specific) – **Splenium of corpus callosum**
- b. Where does the structure pinned green arise from – **Hippocampus**
- c. Identify the area painted pink (be specific) – **Cuneus**



8

8. Identify the structure pinned green – **Insula**
- b. Identify the structure pinned blue – **Lateral ventricle**
- c. Where is the lesion in Wallenberg syndrome located – **Lateral portion of medulla oblongata**



9. Identify the pinned structure green – **Mamillary body**
- b. Arachnoid villi are an integral part of the sigmoid sinus T/F – **false**
- c. CSF is produced in only the 3rd ventricle T/F - **false**



10. What is the nerve supply of the area painted pink –

Glossopharyngeal nerve

b. Identify the probed area – **Sphenoid sinus**

c. The muscles of the tongue are derived from – **Occipital myotomes**

11. What is the deepest part of the cerebral cortex – **Multiform layer**

b. What are the predominant cells in the cerebral cortex – **Pyramidal cells of Betz**




12. Identify the structure painted green – **Geniohyoid muscle**
- b. Identify the area painted green – **Soft palate**
- c. What is the arterial supply to the painted structure – **Lingual artery**



13. Lesion to the pinned structure blue – **Bitemporal hemianopia**

b. Identify the green pinned structure - **Falx cerebri**

c. The dorsal root ganglion contains parasympathetic cell bodies T/F – **false**



14. Identify the structure pinned green – **Caudate Nucleus**

b. Identify the structure pinned blue – **Choroid plexus**



15



15

15. identify the structure pinned blue – **Transverse sinus**
- b. Identify the structure labelled A – olfactory **tract/ bulb**



16. What area is associated with the area painted blue – **Broca's area**
- b. What fibres connect this area with the Wernicke's area – **Arcuate fasciculus**
- c. What Brodmann areas are associated with the area painted blue – **44, 45**



17. Identify the area pinned blue – **Parieto-occipital sulcus**

b. Prosopagnosia is due to injury of what – **Occipital lobe**

c. The posterior horn of the spinal cord contains Gracile T/F – **false**

18 a. Glossopharyngeal nerve has both sensory and motor neuron T/F – **True**

b. Which Cranial nerve supplies the inferior rectus muscle – **Oculomotor nerve**

c. Area of retina with the most cones – **Fovea centralis**

19. All suprahyoid muscles are paired T/F – **True**

b. Innervation of the Thyrohyoid muscle - **C1**

c. the superficial lamina of the PAROTID FASCIA blends with the EPIMYSIUM of the masseter to form – **Parotidomasseteric Fascia**



20



20

20. Identify the bone pinned green – **Vomer**

b. The cartilage pinned blue is predominantly hyaline T/F – **false**

c. Embryological origin of the cartilage pinned blue – **Hypobranchial eminence**



21



21

21. Identify the muscle pinned blue – **Levator labii superioris alaeque Nasi (LLSAN)**

b. What is the sensory supply to the area pinned green – **Auricular branch of Vagus nerve**

c. Identify the part of the ear pinned (be specific) – **Antitragus**

22. The sensory supply of the upper lip is derived from what nerve (be specific) – **Maxillary nerve**

b. The most common form of cleft lip is unilateral T/F – **True**

23. The 1st endocrine gland to develop is – **Thyroid gland**

b. The band of fibrous tissue or smooth muscle that attaches the pyramidal lobe to the hyoid is called – **levator glandulae thyroidae**

c. The frontonasal process forms the secondary palate T/F – **false**



24


24. Identify the area pinned blue – **Corpus Callosum**

b. The area pinned green – **Internal capsule**

c. Name 2 diseases associated with lesions of the nuclei in the region of focus

- **Parkinson's disease, Hemiballismus, Athetosis**

25





25

25. Identify the content of the structure tied – **Superior thyroid vessels & Superior laryngeal nerve**
- b. The structure pinned blue is at what vertebral level – **C7** (isthmus of thyroid)
- c. What is the embryological origin of the structure pinned – **Occipital myotomes**



26

26. Identify the structure pinned blue – **Thyroid gland**
- b. Identify the structure tied – **Common carotid artery**
- c. Give the terminal branches of (B) – **ICA & ECA**



27

27. Identify the vessel tied – **labyrinthine artery**


b. The area probed is present at birth T/F – **false**



28

28. Identify the structure pinned green – **Medial longitudinal Fasciculus**

b. Identify the structure pinned blue – **Tonsil of cerebellum**




29. Name the structure pinned blue – **Mamillary body**
- b. Named the structure pinned green – **Superior colliculus**
- c. Identify the structure labelled C – **Septum pellucidum**



30


30. Identify the structure pinned green. What is the name of the arch in front of the structure pinned green – **Palatine tonsil, Palatoglossal arch**

(II) Identify the structure pinned blue. What opens into the corresponding meatus – **Inferior concha, Nasolacrimal duct**



31

31. Identify the structure pinned green – **Mamillary body**
- b. Identify the structure pinned blue – **Pericallosal artery**
- c. Identify the area painted blue – **Cingulate gyrus**



32. What is name of the muscle under the area pinned blue –

Salpingopharyngeus muscle

b. The area pinned green drains into what recess – **Spheno-ethmoidal recess**

c. Identify the pinned structure (C) – **Mylohyoid**





33

33. Identify the structure pinned blue – **Uncus**

b. Identify the structure pinned green – **Anterior cerebral artery**



34

34. Identify the structure pinned green – **Clastrum**

b. Identify the structure pinned blue – **Thalamus**





35

35. Identify the structure shaded pink (be specific) – C3

b. What passes through the groove taped blue - Sigmoid sinus



36

36. Fracture to the area labelled 1 – **Jefferson fracture**

b. Fracture to the area labelled – **Hangman's fracture**

37. Light, unstained cells are scattered among acidophils and basophils in the anterior pituitary are known as – **Chromophobes**

b. What are the supporting cells seen in the posterior pituitary gland –

Pituicytes

c. Corticotrophs are basophils T/F – **True**

38. Climbing fibres arise majorly from what nucleus - **Inferior olivary nucleus**

b. Which nucleus is the largest of the cerebellar nuclei – **Dentate nucleus**

c. What is the middle layer of the cerebellar cortex – **Purkinje cell layers**



39

39. What artery passes through the area probed blue – **Sphenopalantine artery**
- b. What structure passes through the foramen probed green – **Facial nerve**

- c. List the structures passing through the foramen probed white –
Mandibular nerve, Accessory meningeal artery, Lesser petrosal nerve,
Emissary veins (MALE)

40. What is artery of the first pharyngeal arch – Maxillary artery

- b. Superior Parathyroid gland is derived from the 3rd pharyngeal pouch T/F -
false

- c. The cartilage of the 2nd pharyngeal arch is eponymously known as –
Reichert cartilage