


The RAPP/1 organism, on one page

Read it top (6) to bottom (0). Left: what comes in. Right: what goes out or across.



RAPP/1 LTS: what it takes to lock the whole thing

RAPP/1 is the one LTS release people pull. Five phases lock it, in order, with the owner's decisions first.

RAPP/1 (LTS): in force

newest: not in RAPP/1 yet

in force

specified

experimental

candidate

planned

gap

idea

open

proposed

own shape

Your decisions first · phase 1, Decide · you, about an hour

1. merge RAPP proposal 0001 (G18), a documentation fix only: it is yours because RAPP reserves constitution merges for the maintainer (Articles XXVIII.4 and XXX.2)

2. accept or refuse RAPP proposal 0002 (G19), Tier 2 loading: a draft on experimental/proposal-0002-tier2-parity

3. ratify the RAPP Work Constitution and its Part V (G8, G9)

RAPP/1 LTS is

One LTS release of the whole stack: one estate release scope that pins every component.

Everything in it is in force, and nothing in it is experimental.

Newest releases get their own successor scopes. Experiments live only there until they graduate.

It pins:

the LTS kernel brainstem-v0.6.9

rapp-hive/1

rapp-work/1

RAPP Workspace/1

rapp-work-sdk/1

rapp-registry/1.0

rapp-cicd/1

rapp-deploy/1

 the agents and apps that ship with it

RAPP/1 §11.1: a release scope's pin is "a permanent compatibility anchor, not a moving release channel", and "A successor uses a new release_scope". §13.3: no two grail-kernel entries share a scope.

Each layer, top to bottom: in RAPP/1, or what it needs to graduate

6 You	nothing to graduate	
5 Brainstem	5 to graduate	G17 G18 G19 G20 G23
4 Your device	7 to graduate	G2 G3 G4 G7 G13 G14 G22
3 Hive	6 to graduate	G1 G6 G8 G9 G12 Public copy
2 Organization	4 to graduate	G5 G10 G11 G16
1 Estate	1 to graduate	G15
0 RAPP/1	in RAPP/1	

2 · Zero drift, clean pull

engineering

fix RAPP's and RAR's non-conformant eggs, and RAR's bounded scan

give rapp-model-hive's frames a trusted anchor

re-sweep until every repo of the RAPP/1 stack is certified (the dogfood)

keep the default pull clean: default branches and the LTS install carry only in-force parts; experiments stay on experimental branches or in newest

one front door keeps the network unified and tracked; pin the Windows LTS install (G23)

G23

3 · Close the specification gaps

spec owner

rapp-hive/1 (G1, G6)

rapp-work-sdk/1 (G2, G3, G4, G7)

rapp-work/1 (G5, G10, G11, G22)

a gap that cannot close in time waits for a later RAPP, with the owner's sign-off

G1 G2 G3 G4 G5 G6 G7 G10 G11 G22

4 · Switch it on

estate owner

sign the RAPP/1 LTS release scope: its LTS grail-kernel entry, plus a successor scope for the newest kernel (G15)

sign the protocol pins

activate rapp-work/1 (G16): the Organization must be in force for RAPP/1 to be healthy throughout

give the Brainstem an SDK agent (G17)

G15 G16 G17

5 · Graduate into RAPP/1

engineering, through the rings

graduate each newest part through the rings: Folder Hive, Hive copy and the Hive agent (G14), References (G13), Hub cards (G12), Public copy, the Brainstem app (G20)

then Hive Mind, once an estate accepts rapp-federation/1, and the Release rings, once phase 4 activates them and a graduation uses them

merge what graduated; the rest stays out of what people pull

tag the lock once the clean-pull check passes again; sweep for drift on a schedule

G12 G13 G14 G20

2 · Keep the default pull clean: files on each default branch that mention "experimental" (git grep -l -i experimental origin/HEAD), 2026-09-25: RAR 50 RAPP 45 rapp-workspace 26 rapp-hive-hub 19

rapp-installer 9 rapp-model-hive 8 hive-hub 6 lisppy 1 rapp-1 0 rapp-work 0 Raw word hits, and some are legitimate, such as folder names: mentions, not problems. Run it again at lock time.

One front door: planned the installer README's "Start here" leads with the RAPP/1 LTS install (kody-w/rapp-installer#48, open) · planned every RAPP repo shows its earned RAPP/1 badge and a "Start here" link (a PR open in each) · experimental the drift sweep sets each status, and kody-w/rapp-hive-public publishes the portfolio: the RAPP/1 stack is 12 of 15 certified

Gap register: each gap, its phase and who acts

G1	A rapp-hive/1 roster can never change	open	3 · spec owner	G12	Hive Hub dial records did not describe folder Hives	experimental	5 · engineering
G2	SDK plans cannot move a file	open	3 · spec owner	G13	Outside knowledge had no way in	experimental	5 · engineering
G3	SDK discovery misses *_agent.py	open	3 · spec owner	G14	The Hive agent's path to the production ring	open	5 · engineering
G4	SDK migration refuses repository-seeded Hives and long world ids	open	3 · spec owner	G15	No estate declares the Brainstem's kernel	open	4 · estate owner
G5	One owner only, so co-equal groups do not fit	idea	3 · spec owner	G16	No estate has activated canonical rapp-work/1	open	4 · estate owner
G6	Implementations refuse owner succession	open	3 · spec owner	G17	The Brainstem does not call the RAPP Work SDK	idea	4 · estate owner
G7	SDK verification accepts an edited instruction file	open	3 · spec owner	G18	RAPP's Constitution describes a two-day experiment	proposed	1 · you
G8	Hive members are names bound to keys, not RAPPIDs	proposed	1 · you	G19	The cloud Brainstem loads agents differently	proposed	1 · you
G9	A git commit is not authority in canonical rapp-work/1	proposed	1 · you	G20	The Brainstem app's path to the production ring	open	5 · engineering
G10	An organization cannot bind a folder Hive	idea	3 · spec owner	G22	"Workspace" names two things	idea	3 · spec owner
G11	"Organization" means two things	idea	3 · spec owner	G23	The LTS Windows installer cannot pin the LTS kernel	open	2 · engineering

Experimental map, generated from organism/ · details: ECOSYSTEM.md and CONSTITUTION.md in kody-w/rapp-work, branch experimental/rapp-work-constitution

Specifications decide; these pages only point at them.