


The RAPP/1 organism, on one page

Read it top (6) to bottom (0). Left: what comes in. Right: what goes out or across.



RAPP/1 LTS: what it takes to lock the whole thing

RAPP/1 is the one LTS release people pull. Five phases lock it, in order, with the owner's decisions first.

RAPP/1 (LTS): in force

newest: not in RAPP/1 yet

in force

specified

experimental

candidate

planned

gap

idea

open

proposed

own shape

Your decisions first · phase 1, Decide · you, about an hour

1. merge RAPP proposal 0001 (G18), a documentation fix only: it is yours because RAPP reserves constitution merges for the maintainer (Articles XXVIII.4 and XXX.2)

2. accept or refuse RAPP proposal 0002 (G19), Tier 2 loading: a draft on experimental/proposal-0002-tier2-parity

3. ratify the RAPP Work Constitution and its Part V (G8, G9)

RAPP/1 LTS is

• One LTS release of the whole stack: one estate release scope that pins every component.

• Everything in it is in force, and nothing in it is experimental.

• Newest releases get their own successor scopes. Experiments live only there until they graduate.

It pins:

the LTS kernel brainstem-v0.6.9

rapp-hive/1

rapp-work/1

RAPP Workspace/1

rapp-work-sdk/1

rapp-registry/1.0

rapp-cicd/1

rapp-deploy/1

the agents and apps that ship with it

RAPP/1 §11.1: a release scope's pin is "a permanent compatibility anchor, not a moving release channel", and "A successor uses a new release_scope". §13.3: no two grail-kernel entries share a scope.

Each layer, top to bottom: in RAPP/1, or what it needs to graduate

6 You	nothing to graduate	
5 Brainstem	5 to graduate	G17 G18 G19 G20 G23
4 Your device	7 to graduate	G2 G3 G4 G7 G13 G14 G22
3 Hive	6 to graduate	G1 G6 G8 G9 G12 Public copy
2 Organization	4 to graduate	G5 G10 G11 G16
1 Estate	1 to graduate	G15
0 RAPP/1	in RAPP/1	

2 · Zero drift, clean pull

engineering

• fix RAPP's and RAR's non-conformant eggs, and RAR's bounded scan

• give rapp-model-hive's frames a trusted anchor

• re-sweep until every repo of the RAPP/1 stack is certified (the dogfood)

• keep the default pull clean: default branches and the LTS install carry only in-force parts; experiments stay on experimental branches or in newest

• one front door keeps the network unified and tracked; pin the Windows LTS install (G23)

G23

3 · Close the specification gaps

spec owner

• rapp-hive/1 (G1, G6)

• rapp-work-sdk/1 (G2, G3, G4, G7)

• rapp-work/1 (G5, G10, G11, G22)

• a gap that cannot close in time waits for a later RAPP, with the owner's sign-off

G1 G2 G3 G4 G5 G6 G7 G10 G11 G22

4 · Switch it on

estate owner

• sign the RAPP/1 LTS release scope: its LTS grail-kernel entry, plus a successor scope for the newest kernel (G15)

• sign the protocol pins

• authorize a signer for network pulses, so each version verifies against the estate; the pulses, one per crawl (planned), are how RAPP/1's health is tracked over time

• activate rapp-work/1 (G16): the Organization must be in force for RAPP/1 to be healthy throughout

• give the Brainstem an SDK agent (G17)

G15 G16 G17

5 · Graduate into RAPP/1

engineering, through the rings

• graduate each newest part through the rings: Folder Hive, Hive copy and the Hive agent (G14), References (G13), Hub cards (G12), Public copy, the Brainstem app (G20)

• then Hive Mind, once an estate accepts rapp-federation/1, and the Release rings, once phase 4 activates them and a graduation uses them

• merge what graduated; the rest stays out of what people pull

• tag the lock once the clean-pull check passes again; sweep for drift on a schedule

G12 G13 G14 G20

2 · Keep the default pull clean: files on each default branch that mention "experimental" (git grep -l -i experimental origin/HEAD), 2026-09-25: RAR 50 RAPP 45 rapp-workspace 26 rapp-hive-hub 19 rapp-installer 9 rapp-model-hive 8 hive-hub 6 lisppy 1 rapp-1 0 rapp-work 0 Raw word hits, and some are legitimate, such as folder names: mentions, not problems. Run it again at lock time.

One front door: planned the installer README's "Start here" leads with the RAPP/1 LTS install (kody-w/rapp-installer#48, open) · planned every RAPP repo shows its earned RAPP/1 badge and a "Start here" link (a PR open in each) · experimental the drift sweep sets each status, and kody-w/rapp-hive-public publishes the portfolio: the RAPP/1 stack is 12 of 15 certified

Gap register: each gap, its phase and who acts

G1	A rapp-hive/1 roster can never change	open	3 · spec owner	G12	Hive Hub dial records did not describe folder Hives	experimental	5 · engineering
G2	SDK plans cannot move a file	open	3 · spec owner	G13	Outside knowledge had no way in	experimental	5 · engineering
G3	SDK discovery misses *_agent.py	open	3 · spec owner	G14	The Hive agent's path to the production ring	open	5 · engineering
G4	SDK migration refuses repository-seeded Hives and long world ids	open	3 · spec owner	G15	No estate declares the Brainstem's kernel	open	4 · estate owner
G5	One owner only, so co-equal groups do not fit	idea	3 · spec owner	G16	No estate has activated canonical rapp-work/1	open	4 · estate owner
G6	Implementations refuse owner succession	open	3 · spec owner	G17	The Brainstem does not call the RAPP Work SDK	idea	4 · estate owner
G7	SDK verification accepts an edited instruction file	open	3 · spec owner	G18	RAPP's Constitution describes a two-day experiment	proposed	1 · you
G8	Hive members are names bound to keys, not RAPPIDs	proposed	1 · you	G19	The cloud Brainstem loads agents differently	proposed	1 · you
G9	A git commit is not authority in canonical rapp-work/1	proposed	1 · you	G20	The Brainstem app's path to the production ring	open	5 · engineering
G10	An organization cannot bind a folder Hive	idea	3 · spec owner	G22	"Workspace" names two things	idea	3 · spec owner
G11	"Organization" means two things	idea	3 · spec owner	G23	The LTS Windows installer cannot pin the LTS kernel	open	2 · engineering

Experimental map, generated from organism/ · details: ECOSYSTEM.md and CONSTITUTION.md in kody-w/rapp-work, branch experimental/rapp-work-constitution

Specifications decide; these pages only point at them.