


Read it top (6) to bottom (0). Left: what comes in. Right: what goes out or across.



The path to a locked RAPP/1

What we need to do to lock in a full RAPP/1: five phases, in order, with the owner's decisions first.



Your decisions first · phase 1, Decide · you, about an hour

1. merge RAPP proposal 0001 (G18), a documentation fix only: it is yours because RAPP reserves constitution merges for the maintainer (Articles XXVIII.4 and XXX.2)
2. decide Tier 2 loader parity (G19)
3. ratify the RAPP Work Constitution and its Part V (G8, G9)
4. choose which experimental parts are in the lock: Folder Hive and its public copy, References, Hub cards, Brainstem app

RAPP/1 is locked when

- every normative specification in the stack is frozen at a version and pinned in one signed estate registry, and so are both kernel channels, LTS and newest
- each one is in force
- the estate sweep shows zero drift
- every gap is closed, or deferred to a later RAPP with the owner's sign-off
- the Constitutions are ratified
- every experimental part has graduated through the rings, or is marked as outside the lock

Lock status by layer, top to bottom

6 You	nothing to lock	
5 Brainstem	4 to lock	G17G18G19G20
4 Your device	7 to lock	G2G3G4G7G13G14G22
3 Hive	6 to lock	G1G6G8G9G12Public copy
2 Organization	4 to lock	G5G10G11G16
1 Estate	1 to lock	G15
0 RAPP/1	in force	

2 · Zero drift

- engineering
- fix RAPP's and RAR's non-conformant eggs, and RAR's bounded scan
- give rapp-model-hive's frames a trusted anchor
- re-sweep until all 10 repos are clean (the dogfood)

3 · Close the specification gaps

- spec owner
- rapp-hive/1 (G1, G6)
- rapp-work-sdk/1 (G2, G3, G4, G7)
- rapp-work/1 (G5, G10, G11, G22)
- G1G2G3G4G5G6G7G10G11G22

4 · Switch it on

- estate owner
- sign the grail-kernel entries, LTS and newest (G15)
- activate rapp-work/1 and its pins, release rings included (G16)
- give the Brainstem an SDK agent (G17)
- G15G16G17

5 · Graduate and freeze

- engineering
- a real team's week for the Hive agent (G14) and the Brainstem app (G20), then the rings
- graduate Hub cards (G12) and References (G13), or mark them outside the lock
- merge the experimental branches
- tag the lock across repositories
- run the drift sweep on a schedule
- G12G13G14G20

Gap register: each gap, its phase and who acts

G1	A rapp-hive/1 roster can never change	open	3 · spec owner	G12	Hive Hub dial records did not describe folder Hives	experimental	5 · engineering
G2	SDK plans cannot move a file	open	3 · spec owner	G13	Outside knowledge had no way in	experimental	5 · engineering
G3	SDK discovery misses *_agent.py	open	3 · spec owner	G14	The Hive agent's path to the production ring	open	5 · engineering
G4	SDK migration refuses repository-seeded Hives and long world ids	open	3 · spec owner	G15	No estate declares the Brainstem's kernel	open	4 · estate owner
G5	One owner only, so co-equal groups do not fit	idea	3 · spec owner	G16	No estate has activated canonical rapp-work/1	open	4 · estate owner
G6	Implementations refuse owner succession	open	3 · spec owner	G17	The Brainstem does not call the RAPP Work SDK	idea	4 · estate owner
G7	SDK verification accepts an edited instruction file	open	3 · spec owner	G18	RAPP's Constitution describes a two-day experiment	proposed	1 · you
G8	Hive members are names bound to keys, not RAPPIDs	proposed	1 · you	G19	The cloud Brainstem loads agents differently	open	1 · you
G9	A git commit is not authority in canonical rapp-work/1	proposed	1 · you	G20	The Brainstem app's path to the production ring	open	5 · engineering
G10	An organization cannot bind a folder Hive	idea	3 · spec owner	G22	"Workspace" names two things	idea	3 · spec owner
G11	"Organization" means two things	idea	3 · spec owner				