Table 1: IO tuning on the validation set (network trained with the PET and rigidity losses). Stage 1: learning rate / iterations; stage 2: common scale of the four PET weights relative to the training-derived values. Candidates of a stage are ranked against each other with the significance-based ranking of the challenge (final score $100 \cdot \mathrm{acc}^{0.4}\,\mathrm{PET}^{0.4}\,\mathrm{reg}^{0.2}$); chosen setting in bold. Metrics: patient means. The rigidity weight was fixed at 0.25 (Sec. **??**).

Candidate	Rank	Score	Acc.	PET	Reg.	Dice (%)	HD95 (mm)	|ΔMTV| (%)	|ΔTLG| (%)
Learning rate and iterations									
0.0125 / 40	1	25.3	0.33	0.33	0.08	76.2	6.82	5.1	3.7
0.025 / 40	2	25.1	0.38	0.29	0.08	77.0	6.83	4.1	4.7
0.05 / 20	3	24.6	0.50	0.21	0.08	77.3	6.75	6.1	4.6
0.025 / 20	4	23.9	0.33	0.29	0.08	76.3	6.86	4.0	4.7
0.05 / 40	5	23.1	0.71	0.12	0.08	78.1	6.71	10.0	6.8
0.1 / 40	6	21.7	0.92	0.08	0.08	78.7	6.55	12.2	8.6
0.1 / 20	7	20.9	0.83	0.08	0.08	78.4	6.61	13.0	8.4
0.1 / 10	8	17.6	0.54	0.08	0.08	77.4	6.74	10.4	6.6
0.05 / 10	9	17.1	0.25	0.17	0.08	76.1	6.91	5.5	4.8
0.0125 / 20	9	17.1	0.17	0.25	0.08	75.1	7.16	3.9	4.8
0.025 / 10	9	17.1	0.17	0.25	0.08	74.9	7.19	3.5	5.1
0.0125 / 10	12	12.0	0.08	0.21	0.08	74.0	7.26	3.9	5.4
PET weight scale (at the chosen learning rate and iterations)									
×**0.1**	1	34.4	0.86	0.21	0.14	76.4	6.85	3.6	4.6
×0	2	31.1	1.00	0.14	0.14	78.0	6.67	8.0	8.9
×0.25	3	26.1	0.43	0.21	0.14	76.3	6.87	3.6	4.5
×0.5	4	24.2	0.36	0.21	0.14	76.2	6.87	3.6	4.5
×1	5	22.2	0.29	0.21	0.14	76.1	6.88	3.6	4.4
×2	6	19.8	0.21	0.21	0.14	76.1	6.88	3.7	4.4
×4	7	16.8	0.14	0.21	0.14	76.1	6.88	3.8	4.5