


# VaultSpeed Studio

Fact on NHL with Snapshot Dimension



### **USE CASE FOR THIS TEMPLATE**

This document describes how a user can configure a template in the VaultSpeed Studio to generate a Fact on Non-Historized-Link with Snapshot Dimension based on an insert-only RDV.

This is an example of an aggregation fact where the aggregation is based on the field with the specific Signature Attribute used as a tag.

Before you explore and use this example template, ensure that you understand the example SQL attached to understand what the template does and that it covers your needs.

This template is designed for:

- FACT creation based on a Non Historized Link
- Snapshot Dimension
- Hardcoded generation of the dimension key (hub hkey + snapshot date) values, no check for existence. A non-existing version will lead to record loss at query time
- Aggregation implemented in the template
- the date used for the FACT must be tagged using a Signature Attribute
- Business logic examples with specific Signature Attributes

### **Example**

The example that is used in this document is based on a non-historized link that contains the visits of a customer to a shop.

In the Raw Data Vault model this is a NHL\_VST\_VISITORS.

### Components of the implementation

- Signature objects
- · Assign Signature objects to the correct tables
- Create Signature attribute type and assigned in the requested fields
- Create the Template
- Create Target definition
- Fill in the Dependency

### Create Signature objects

For this template implementation, there is no need for specific signature objects.

### Signature objects are assigned

For this template implementation, there is no need for specific signature objects.

## Create a Signature attribute type and flag the usage in the requested fields

In order to build the duration calculation and some average and sum calculations in the aggregate fact the following SA's must be created

START\_DATE

START\_TIME

TRANSACTION\_METRIC\_AVG

TRANSACTION\_METRIC\_SUMMABLE

And assign this

NUMBER_OF_SERVICE_REQUESTS	OTHER_ATTR, TRANSACTION_ME
PARKING_LOT_EXIT_TIME	OTHER_ATTR, SEC_END_TIME
PARKING_LOT_ENTER_TIME	OTHER_ATTR, SEC_START_TIME
NUMBER_OF_PRODUCT_INTERAC	OTHER_ATTR, TRANSACTION_ME
NUMBER_OF_STAFF_INTERACTIO	OTHER_ATTR, TRANSACTION_ME
SHOP_EXIT_TIME	OTHER_ATTR, END_TIME
SHOP_ENTER_TIME	OTHER_ATTR, START_TIME
VISIT_ID	UNIQUE_IDENTIFIER

### Create the template

Template definition, according to the standard that you want to use. An essential element here is the Signature Object naming. That name is used in the .dvt file containing the dimension template's definition. You might want or are needed to go for a different name if you have multiple implementations. But then you must adapt the template file accordingly and replace all the <signature object name> references with your chosen name.

In the example, we use FACT\_NHL\_SNAP, because this is a FACT based on an NHL and using Snapshot Dimension.

Ensure you have this use case's latest version from the following location: <a href="https://github.com/Vaultspeed/studio-templates">https://github.com/Vaultspeed/studio-templates</a>.

Each of our templates has its folder where the code resides.


Take the "Fact on NHL with Snapshot Dimension.dvt" file and upload it for the ETL template of this view.

## Fill in the Target Definition

The target definition is very specific to the template:

Signature Object	Signature Attribute
NHL	UNIQUE_IDENTIFIER
NHL	OBJECT_F_H_KEY
NHL	OTHER_ATTR
NHL	FOREIGN_KEY
NHL	LOAD_TIMESTAMP
NHL	RECORD_SOURCE
NHL	OBJECT_L_H_KEY
NHL	END_TIME
NHL	SEC_END_TIME
NHL	LOAD_CYCLE_ID
NHL	SEC_START_TIME
NHL	TRANSACTION_METRIC_AVG
NHL	TRANSACTION_METRIC_SUMMABLE
NHL	START_TIME

#### Add new attributes to enable the correct working of the template:



### Fill in the Dependency

Define on which NHL table this template must be implemented.

Example:

☐ Object Name (Linked)

☐ NHL\_VST\_VISITORS (NHL)