Audit sample evaluation

This report was created by R version 4.2.1 (2022-06-23 ucrt) and its package **jfa** (version 0.6.5). **jfa** is free software and you can redistribute it and or modify it under the terms of the GNU GPL-3 as published by the Free Software Foundation. The package is distributed in the hope that it will be useful, but without any warranty; without even the implied warranty of merchantability of fitness for a particular purpose.




Results

Table 1: Evaluation summary

	Samples	Misstatements	Taint	Estimate	95% Credible interval ¹	Precision	BF ₁₀ ²
Population	300	34	34	0.119	[0.088; 0.159]	0.039	76.836
1	100	20	20	0.200	[0.134; 0.289]	0.089	0.100
2	100	4	4	0.040	[0.016; 0.098]	0.058	3,173.205
3	100	10	10	0.100	[0.056; 0.175]	0.075	2.944

¹ The displayed credible interval is two-sided.



 $^{^2}$ For all tests, the alternative hypothesis H_1 specifies that misstatement $\neq 0.2$.

Citation

```
##
## To cite jfa in publications, please use:
##
##
     Derks, K. (2022). jfa: Statistical methods for auditing. R package version
0.6.5.
##
## A BibTeX entry for LaTeX users is
##
     @Manual{,
##
       title = {jfa: Statistical methods for auditing},
##
       author = {Koen Derks},
##
##
       year = \{2022\},\
       note = {R package version 0.6.5},
##
       url = {https://CRAN.R-project.org/package=jfa},
##
##
     }
```