IDEA for teachers

Tutorial for Justice

Kolibri · Nextcloud · Wikipedia offline · Files Disk · Backup · Console

Draft, October 2026


Contents

2. Getting connected and opening an app 3
3. Kolibri for teachers 5
4. Kolibri for learners (try it yourself) 20
5. Nextcloud for teachers 25
6. Nextcloud for learners (try it yourself) 33
7. Wikipedia offline (Kiwix) 36
8. Bringing your own content (Files Disk) 39
9. Keeping data safe: the Backup Disk (concepts) 46
10. Console basics 54
11. Operator basics 55
Appendix: demo accounts 62


2. Getting connected and opening an app

You need: a phone, tablet or laptop with a web browser, and the school's IDEA Wi-Fi.

1. Connect your device to the IDEA Wi-Fi (name and password: **to confirm** per school; ask your IDEA contact).
2. Open the browser and go to the Console address your IDEA contact gives you. The Console opens on the **Apps** page: one card per app (Kiwix, Kolibri, Nextcloud, ...). The green dot at the top shows the Console is connected to the IDEA box.



3. Find the card of the app you need and click its blue **Open** button. The app opens in a new tab. Here: Kolibri's sign-in page.



Important: - A card that is greyed out and says **Not available** is not running. Do not try to fix it: tell your IDEA contact or the school operator. - Do not type numbers (ports) into the address bar. Always use **Open** in the Console. - The Console has an operator area (person icon, **Operator Login**). Teachers do not need it.


Tip: you can bookmark the page that opens. If the bookmark stops working, go back to the Console and use **Open** again.

3. Kolibri for teachers

Demo: school (facility) `demo-School`, teacher `demo_teacher1`, class `demo-Grade5A`, channel **Khan Academy (English - US curriculum)** > Math by grade > 5th grade > Add and subtract fractions.


Signing in

1. Open Kolibri from the Console (chapter 2). Type your username and click **NEXT**, then type your password.




K1. Create a class

Creating classes needs a Kolibri admin account (in the demo, `demo_teacher1` is admin and coach). 1. Open **Facility** > **CLASSES**. You see the list of classes.




2. Click **NEW CLASS**, type the class name, click **SAVE**. (In the demo we pressed CANCEL because `demo-Grade5A` already exists.)




K2. Enroll learners


1. Click the class name. The class page lists **Coaches** and **Learners**. Click **ENROLL LEARNERS**.



2. The list only shows learners who are not yet in the class. Tick each learner (here: Learner Three), then click **CONFIRM**.




3. The learner now appears under Learners.



Facility
demo_teacher1
CLASSES
USERS
SETTINGS
DATA
All classes
demo-Grade5A
Rename
Manage class coaches and learners
Coaches
ASSIGN COACHES
Full name
Username
Teacher One
Admin
demo_teacher1
REMOVE
Learners
ENROLL LEARNERS
Full name
Username
Learner One
demo_learner1
REMOVE
Learner Three
demo_learner3
REMOVE
Learner Two
demo_learner2
REMOVE

K3. Make a lesson and show it to the class


A good lesson has 3 videos (explain) and 3 exercises (practise). 1. Open **Coach**, choose the class, click **PLAN** > **LESSONS** > **NEW LESSON**.




2. Type a title (`demo-Fractions lesson`). Under **Recipients** keep **Entire class**. Click **SAVE CHANGES**.




3. On the lesson page, click **MANAGE RESOURCES**.




4. Choose the channel, then click through Math by grade > 5th grade > Add and subtract fractions.






5. Open "Adding and subtracting fractions with unlike denominators". Tick 3 videos and 3 exercises (exercises say "Practice ..."). Each tick is saved straight away; a message "resources added" appears. Click **CLOSE** when done.




6. Back on the lesson page, check the 6 resources and switch on **Visible to learners**.



Coach – demo-Grade5A
demo_teacher1
CLASS HOME
REPORTS
PLAN
All lessons
demo-Fractions lesson
Created 8 minutes ago
OPTIONS
Visible to learners
Recipients
Entire class
Description
Resources
MANAGE RESOURCES
Adding fractions with unlike denominators introduction
Khan Academy (English - US curriculum)
REMOVE
Adding fractions with unlike denominators
Khan Academy (English - US curriculum)
REMOVE
Subtracting fractions with unlike denominators introduction
Khan Academy (English - US curriculum)
REMOVE
Add fractions with unlike denominators
Khan Academy (English - US curriculum)
REMOVE
Subtracting fractions with unlike denominators
Khan Academy (English - US curriculum)
REMOVE
Add and subtract fractions
Khan Academy (English - US curriculum)
REMOVE

K4. Make a quiz


Quizzes are built from exercises only. 1. **PLAN** > **QUIZZES** > **NEW QUIZ**.




2. Type a title (`demo-Fractions quiz`) and the **Number of questions** (6). Browse to Add and subtract fractions and tick a folder (or single exercises). Click **CONTINUE**.



3. **Preview quiz**: check the questions, choose **Randomized** or **Fixed** order, click **FINISH**.




4. The quiz is not open yet. When the class is ready, click **START QUIZ** and then **CONTINUE**. Later use **End quiz** (Options; **to confirm** wording) to close it.




K5. See progress (Reports)


Do this after learners have worked (chapter 4). 1. Click **REPORTS**. Tabs: LESSONS, QUIZZES, GROUPS, LEARNERS.




2. **LESSONS** > the lesson > **LEARNERS**: who completed, started or did not start.



3. **QUIZZES** > the quiz: status and score per learner; **DIFFICULT QUESTIONS** shows what to re-teach.



4. **LEARNERS** > a name: that learner's lessons and quizzes.



Reports can be printed or exported as CSV (icons top right). Tip: do not chase 100%. Look for the question most learners got wrong and teach it again.


4. Kolibri for learners (try it yourself)

Sign in as a learner in a second browser window (private window) to see exactly what your class sees. On the demo school, learners sign in with their **username only, no password** (facility setting; check your school's setting).


> **Note on passwords.** The demo learners sign in without a password. A school can turn learner passwords on: sign in as a Kolibri admin, open **Facility** > **SETTINGS**, tick **Require password for learners**, then click **SAVE CHANGES**. (Setting name from the Kolibri 0.15.5 source code; not yet clicked on IDEA.) Learners who have no password yet then need one set by the admin.

S1. Do a lesson


1. Sign in as `demo_learner1`. **HOME** shows Your classes, Recent lessons and Recent quizzes.




2. Click **demo-Fractions lesson**. The 6 items are listed in order.



3. Watch the first video.




4. Open an exercise, type an answer, click **CHECK**. Keep going until the exercise is complete ("5 correct" goal shown at the top).




5. Sign out. Sign in as `demo_learner2` and open only one video, so the report shows a difference.

S2. Take a quiz


1. Open the quiz from **Recent quizzes** (or the class page).




2. Answer each question and use **NEXT** / **PREVIOUS**. The list on the left shows answered questions.



3. Click **SUBMIT QUIZ** and confirm. After submitting, answers cannot be changed.






Now go back to the teacher window and look at Reports (K5).


5. Nextcloud for teachers

Demo: `demo-teacher1`, groups `demo-Grade5A` (class) and `demo-teachers`. Office documents open in **Nextcloud Office (Collabora)**. Open Nextcloud from the Console (chapter 2) and sign in. Click **Files** at the top.




N1. Share worksheets with the class (view only)

1. Next to the folder `demo-Worksheets`, click the share icon (**Show sharing options**). The right panel opens on **Sharing**.




2. In **Internal shares** ("Share with accounts and teams"), type `demo-Grade5A` and pick the group.
3. Set the permission to **View only**. The group then appears under Internal shares.




Learners now see the folder but cannot change or delete files.

N2. Write a document together


1. Click **+ New** > **New document**.




2. Type a name (`demo-Lesson plan`) and click **Create**.




3. Pick a template (Blank is fine) and click **Create**.



4. Share the file with `demo-teachers` and/or your class group, with editing allowed.




5. The document opens in Nextcloud Office. When others open it at the same time, you see their names and cursors.



File
Home
Insert
Layout
References
Review
Format
Form
View
Help
demo-Lesson plan.docx
Paste
Carlito
12 pt
Comment
Default Paragr
Body Text
Heading 2
Heading 3
Explore The New 24.04.13.2
Collabora Online Development Edition
Enjoy the latest developments in online productivity, free for you to use, to explore and to use with others in the browser. Various apps are also available for mobile.
Search
Page 1 of 1
0 words, 0 characters
English (USA)
100%


N3. Collect homework (File drop)

Learners upload work, but cannot see each other's work. 1. Open sharing for folder `demo-Drop Zone`.




2. Under **External shares**, click **+** next to **Create public link** and choose **File request** (upload only). Copy the link.






3. Give learners the link (write it on the board or send it in Talk). Uploaded files appear in your `demo-Drop Zone` folder.




6. Nextcloud for learners (try it yourself)

S3. Open class files and co-edit


1. Sign in to Nextcloud as `demo-learner1` (private window). Shared folders and files appear in **Files** with the teacher's name.



2. Open `demo-Worksheets`: the learner can open and download the worksheets, not change them.




3. Open `demo-Lesson plan.docx`: it opens in Nextcloud Office and the learner can type.




S4. Hand in homework

1. Open the File drop link from N3. The page says **File drop** and shows an **Upload** button; the learner cannot see other files.



2. Click **Upload** and choose the file (e.g. a photo of written work). If asked, type your name.




The teacher sees the file in `demo-Drop Zone` (N3).

7. Wikipedia offline (Kiwix)

The demo has **Wikipedia in simple English** (text, no pictures). It works without internet.

W1. Look something up and use it in class


1. Open Kiwix from the Console (chapter 2). The library shows the books available.



2. Click **Wikipedia in simple English**. Its welcome page opens.



3. Type in the search box at the top, e.g. `Fraction`. Pick a result.



Results **1-25** of **514** for **"Fraction"**

Fraction (mathematics)
A **fraction** is a number that shows how many equal parts there are. When we write fractions, we show one number with a line above (or a slash next to) another number.[1][2] For example, 1 4 {\displaystyle {\tfrac {1}{4}}} , 1⁄4 and 1/4.are different ways of writing the same **fraction** (in this case a quarter). The top number tells us how many parts there are, and the bottom number tells us the total number of parts.[3] Names Almost every **fraction** can be read as an ordinal number, with a few.....
from Wikipedia in simple English
816 words

Fractional distillation
...a "**fraction**") of the mixture can be kept apart from the other chemicals. Different chemicals have different boiling points. Fractional distillation is done by heating the mixture so that it evaporates and then each **fraction** condenses in its own separate compartment. The reason we don't use simple distillation is because for liquids that boil at less than 25 °C from each other, some of the other liquid(s) may evaporate and so part of the separated liquid may have part of the other liquid(s). A.....
from Wikipedia in simple English
304 words

Fraction
...**fraction**. Not to be confused with Faction. In common usage a **fraction** is any part of a unit. **Fraction** may also mean: **Fraction** (mathematics), a quotient of numbers, e.g. "¾"; or, more generally, an element of a quotient field **Fraction** (chemistry), a quantity of a substance collected by the separation process known as fractionation **Fraction** (religion), the ceremonial act of breaking the bread during Christian Communion **Fraction** (politics), a parliamentary party **Fraction** (comic), a short-lived.....
from Wikipedia in simple English
104 words

Number Forms
...The **fraction** two thirds. U+2154 ⅔ 2⁄5 The **fraction** one fifth. U+2155 ⅕ 1⁄5 The **fraction** two fifths. U+2156 ⅖ 2⁄5 The **fraction** three fifths. U+2157 ⅗ 3⁄5 The **fraction** four fifths. U+2158 ⅘ 4⁄5 The **fraction** one sixth. U+2159 ⅙ 1⁄6 The **fraction** five sixths. U+215A ⅚ 5⁄6 The **fraction** one eighth. U+215B ⅛ 1⁄8 The **fraction** three eighths. U+215C ⅜ 3⁄8 The **fraction** five eighths. U+215D ⅝ 5⁄8 The **fraction** seven eighths. U+215E ⅞ 7⁄8 A **fraction** with one as the.....
from Wikipedia in simple English
594 words


Algebraic fraction
...**fraction** An algebraic **fraction** is a **fraction** where the top and the bottom are algebraic expressions. Two examples of algebraic fractions are 3 x x 2 + 2 x − 3 {\displaystyle {\frac {3x}{x^{2}+2x-3}}} and x + 2 x 2 − 3 {\displaystyle {\frac {\sqrt {x+2}}{x^{2}-3}}} . A rational **fraction** is an algebraic **fraction** where the top and the bottom are polynomials. 3 x x 2 + 2 x − 3 {\displaystyle {\frac {3x}{x^{2}+2x-3}}} is a rational **fraction**, but x + 2 x 2 − 3 {\displaystyle {\frac {\sqrt {x+2}}.....
from Wikipedia in simple English
249 words

Mixed number
...**fraction** instead, it would be 15/4, or "fifteen quarters." A mixed number (also called a mixed **fraction**) is a number which contains a whole number and a **fraction** added together. For instance 1 ½, in words "one and a half", is the same as 1 + ½, or "one plus one half." This rational number can also be written as the **fraction** 3 2 {\displaystyle {\frac {3}{2}}} or with decimal notation as 1.5. Usage Mixed numbers are the main way of writing ratios larger than 1 in primary education. They are also.....
from Wikipedia in simple English
452 words

Partial fraction decomposition
...**fraction** decomposition Partial **fraction** decomposition is taking a big algebra **fraction** and splitting it into a bunch of smaller fractions that are added together. Partial fractions are used to get the antiderivatives of algebra fractions. In math writing, we're turning this: f (x) g (x) {\displaystyle {\frac {f(x)}{g(x)}}} Into this: f 1 (x) g 1 (x) + f 2 (x) g 2 (x) + f 3 (x

Fraction (mathematics)

A **fraction** is a number that shows how many equal parts there are. When we write fractions, we show one number with a line above (or a slash next to) another number.[1][2] For example, $\frac{1}{4}$, ¼ and **1/4**.are different ways of writing the same fraction (in this case a quarter). The top number tells us how many parts there are, and the bottom number tells us the total number of parts.[3]



A cake with one quarter removed. The remaining ¾ of the cake has been divided into two pieces.

Names

Almost every fraction can be read as an ordinal number, with a few exceptions.

$\frac{1}{2}$ is always read as "one half."

$\frac{1}{4}$ is sometimes read as "one quarter."

$\frac{1}{100}$ is sometimes read as "one percent."

Aside from those, fractions are read as ordinal numbers. $\frac{1}{5}$ is read as "one fifth," $\frac{1}{27}$ is read as "one twenty-seventh," and $\frac{1}{512}$ is read as "one five hundred twelfth."

Numerators and denominators

.

The top part of a fraction (example: **1**/4) is called the **numerator**. Numerators can be any real numbers. The numerator can be on the top or to the left when writing fractions. The bottom part of a fraction (example: 1/**4**) is called a **denominator**. This number cannot be zero. It is on the bottom or on the right when writing fractions.

Fraction dice

4. Follow blue links to related articles.

Real number

A **real number** is a rational or irrational number, and is a number which can be expressed using decimal expansion. When people say "number", they usually mean "real number". The official symbol for real numbers is a bold **R**, or a blackboard bold $\mathbb{R}$.[1][2][3]

Some real numbers are called positive. A positive number is "bigger than zero". Real numbers can be thought of as an infinitely long ruler. There is a mark for zero and every other number, in order of size. Unlike a physical ruler, there are numbers below zero. These are called negative real numbers. Negative numbers are "smaller than zero". They are like a mirror image of the positive numbers, except that they are given minus signs (–) so that they are labeled differently from the positive numbers.

There are infinitely many real numbers, because there is no smallest or biggest real number. No matter how many real numbers are counted, there are always more which need to be counted. There are no empty spaces between real numbers, which means that if two different real numbers are taken, there will always be a third real number between them. This is always true no matter how close together the first two numbers are.

If a positive number is added to another positive number, then that number gets bigger. If zero, which is also a real number, is added to a number, then that number does not change. If a negative number is added to another number, that number gets smaller.

The real numbers are uncountable, which means that there is no way to put all the real numbers into a sequence. Any sequence of real numbers will miss out a real number, even if the sequence is infinite. This makes the real numbers special, because even though there are infinitely many real numbers and infinitely many integers, there are "more" real numbers than integers. This is often expressed by saying that the integers are *countable* and that the real numbers are *uncountable*.

Some simpler number systems are inside the real numbers. For example, the rational numbers and integers are all in the real numbers. There are also more complicated number systems than the real numbers, such as the complex numbers.[2] Every real number is a complex number, but not every complex number is a real number. Similarly, 3/7 is a rational number but not an integer.

Different types of real numbers

There are different types of real numbers. Sometimes all the real numbers are not talked about at once. Sometimes only special, smaller sets of them are talked about. These sets have special names. They are:

- *Natural numbers*: These are real numbers that have no decimal and are bigger than zero.
- *Whole numbers*: These are positive real numbers that have no decimals, and also zero. Natural numbers are also whole numbers.

Classroom idea: give learners 3 questions to answer from one article; they read on their own device.

8. Bringing your own content (Files Disk)

An operator prepares a Files Disk in the Console (F1); teachers then use it in Nextcloud (F2).

What a Files Disk is

- A USB stick or disk that the operator turns into a shared file store in the Console. It shows the **files** badge.
- Its folder (for example **School Files**) appears inside **Nextcloud**. In version 1 it is available **only in Nextcloud**, not in Kolibri.
- **Backups do not cover Files Disk content** in version 1. Keep your own copy of important files.


F3. Can I put my own files into Kolibri?


Not directly. Kolibri only imports ready-made **Kolibri channels** (from Kolibri Studio online, another Kolibri server, or a drive with a channel exported from another Kolibri). Your own videos/PDFs must first be built into a channel on Kolibri Studio, which needs internet and an account. On our IDEA setup, Kolibri does not see USB disks or the Files Disk, so "Import from attached drive" is not available today. Use Nextcloud for your own files, and Kolibri for the prepared lessons.

Note (not yet tested on IDEA): Kolibri can also copy channels from **another Kolibri server on the same local network**, without internet (Device > Channels > Import > "Local network or internet", enter the other server's address). Both servers need Kolibri 0.11 or later. This only moves ready-made Kolibri channels, not your own files. Source: Kolibri docs, "Import from a local network or internet".


F1. Making a Files Disk (operator, captured 2026-10-12, run did not finish)

1. Select the new disk (UNFORMATTED badge), click **Make this a Files Disk**. The panel **MAKE THIS A FILES DISK** asks for a **SHARE NAME** and offers **Erase the disk first** ("Removes everything on it, then makes it a Files Disk").
2. The confirmation **Erase ?** shows model, size and contents. Type the disk name exactly, then click **Erase and make a Files Disk**.






3. **Known issue (being fixed):** in Console v0.2.85 the erase can finish correctly while the Console says "Erase finished but the disk did not come back as empty" and the disk disappears from the list. The erase did work; an Engine bug hides the disk afterwards, and it reappears as an empty **IDEA Disk** once the IDEA team has restarted detection. If you see this message: do **not** erase again and do not unplug the disk. Call your IDEA contact.




F1 on a disk that is already an empty IDEA Disk (captured 2026-10-12, completed)


1. Select the **IDEA Disk** marked **empty**. The view asks "What would you like to do with this disk?": **Make this a Files Disk**, **Make this a Backup Disk**, **Install App**, and **Erase this disk…** at the bottom.



2. Click **Make this a Files Disk**. The panel explains "Nothing on the disk is erased", with **SHARE NAME** pre-filled as **School Files**. Click **Make this a Files Disk**. (The red **Erase the disk first** is only for disks with other content.)




3. After a short wait the disk shows the **files** badge, "Share name: School Files", free space (here 119.0 GB free of 125.4 GB), an **Eject** button and **Erase this disk…**.




F2. Using the Files Disk in Nextcloud (captured 2026-10-13)


1. In the Console, the Files Disk view now says **"Available in: Nextcloud (…)"**, with the share name, free space, **Eject** and **Erase this disk…**.




2. In Nextcloud (as a teacher), **Files** shows a folder **School Files** (marked as External storage in the left menu).




3. Open **School Files** to see what is on the disk. Files copied onto the disk (here `demo-Fractions-Worksheet-1.pdf`) appear here.



4. To share a file with a class: on the file's row click ··· (Actions) > **Show sharing options** (or the share icon). In **Internal shares**, type the class group name (here `demo-Grade5A`), choose it from the list, keep **View only** and save. The group then appears under Internal shares and the row shows "Shared with group demo-Grade5A".



5. A learner in that group (here `demo-learner1`) signs in and finds the file in **All files** (and under Recently shared).



Only teachers see the **School Files** folder; learners get only the files that are shared with them.

Reminder: in version 1 a Files Disk is for **Nextcloud only** (not Kolibri), and **backups do not cover Files Disk content** (the Backup Disk links app instances only). Keep your own copy of important files.


9. Keeping data safe: the Backup Disk (concepts)

Making and restoring backups is done by the operator and practised on a test Pi. Teachers should know: - A **Backup Disk** is a separate disk with the **backup** badge in the Console. - It saves the **apps' data**: Kolibri (classes, learners, progress) and Nextcloud (accounts, files inside Nextcloud). - It does **not** save Files Disk content (version 1). - During a backup, the app stops for a short time and then starts again. Plan backups outside lesson time. - If a Pi breaks, the operator restores the latest backup onto a new disk. You lose only what was done after the last backup. - Never unplug a disk while a backup is running. If it happens, the backup restarts next time the disk is connected. How often the school backs up (each time the disk is plugged in, or on request): **to confirm** per school.


Hands-on (operator, captured on the demo box 2026-10-12/13)

B2. Make a Backup Disk


1. Plug in a spare disk. If it is new, it first has to become an empty **IDEA Disk** (chapter 8, Erase).
2. Select the **IDEA Disk** marked **empty** and click **Make this a Backup Disk** ("Link instances and choose a backup schedule").




3. Choose when backups run: **On demand** (only when you press **Back up**; used in the demo), **Immediate** (as soon as the disk is docked) or **Scheduled**.



4. Under **LINK TO INSTANCES**, tick only the school apps to protect (demo: **kolibri-1.0** and **nextcloud-1.0-31.0.1**). Leave other apps unticked.




5. Click **Configure Backup Disk**. The disk gets the **backup** badge and a **Backups** list: each linked app, "Never backed up", and **Restore**.




B3. Run a backup


1. In **ALL APPS**, each linked app row has a **Back up** button next to Start / Stop / Open. Click it for Kolibri.



2. The app stops for a short time while it is copied, then starts again. On the Backup Disk the app shows **Operation in progress**. Do this outside lesson time.




3. When it is done, the Backups list shows **Last backup:** (demo: Kolibri 8:46, Nextcloud 8:49, about 3 minutes each). Repeat for Nextcloud.



4. The **OPERATIONS** box at the top keeps old messages (in the demo: failed attempts from the day before, when the backup tool was not yet installed). Check the **Last backup** time, not old messages. Close old messages with ×.

B4. Restore after a crash


1. On the Backup Disk, each app in the **Backups** list has a **Restore** button.




2. Restore needs a **target disk**: a spare, empty IDEA Disk to put the app on. On the demo box it says **"No available target disks."** because the only other disks are the Files Disk and the System Disk, and the Console does not offer those as targets.
3. With a spare empty IDEA Disk plugged in, choose it as the target and confirm (**to confirm**: not tried yet; by design the latest backup is unpacked onto the target disk and the app runs from there). Never restore onto a disk that holds other apps you need.

B4 attempt on the demo box (2026-10-13): preparing a target disk


To get a target disk, the operator erased the 128 GB Files Disk (**Erase this disk…** on the Files Disk view). 1. The Files Disk view shows the share name, free space, **Eject** and **Erase this disk…**.




2. The dialog **Erase IDEA Disk?** shows size (125.4 GB), filesystem, number of files and a red warning. Check the size: this must not be the Backup Disk or the System Disk.



3. Type the disk name exactly as written (**IDEA Disk**, not in capitals) to enable **Erase this disk**.



4. On the demo box the disk then disappeared from the list (the Engine bug described in chapter 8). The restore was stopped here; the original apps kept running on the System Disk.




The restore steps after this point are **to confirm** once the IDEA team has fixed the bug.

10. Console basics

C1. Read the Console

1. The **Apps** page shows one card per app with a short description and a category (education, office, ...).



2. A card with a blue **Open** button is running. A greyed-out card with **Not available** is not.
3. The green dot and address at the top show the Console is connected to the IDEA box. Orange "Connecting..." means wait a moment.

C2. App not running?

Do not try to start it. Note the app name and tell your operator.

C3–C4. Operator area

The icons top right (plug: Connection Management, person: Operator Login, clipboard: Command History, gear: Settings) are for operators. The disk view (Network, disks, Eject, Erase, Install) is only visible after **Operator Login** and is **not** covered in this teacher guide (**to confirm** with Steve whether to show it).

11. Operator basics


For the school's IDEA operator, not for every teacher. Console v0.2.85 on the demo box. Everything here is **look only**: do not press Start, Stop or other action buttons unless your IDEA contact asks you to.

O1. Operator Login

1. In the Console, click the person icon (top right). The **Operator Login** panel opens with a username and a password field (the eye icon shows/hides the password).




2. Type the operator username and password, click **Log in**. The **Account** panel then shows your name, role **Operator**, **Change Password**, **Manage Operators** and **Log out**.




3. **On a real school deployment, change the default operator password straight away** (Account > Change Password: current password, new password twice, **Change password**). Keep the new password with the school head, not on a sticker on the box.
4. Close the panel with ×. Use **Log out** in the same panel when you are done.

O2. The Network view: Engine and disks


1. After login the left side shows **NETWORK**: **ALL APPS**, then the IDEA box (Engine, here `wizardly-hugle`, with an **Online** status) and its disks.



2. Click the Engine name to select it.




3. Click a disk (here **System Disk**). Each disk shows role badges: **app**, **backup**, **files**, **empty**. The right side lists the **Apps** on that disk with a count.



O3. App status


1. Each app row shows the app name and version (e.g. `kolibri-1.0`), a coloured status dot, and buttons **Start**, **Stop** and **Open ↗**.
2. Click the status dot (**Show details**) to see: STATUS (e.g. **Running**), VERSION, ENGINE, PORT, CREATED, LAST STARTED, **LAST BACKUP** (e.g. "Never"), the description, a short log, and CONTAINER METRICS (CPU, memory, network, disk).



3. Only Start or Stop an app when your IDEA contact asks you to. Never touch **MilkWise** or other non-school apps.

O4. Command History

1. The clipboard icon (top right) lists recent Engine commands (for example `startInstance`, `installApp`) with ✓ (done) or ✗ (failed) and how long ago. Use it when you report a problem.




O4b. The ↺ button is REBOOT


The small ↺ next to the Engine name is **Reboot engine** (it restarts the whole IDEA box). Never press it during lessons.

O4c. A new (unformatted) USB disk

1. A new disk appears under the Engine with its model and size and an **UNFORMATTED** badge (e.g. "INTENSO SSD 256 GB — 256.1 GB").




2. Its view shows Model, Size, "Contents unknown until the disk is erased into an empty IDEA disk", and two buttons: **Make this a Files Disk** and **Erase this disk…**.
3. **Erase this disk…** opens a confirmation with the disk name, model, size and contents, the red warning "This erases everything on the disk…", and a box **TYPE TO CONFIRM**. The **Erase this disk** button stays grey until the name is typed exactly. Press **Cancel** if anything looks wrong.



Note: the dialog shows model and size but **not the serial number**. If two identical disks are plugged in, unplug one before erasing.

O5. Safely ejecting a disk

The **System Disk** (the box's own disk) has no Eject button. A USB IDEA Disk has a small ⏏ icon next to its name in the Network list, and an **Eject** button in its disk view (below the disk details, above **Erase this disk…**). Eject lists what will stop before you confirm (**to confirm**: not clicked on the demo box). Never eject or unplug during a backup.



O6. Dangerous buttons

Erase this disk…, **Install App**, **Make this a Files/Backup Disk**, **Stop**: only with your IDEA contact on the phone. (Erase and Make this a Files Disk appear only on non-system disks; confirmed on a spare disk. The System Disk has neither.)

O7. Backup and restore (later)

See chapter 9 (hands-on): Make this a Backup Disk, On demand / Immediate / Scheduled, LINK TO INSTANCES, **Back up** button on each linked app row, **Restore** on the Backup Disk (needs a spare target disk). The **LAST BACKUP** line in app details (O3) shows when an app was last backed up.

Appendix: demo accounts

> Real accounts on wh (2026-10-12): Kolibri uses UNDERSCORES (demo_teacher1, demo_learner1-3, facility demo-School, learners sign in without password); Nextcloud uses hyphens. Created by **Atlas** before capture, removed by Atlas after. All carry the `demo-` prefix. Passwords: set by Atlas, kept out of this file and out of screenshots. Facility/site names on wizardly-hugle: **to confirm** (Atlas).

Username	App	Role	Class / group	Used in
demo_teacher1	Kolibri	Facility admin + coach	demo-Grade5A	K1–K5, W1
demo_learner1	Kolibri	Learner	demo-Grade5A	S1, S2
demo_learner2	Kolibri	Learner	demo-Grade5A	S1, S2 (2nd data point in reports)
demo_learner3	Kolibri	Learner	demo-Grade5A (enrolled live in K2)	K2
demo-teacher1	Nextcloud	User (no admin)	groups: demo-Grade5A, demo-teachers	N1–N3
demo-teacher2	Nextcloud	User (no admin)	group: demo-teachers	N2 co-editing
demo-learner1	Nextcloud	User	group: demo-Grade5A	S3, S4
demo-learner2	Nextcloud	User	group: demo-Grade5A	S3 (2 avatars in collab doc)
demo-operator	Console	Console viewer (no fixture login today; **to confirm** whether Console has accounts at all)	—	C1–C3, ch. 2

Kolibri objects created during capture (also prefixed): class `demo-Grade5A`; lesson `demo-Fractions lesson` (3 videos + 3 exercises from Khan EN-US "Add and subtract fractions"); quiz `demo-Fractions quiz`. Nextcloud objects: folders `demo-Worksheets` (view-only share to demo-Grade5A), `demo-Drop Zone` (file request link), document `demo-Lesson plan` (edit share to demo-teachers + demo-Grade5A). Notes: demo-learner3 exists but is NOT enrolled before K2. Kolibri Coach vs Facility coach role: **to confirm** with Atlas (class coach is enough for K1? creating a class needs Admin → if so demo-teacher1 = Facility admin, **to confirm**). Cleanup by Atlas: delete all demo-* users, class, lesson, quiz, folders, shares and the file request link.