

Snapshot APIs

Last updated: Sep. 26, 2025

About CrowdStrike APIs

CrowdStrike provides use cases and example requests and responses for interacting with a specific set of our OAuth2-based APIs. For general info about CrowdStrike APIs, see [CrowdStrike OAuth2-Based APIs \[documentation/page/a2a7fc0e/crowdstrike-oauth2-based-apis\]](#), which covers these topics:

- Details on getting started, such as authentication and API scopes
- Domains used in base URLs by cloud
- Links to our Swagger API specification by cloud

About the Snapshot APIs

Snapshot provides agentless protection of Linux AWS EC2 instances by detecting installed applications, OS-level and software composition analysis (SCA) vulnerabilities, malware, and vulnerable running containers.

A common use case for these APIs is to use them as a step in an Amazon Machine Image (AMI) build process to detect vulnerabilities and malware in the AMI. For example, you could follow this process:

1. Build the AMI.
2. Run the AMI as an EC2 instance in an isolated account with Snapshot enabled.
3. Use the API to run a Snapshot scan for the instance ID.
4. Use the API to determine when the scan is finished.
5. Stop the EC2 instance.
6. Use the API to retrieve the scan results.

This doc covers some common use cases for Snapshot scanning. For documentation about all Snapshot API endpoints, see [Accessing the CrowdStrike API specification \(Swagger\) \[documentation/page/a2a7fc0e/crowdstrike-oauth2-based-apis#w3ded7bf\]](#).

Example requests and responses

The examples provided in this document are designed as a reference to help you properly structure your requests and see what a successful response looks like. They do not use client information or valid account values. For request fields that require account-specific data, such as an account ID, replace the value given in the example with your own.

Examples in this guide use the base URL for US-1:

US-1: `https://api.crowdstrike.com`

If you use another CrowdStrike cloud environment, substitute your cloud's base URL:

- US-2: `https://api.us-2.crowdstrike.com`
- EU-1: `https://api.eu-1.crowdstrike.com`

Prerequisites

Enable Snapshot in your AWS accounts

Before using the Snapshot APIs to perform a scan, you must enable Snapshot management for each AWS account where you want to perform Snapshot scans. For info, see [Enable Snapshot Management \[documentation/page/c8b31ee8/enable-snapshot-management\]](#).

To interact with the APIs covered in this guide, your API client credentials must have the following scopes enabled:

- Snapshot:
 - Read: Get Snapshot scan results
 - Write: Launch Snapshot scans

API clients are managed through [Support and resources > Resources and tools > API clients and keys \[/api-clients-and-keys\]](#) in the Falcon console.

Endpoint

POST /snapshots/entities/deployments/v1

Snapshot: Write

Name	Type	In	Description
resources	array[object]	body	An array of deployments to launch.
resources[].asset_identifier	string	body	The identifier of the instance to scan. For example, the EC2 instance identifier "i-000000000000".
resources[].account_id	string	body	The account identifier that contains the instance to scan. For example, the AWS account id "12xxxxxxxx12".
resources[].cloud_provider	string	body	The cloud provider for instance. For example, "aws".
resources[].region	string	body	The region for the cloud provider. For example, "us-east-1".

[illegible]

```
{
  "meta": {
    "query_time": 0.390588972,
    "powered_by": "snapshotapi",
    "trace_id": "fd8c360d-c8f9-41d0-8778-f42fe37d1f1b"
  },

```

```
"resources": [
  {
    "id": "12xxxxxxx-xxxx-xxxx-xxxx-xxxxxxx12",
    "instance_type": "EC2 Instance",
    "asset_identifier": "i-000000000000",
    "account_id": "12xxxxxxx12",
    "cloud_provider": "aws",
    "region": "us-east-1",
    "last_updated_timestamp": "2024-02-29T19:23:06Z",
    "status": "In progress",
    "status_detail": ""
  }
],
"errors": []
}
```

Check snapshot scan status

Endpoint

GET /snapshots/entities/deployments/v1

Required API client scope

Snapshot: Read

Parameters

Name	Type	In	Description
ids	uuid	query parameters	The deployment ID. This is returned in the response from POST /snapshots/entities/deployments/v1.

Example Request

```
curl -X GET 'https://api.crowdstrike.com/snapshots/entities/deployments/v1?ids=ae63...82a2' \
-H 'Accept: application/json' \
-H 'Content-Type: application/json' \
-H 'Authorization: bearer eyJhbGciOi4xYg1NNI' \
```

Example Response

```
{
  "meta": {
    "query_time": 0.321387,
    "powered_by": "snapshotapi",
    "trace_id": "e20a8fd0-8c82-4e5d-89c5-1cee68e2576d"
  },
  "resources": [
    {
      "id": "12xxxxxxx-xxxx-xxxx-xxxx-xxxxxxx12",
      "instance_type": "EC2 Instance",
      "asset_identifier": "i-000000000000",
      "account_id": "12xxxxxxx12",
      "cloud_provider": "aws",
```

Get a snapshot scan report

Endpoint

```
GET /snapshots/entities/scanreports/v1
```

Required API client scope

Snapshot: Read

Parameters

Example Request

Example Response

<https://falcon.crowdstrike.com/documentation/page/j4665bac/snapshot-apis>

```
    }
  ],
  "containers": [
    {
      "snapshot_coverage": true,
      "cid": "",
      "id": "1d7aadda305e9e511185ea8984e64425af67c3baf3a4897a2c34a17ac2c43704",
      "agents": [
        {
          "aid": "snapshot",
          "build": "0.19.0",
          "type": "Snapshot"
        }
      ],
      "created_at": 1711477300751609920,
      "image_digest":
"sha256:1d74239810c19ed0dbb317acae40974e673865b2d565a0d369e206159d483957",
      "image_id":
"sha256:9a510ccf1de48ea42deda2ba725003ee6afe292ee768d7af30051eefdc2e0572",
      "image_repo": "postgres",
      "image_tag": "alpine",
      "name": "/amazing-taussig",
      "node_id": "00000000-0000-0000-0000-000000000000",
      "pod_id": "00000000-0000-0000-0000-000000000000",
      "port_list": [
        {
          "port": "5432",
          "protocol": "TCP"
        }
      ],
      "run_as_root_user": true,
      "running_status": true
    }
  ],
  "os_version": "Amazon Linux 2",
  "elf_binaries": [
    {
      "path": "/boot/grub2/i386-pc/acpi.mod",
      "hash": "913f24e0b058c1f55e148515bafea7c72b175dd7af29f89f1eb7ae7c037d5a51",
      "size": 10836,
      "permissions": "0644"
    }
  ]
},
"job_metadata": {
  "job_id": "db8a9dbc-c255-48e9-976b-b74b4e6e6548",
  "instance_id": "i-000000000000",
  "cloud_provider": "aws",
  "status": "done",
  "message": "",
  "job_start_time": "2024-02-29T19:23:06Z",
  "job_end_time": "2024-02-29T19:23:06Z",
  "scanner_version": "0.19.0"
},
"os_info": {
  "Name": "Amazon Linux",
  "Version": "2"
},
"ApplicationPackages": [],
"Vulnerabilities": [
  {
    "Vulnerability": {
      "CVEID": "CVE-2023-5535",
      "Product": {
        "CPE": "",
```

```

        "PlatformType": "a",
        "Vendor": "Amazon Linux",
        "Product": "vim",
        "MajorVersion": "9.0.1592-1.amzn2.0.1",
        "SoftwareArchitecture": "src",
        "HardwareArchitecture": "",
        "UpdateKBs": {
            "Items": null,
            "Hash": ""
        },
        "PackageProvider": "RPM",
        "PackageSource": "vim-9.0.1592-1.amzn2.0.1.src.rpm",
        "PackageHash": "",
        "SubStatus": "",
        "CreatedTimestamp": "0001-01-01T00:00:00Z",
        "ClosedTimestamp": null,
        "RemediationIDs": {
            "Items": null
        },
        "EvaluationLogicID": "",
        "VendorNormalized": "Amazon Linux",
        "ProductNormalized": "vim"
    },
    "ContentDataHash": 5922277130146744914,
    "Remediation": ["c0aec164d27431ff9fe21b91f3f06318"],
    "Details": null
}
},
],
"Detections": [
    {
        "Detection": {
            "id": "e4152bee-107c-47ea-b2ac-c6f77356ef6f",
            "name": "MalwareFoundInSnapshot",
            "type": "Malware",
            "title": "Malware Found in Snapshot",
            "description": "Falcon Malware Cloud Detection has detected a malicious file on
the filesystem",
            "remediation": "Review and remediate embedded malware.",
            "path": "",
            "hash": "",
            "severity": "High",
            "details": {
                "Hash": "73cbb7bc338e677c6b7d79508be6ee6b6d919480fd71044fc4828394ac4cb2de",
                "Path": "/home/ssm-
user/malware/73cbb7bc338e677c6b7d79508be6ee6b6d919480fd71044fc4828394ac4cb2de"
            }
        }
    }
]
}

```