

UTENTE



N...

one
to many

SEASON



ORTI

N...
PRODE

PRODA



N.
CROP



ID

NAME

LENGTH

WIDTH

LAST_CROP

WRR_CROP

—> SPECIES

UTENTE



SEASON

(PRIMAVERA
2022)

ORTO 1

ORTO 2

PRODA A

PRODA B

PRODA C

CROP 1 (AGUO
30x10)

CROP 2 (PORRABALO)

CROP 3



CROP

proda_id /
species_id
planting_scheme
area
sowing_date
methods /

get_total_plants()
get_expected_yield

SPECIES

base

top

Thigh

GPD mat

avg yield

bulbs kg

seeds kg

planting volumes

ID, NAME
CURRENT CROP
PAST CROP
SUGGESTED CROP
LENGTH
WIDTH
NOTES

GPS

TEMP. OFFSET

SPECIES

GARDENS


CROP

PHENOLOGY

CREATE SEASON

CREATE GARDEN

CREATE PRODA



0. SELECT PRODA
(IF ANY)

1. SELECT SPECIES

2. CHANGE PARAMS

~~PARAM~~ T° OFFSET
window | read
GDDMAT.EXTD

3

(PLANTING SCHEME
SOWING DATE



ADD CROP TO
PRODA

PRODA

☐ LARGA DI SOTTO

Temp offset

Proda width

Proda length

CROP

SELECT SPECIES

☐ GARLIC

GDDMAT

-20% ☐ +30%


PLANTING DENSITY

10

x

30


GARLIC



yield tot

GARDEN #1

LOCATION




LIVE WEATHER



FORECAST



PRODE



SOWING PLAN

DOWNLOAD



AGUO

POMODORO



PERSEPHONE | SPACES | CALCULATOR |

AREA

ABCD1



SPACES

TOMATO




VARIETY

SECCAGNO



Dist. b/w rows: (20)

Dist. wth rows: (30)



TEMP. OFFSET



AREA

15 2

PLANTS

3




EXP. YIELD
20 kg

REVENUE
1000 \$

SOWING

MATURITY



SAVE CROP

SECS

AREA
TEMP_OFFSET

OROP

TEMP_OFFSET - OVERBANDS