Aster Materials

CERTIFICATE OF ANALYSIS

Original

Product:	Aster Resin R1
Product Code:	AR1
Lot:	AS-26-0001
Certificate:	AS-COA-0001
Issue Date:	2026-10-01
Inspection Date:	2026-09-11
Delivery Date:	2026-10-03

Inspection Item	Result	Unit	LSL	USL	Test Method
Viscosity	101.6	mPa.s	95	110	ASTM D2196
Volatile Matter	0.01	%	0	0.10	QM-02
Propionic Acid	<0.01	%		0.05	GC-01
Potassium	ND	ppm		5	ICP-01

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Aster Materials

CERTIFICATE OF ANALYSIS

Continued

Product: Aster Resin R1

Product Code: AR1

Lot: AS-26-0001

Certificate: AS-COA-0001

Issue Date: 2026-10-01

Inspection Date: 2026-09-11

Delivery Date: 2026-10-03

Inspection Item	Result	Unit	LSL	USL	Test Method
Sodium	N.D.	ppm		5	ICP-01
Density	1,234.5	kg/m3	1200	1250	QM-06
Appearance	Pass				VISUAL
Impurity	Not Detected	ppm		1	GC-02

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Aster Materials

CERTIFICATE OF ANALYSIS

Original

Product:	Aster Resin R1
Product Code:	AR1
Lot:	AS-26-0002
Certificate:	AS-COA-0002
Issue Date:	2026-10-02
Inspection Date:	2026-09-12
Delivery Date:	2026-10-04

Inspection Item	Result	Unit	LSL	USL	Test Method
Viscosity	112.5	mPa.s	95	110	ASTM D2196
Volatile Matter	0.01	%	0	0.10	QM-02
Propionic Acid	<0.01	%		0.05	GC-01
Potassium	ND	ppm		5	ICP-01
Sodium	N.D.	ppm		5	ICP-01

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Aster Materials

CERTIFICATE OF ANALYSIS

Original

Product:	Aster Catalyst C2
Product Code:	AC2
Lot:	AS-26-0003
Certificate:	AS-COA-0003
Issue Date:	2026-10-03
Inspection Date:	2026-09-13
Delivery Date:	2026-10-05

Inspection Item	Result	Unit	LSL	USL	Test Method
Viscosity	101.6	mPa.s	95	110	ASTM D2196
Volatile Matter	0.01	%	0	0.10	QM-02
Propionic Acid	<0.01	%		0.05	GC-01

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA - NOT A REAL CERTIFICATE

検査成績書

青葉試薬株式会社

Aoba Reagents | 架空のテスト帳票

原本

製品名: 青葉溶液A

製品コード: AS1

ロット番号: AO-26-0004

成績書番号: AO-COA-0004

発行日: 2026-10-04

検査日: 2026-09-14

納品日: 2026-10-06

検査項目	試験方法	測定値	単位	下限	上限
粘度	JIS K7117	99.2	mPa.s	95	110
揮発分	QM-02	0.01	%	0	0.10
プロピオン酸	GC-01	<0.01	%		0.05
カリウム	ICP-01	ND	ppm		5

検査結果終了

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA - NOT A REAL CERTIFICATE

検査成績書

青葉試薬株式会社

Aoba Reagents | 架空のテスト帳票

続き

製品名: 青葉溶液A

製品コード: AS1

ロット番号: AO-26-0004

成績書番号: AO-COA-0004

発行日: 2026-10-04

検査日: 2026-09-14

納品日: 2026-10-06

検査項目	試験方法	測定値	単位	下限	上限
ナトリウム	ICP-01	N.D.	ppm		5
密度	QM-06	1,234.5	kg/m3	1200	1250
外観	VISUAL	Pass			
不純物	GC-02	Not Detected	ppm		1

検査結果終了

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA - NOT A REAL CERTIFICATE

Northstar Polymers

INSPECTION REPORT

Original

Product:
Northstar Polymer N1

Product Code:
NP1

Lot:
NO-26-0005

Certificate:
NO-COA-0005

Issue Date:
2026-10-05

Inspection Date:
2026-09-15

Delivery Date:
2026-10-07

Inspection Item	Unit	Result	Test Method	LSL	USL
Viscosity	mPa.s	99.5	ASTM D2196	95	110
Volatile Matter	%	0.01	QM-02	0	0.10
Propionic Acid	%	<0.01	GC-01		0.05
Potassium	ppm	ND	ICP-01		5
Sodium	ppm	N.D.	ICP-01		5

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA - NOT A REAL CERTIFICATE

検査成績書

青葉試薬株式会社

Aoba Reagents | 架空のテスト帳票

原本

製品名: 青葉粉末B

製品コード: AP2

ロット番号: AO-26-0006

成績書番号: AO-COA-0006

発行日: 2026-10-06

検査日: 2026-09-16

納品日: 2026-10-08

検査項目	試験方法	測定値	単位	下限	上限
粘度	JIS K7117	99.8	mPa.s	95	110
揮発分	QM-02	0.01	%	0	0.10
プロピオン酸	GC-01	<0.01	%		0.05
カリウム	ICP-01	ND	ppm		5

検査結果終了

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Northstar Polymers

INSPECTION REPORT

Original

Product:
Northstar Additive N2

Product Code:
NA2

Lot:
NO-26-0007

Certificate:
NO-COA-0007

Issue Date:
2026-10-07

Inspection Date:
2026-09-17

Delivery Date:
2026-10-09

Inspection Item	Unit	Result	Test Method	LSL	USL
Viscosity	mPa.s	101.6	ASTM D2196	95	110
Volatile Matter	%	0.01	QM-02	0	0.10
Propionic Acid	%	<0.01	GC-01		0.05
Acid Number	mg/g	>100	QM-09	90	
Appearance		Fail	VISUAL		
Color		N/A	VISUAL		
Range Result	mPa.s	95–110	QM-10		
Tolerance Result	mPa.s	100 ± 5	QM-11		

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Aster Materials

CERTIFICATE OF ANALYSIS

Original

Product: Aster Resin R1

Product Code: AR1

Lot: AS-26-0008

Certificate: AS-COA-0008

Issue Date: 2026-10-08

Inspection Date: 2026-09-18

Delivery Date: 2026-10-10

Inspection Item	Result	Unit	LSL	USL	Test Method
Viscosity	100.4	mPa.s	95	110	ASTM D2196
Volatile Matter	0.01	%	0	0.10	QM-02
Propionic Acid	<0.01	%		0.05	GC-01
Potassium	ND	ppm		5	ICP-01
Sodium	N.D.	ppm		5	ICP-01
Density	1,234.5	kg/m3	1200	1250	QM-06

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA — NOT A REAL CERTIFICATE

検査成績書

青葉試薬株式会社

Aoba Reagents　架空のテスト帳票

原本

製品名	青葉溶液A
製品コード	AS1
ロット番号	AO-26-0009
成績書番号	AO-COA-0009
発行日	2026-10-09
検査日	2026-09-19
出荷日	2026-10-11

検査項目	試験方法	測定値	単位	下限	上限
粘度	JIS K7117	100.7	mPa.s	95	110
揮発分	QM-02	0.01	%	0	0.10
プロピオン酸	GC-01	<0.01	%		0.05
カリウム	ICP-01	ND	ppm		5

検査結果終了

Approved by: Synthetic QA　架空承認者

This is a fictitious certificate for layout testing only.

検査成績書

青葉試薬株式会社

Aoba Reagents | 架空のテスト帳票

続き

製品名: 青葉溶液A

製品コード: AS1

ロット番号: AO-26-0009

成績書番号: AO-COA-0009

発行日: 2026-10-09

検査日: 2026-09-19

納品日: 2026-10-11

検査項目	試験方法	測定値	単位	下限	上限
ナトリウム	ICP-01	N.D.	ppm		5
密度	QM-06	1,234.5	kg/m3	1200	1250
外観	VISUAL	Pass			

検査結果終了

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA - NOT A REAL CERTIFICATE

Northstar Polymers

INSPECTION REPORT

Original

Product:
Northstar Polymer N1

Product Code:
NP1

Lot:
NO-26-0010

Certificate:
NO-COA-0010

Issue Date:
2026-10-10

Inspection Date:
2026-09-20

Delivery Date:
2026-10-12

Inspection Item	Unit	Result	Test Method	LSL	USL
Viscosity	mPa.s	101.0	ASTM D2196	95	110
Volatile Matter	%	0.01	QM-02	0	0.10
Propionic Acid	%	<0.01	GC-01		0.05
Potassium	ppm	ND	ICP-01		5

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Aster Materials

CERTIFICATE OF ANALYSIS

Original

Product: Aster Catalyst C2

Product Code: AC2

Lot: AS-26-0011

Certificate: AS-COA-0011

Issue Date: 2026-10-11

Inspection Date: 2026-09-21

Delivery Date: 2026-10-13

Inspection Item	Result	Unit	LSL	USL	Test Method
Viscosity	101.6	mPa.s	95	110	ASTM D2196
Volatile Matter	0.01	%	0	0.10	QM-02
Propionic Acid	<0.01	%		0.05	GC-01
Acid Number	>100	mg/g	90		QM-09
Appearance	Fail				VISUAL
Color	N/A				VISUAL
Range Result	95–110	mPa.s			QM-10

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA - NOT A REAL CERTIFICATE

検査成績書

青葉試薬株式会社

Aoba Reagents | 架空のテスト帳票

原本

製品名: 青葉粉末B

製品コード: AP2

ロット番号: AO-26-0012

成績書番号: AO-COA-0012

発行日: 2026-10-12

検査日: 2026-09-22

納品日: 2026-10-14

検査項目	試験方法	測定値	単位	下限	上限
粘度	JIS K7117	99.8	mPa.s	95	110
揮発分	QM-02	0.01	%	0	0.10
プロピオン酸	GC-01	<0.01	%		0.05
カリウム	ICP-01	ND	ppm		5
ナトリウム	ICP-01	N.D.	ppm		5

検査結果終了

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Northstar Polymers

INSPECTION REPORT

Original

Product:
Northstar Additive N2

Product Code:
NA2

Lot:
NO-26-0013

Certificate:
NO-COA-0013

Issue Date:
2026-10-13

Inspection Date:
2026-09-23

Delivery Date:
2026-10-15

Inspection Item	Unit	Result	Test Method	LSL	USL
Viscosity	mPa.s	101.6	ASTM D2196	95	110
Volatile Matter	%	[illegible]	QM-02	0	0.10
Propionic Acid	%	<0.01	GC-01		0.05
Acid Number	mg/g	>100	QM-09	90	

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Northstar Polymers

INSPECTION REPORT

Continued

Product:
Northstar Additive N2

Product Code:
NA2

Lot:
NO-26-0013

Certificate:
NO-COA-0013

Issue Date:
2026-10-13

Inspection Date:
2026-09-23

Delivery Date:
2026-10-15

Inspection Item	Unit	Result	Test Method	LSL	USL
Appearance		Fail	VISUAL		
Color		N/A	VISUAL		
Range Result	mPa.s	95–110	QM-10		
Tolerance Result	mPa.s	100 ± 5	QM-11		

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

Aster Materials

CERTIFICATE OF ANALYSIS

Original

Product: Aster Resin R1

Product Code: AR1

Lot:

Certificate: AS-COA-0014

Issue Date: 2026-10-14

Inspection Date: 2026-09-24

Delivery Date: 2026-10-16

Inspection Item	Result	Unit	LSL	USL	Test Method
Viscosity	102.2	mPa.s	95	110	ASTM D2196
Volatile Matter	0.01	%	0	0.10	QM-02
Propionic Acid	<0.01	%		0.05	GC-01
Potassium	ND	ppm		5	ICP-01

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA - NOT A REAL CERTIFICATE

検査成績書

青葉試薬株式会社

Aoba Reagents | 架空のテスト帳票

原本

製品名: 青葉溶液A

製品コード: AS1

ロット番号: AO-26-0015

成績書番号: AO-COA-0015

発行日: 2026-10-15

検査日: 2026-09-25

納品日:

検査項目	試験方法	測定値	単位	下限	上限
粘度	JIS K7117	102.5	mPa.s	95	110
揮発分	QM-02	0.01	%	0	0.10
プロピオン酸	GC-01	<0.01	%		0.05
カリウム	ICP-01	ND	ppm		5
ナトリウム	ICP-01	N.D.	ppm		5
密度	QM-06	1,234.5	kg/m3	1200	1250

検査結果終了

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.

SYNTHETIC TEST DATA - NOT A REAL CERTIFICATE

Northstar Polymers

INSPECTION REPORT

Original

Product:
Northstar Polymer N1

Product Code:
NP1

Lot:
NO-26-0016

Certificate:
NO-COA-0016

Issue Date:
2026-10-16

Inspection Date:
2026-09-26

Delivery Date:
2026-10-18

Inspection Item	Unit	Result	Test Method	LSL	USL
Viscosity	mPa.s	102.8	ASTM D2196	95	110
Volatile Matter		0.01	QM-02	0	0.10
Propionic Acid	%	<0.01	GC-01		0.05
Potassium	ppm	ND	ICP-01		5
Sodium	ppm	N.D.	ICP-01		5

END OF RESULTS

Approved by: Synthetic QA / 架空承認者

Training fixture only. Values do not describe a real product.