


立体構造生成の品質評価


source: /gs/bs/tga-ohuelab/sakano/git/pocket-conditioned-ligand-gen/outputs/gen_eval/eval_data.npz **checkpoint:** pocket-ligand-lm/g79let5b/checkpoints/lm-e09-vl1.4088.ckpt

- pockets: **100**
- generated molecules: **10000** · ground-truth: **100**
- **RDKit-valid (OpenBabel + largest-frag, DiffSBDD式):** gen **95%** / GT **97%**
- **PB-valid (PoseBusters geometry, DiffGui式):** gen **34%** / GT **69%**
- geometric-valid: gen **50%** / GT **94%** (手法別は次ページの比較表)


各セル = 1プロット。赤=生成 / 青=正解(GT)。






Min interatomic distance (clash check)



Heavy-atom count per ligand







Validity by method (generated vs ground-truth)

validity method	generated	ground-truth
Connected (1 fragment)	77%	99%
No clash (≥ 1.0 Å)	70%	98%
Geometric (conn.+no-clash)	50%	94%
RDKit (charge=0, strict)	5%	9%
RDKit (charge search)	17%	27%
RDKit (UFF-relaxed)	16%	23%
OpenBabel + largest-frag (DiffSBDD)	95%	97%
PoseBusters geom (DiffGui PB-valid)	34%	69%
True SDF bonds (GT reference)	—	100%

Ligand centroid $\rightarrow$ pocket centroid distance

