

Math Notes

Yuchen Wang

January 26, 2019

Contents

1	Hyperbolic Functions	2
2	Trigonometric Formulas	2
3	Arc functions	2
4	Cross Product	2
5	Derivative of Logarithmic Functions	3

1 Hyperbolic Functions

$$\sinh(x) = \frac{e^x - e^{-x}}{2}$$

$$\cosh(x) = \frac{e^x + e^{-x}}{2}$$

2 Trigonometric Formulas

$$\cos(a+b) = \cos(a)\cos(b) - \sin(a)\sin(b)$$

$$\sin(a+b) = \cos(a)\sin(b) + \sin(a)\cos(b)$$

3 Arc functions

4 Cross Product

Definition In 3-dimensional Euclidean space only, the cross product of vectors \mathbf{a} and \mathbf{b} is

$$\mathbf{a} \times \mathbf{b} = \begin{pmatrix} a_2b_3 - a_3b_2 \\ a_3b_1 - a_1b_3 \\ a_1b_2 - a_2b_1 \end{pmatrix}$$

Remark "xia, dafan, shang"

Properties

1. $\mathbf{a} \times \mathbf{b}$ is orthogonal to both \mathbf{a} and \mathbf{b}
2. $|\mathbf{a} \times \mathbf{b}| = |\mathbf{a}||\mathbf{b}|\sin\theta$. This says that the length $\mathbf{a} \times \mathbf{b}$ equals the area of the parallelogram generated by \mathbf{a} and \mathbf{b} .
3. $\mathbf{a} \times \mathbf{b} = -\mathbf{b} \times \mathbf{a}$
4. $(c_1\mathbf{a}_1 + c_2\mathbf{a}_2) \times \mathbf{b} = c_1\mathbf{a}_1 \times \mathbf{b} + c_2\mathbf{a}_2 \times \mathbf{b}$
5. $\mathbf{i} \times \mathbf{j} = \mathbf{k}$ and $\mathbf{j} \times \mathbf{k} = \mathbf{i}$ and $\mathbf{k} \times \mathbf{i} = \mathbf{j}$
6. *Not* associative: $(\mathbf{a} \times \mathbf{b}) \times \mathbf{c} \neq \mathbf{a} \times (\mathbf{b} \times \mathbf{c})$

5 Derivative of Logarithmic Functions

$$\frac{d}{dx} \log_a x = \frac{1}{x \cdot \ln(a)}$$