


Lab8 Basic Router

Topology



PC3 (10.0.4.10) PC4 (10.0.5.10)

Config R1

```
R1(config-if)#  
*Jul 23 10:59:33.070: ALL modules are online!  
R1(config-if)#ip address 10.0.4.1 255.255.255.0  
R1(config-if)#no shutdown  
R1(config-if)#exit
```

```
R1(config)#interface g0/0/1  
R1(config-if)#ip address 10.0.5.1 255.255.255.0  
R1(config-if)#no shutdown  
R1(config-if)#exit  
R1(config)#exit
```

Show IP interface R1

```
R1#show
*Jul 23 11:00:34.119: %SYS-5-CONFIG_I: Configured from console by console
R1#show ip interface brief
Interface                IP-Address      OK? Method Status      Protocol
GigabitEthernet0/0/0     10.0.4.1        YES manual up          up
GigabitEthernet0/0/1     10.0.5.1        YES manual up          up
GigabitEthernet0/0/2     unassigned      YES unset  down        down
GigabitEthernet0/0/3     unassigned      YES unset  down        down
Serial0/1/0              unassigned      YES unset  up          up
Serial0/1/1              unassigned      YES unset  up          up
```

R1 ping to switch (10.0.4.1) and PC 3 (10.0.4.10)

success

```
R1#ping 10.0.4.1
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 10.0.4.1, timeout is 2 seconds:
!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms
R1#ping 10.0.4.10
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 10.0.4.10, timeout is 2 seconds:
!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms
```

PC3 (10.0.4.10) ping to PC4 (10.0.5.10)

success

```
C:\Users\computer>ping 10.0.5.10

Pinging 10.0.5.10 with 32 bytes of data:
Reply from 10.0.5.10: bytes=32 time=1ms TTL=127
Reply from 10.0.5.10: bytes=32 time<1ms TTL=127
Reply from 10.0.5.10: bytes=32 time=2ms TTL=127
Reply from 10.0.5.10: bytes=32 time<1ms TTL=127

Ping statistics for 10.0.5.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms
```

PC4 (10.0.5.10) ping to PC3 (10.0.4.10)

success

```
C:\Users\CY-VIP-Malware EArth>ping 10.0.4.1

Pinging 10.0.4.1 with 32 bytes of data:
Reply from 10.0.4.1: bytes=32 time<1ms TTL=255
Reply from 10.0.4.1: bytes=32 time<1ms TTL=255
Reply from 10.0.4.1: bytes=32 time<1ms TTL=255
Reply from 10.0.4.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.0.4.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\CY-VIP-Malware EArth>|
```