select profilesID,name,tel,age,birthday from profiles where name='高橋 +-----+ | profilesID | name | tel | age | birthday | +-----+ 5 | 高橋 清 | 090-9900-1234 | 24 | 2000-12-24 | +-----+ 1 row in set (0.00 sec)

1 row in set (0.00 sec)

mysql>
[漢元目前2017/12/05 15:36:08]
Last login: Two Dec 5 13:02:11 on ttys001
Last login: Two Dec 5 13:02:11 on ttys001
Restored session: 2017年 12月 5日 火曜日 15時36分 86秒 35T
matsul.nobip. matsulkojib. mysql — hlocalhost — u Koji —p
Enter password:
Welcome to the MysQL monitor. Commands end with ; or \g.
Your MysQL connection id is 12
Server version: 5.7.20 Homebrew

Copyright (c) 2000, 2017, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective $% \left(1\right) =\left\{ 1\right\} =\left\{$

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> select profilesID,name,tel,age,birthday from profiles; ERROR 1846 (30000): No database selected mysql> use Koji_db; Reading table information for completion of table and column names You can turn off this feature to get a quicker startup with —A

Database changed mysql> select profilesID,name,tel,age,birthday from profiles;

profilesID	name	tel	age	birthday	
1	田中 実	012-345-6789	30	1994-02-01	
2	鈴木 茂	090-1122-3344	37	1987-08-12	
3	鈴木 実	080-5566-7788	24	2000-12-24	
4	佐藤 清	012-0987-6543	19	2005-08-01	
1 5	高橋 清	090-9900-1234	24	2000-12-24	

5 rows in set (0.00 sec)

mysql> select profilesID,name,tel,age,birthday from profiles where name='高橋 清';

profi	lesID	i	name		į	tel	į	age	į	birthday	i
1	5	i	高橋	清	1	090-9900-1234	i	24	i	2000-12-24	1

1 row in set (0.00 sec)

mysql>