

```
CREATE TABLE profiles(profilesID int,name varchar(255),tel varchar(255),age int,birthday date);
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> insert into user (profilesID int,name varchar(255),tel varchar(255),age int,birthday date);)
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL
server version for the right syntax to use near 'int,name varchar(255),tel varchar(255),age int,birthday date)' at line 1
-> insert into user(profilesID int,name varchar(255),tel varchar(255),age int,birthday date) values(1,'田中 実
','012-345-6789',30,'1994-02-01');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL
server version for the right syntax to use near ')'
insert into user(profilesID int,name varchar(255),tel varchar(255),age int,bir' at line 1
mysql> INSERT INTO User(profilesID int,name varchar(255),tel varchar(255),age int,birthday date) VALUES(1,'田中
実','012-345-6789',30,'1994-02-01');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL
server version for the right syntax to use near 'int,name varchar(255),tel varchar(255),age int,birthday date) VALUES(1,'
田中' at line 1
mysql> INSERT INTO profeiles(profilesID int,name varchar(255),tel varchar(255),age int,birthday date) VALUES(1,'田
中 実','012-345-6789',30,'1994-02-01');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL
server version for the right syntax to use near 'int,name varchar(255),tel varchar(255),age int,birthday date) VALUES(1,'
田中' at line 1
mysql> INSERT INTO profeiles VALUES(1,'田中 実','012-345-6789',30,'1994-02-01');
ERROR 1146 (42S02): Table 'koji_db.profeiles' doesn't exist
mysql> INSERT INTO profiles VALUES(1,'田中 実','012-345-6789',30,'1994-02-01');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO profiles VALUES(2,'鈴木 茂','090-1122-3344',37,'1987-08-12');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO profeiles VALUES(3,'鈴木 実','080-5566-7788',24,'2000-12-24');
ERROR 1146 (42S02): Table 'koji_db.profeiles' doesn't exist
mysql> INSERT INTO profeiles VALUES(3,'鈴木 実','080-5566-7788',24,'2000-12-24');
ERROR 1146 (42S02): Table 'koji_db.profeiles' doesn't exist
mysql> INSERT INTO profiles VALUES(3,'鈴木 実','080-5566-7788',24,'2000-12-24');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO profiles VALUES(3,'鈴木 実','080-5566-7788',24,'2000-12-24');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO profiles VALUES(4,'佐藤 清','012-0987-6543',19,'2005-08-01');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO profiles VALUES(5,'高橋 清','090-9900-1234',24,'2000-12-24');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select profilesID,name,tel,age,birthday from profiles;
```

profilesID	name	tel	age	birthday
1	田中 実	012-345-6789	30	1994-02-01
2	鈴木 茂	090-1122-3344	37	1987-08-12
3	鈴木 実	080-5566-7788	24	2000-12-24
3	鈴木 実	080-5566-7788	24	2000-12-24
4	佐藤 清	012-0987-6543	19	2005-08-01
5	高橋 清	090-9900-1234	24	2000-12-24

```
6 rows in set (0.00 sec)
```

```
mysql> delete from profieles where profilesID=3;
ERROR 1146 (42S02): Table 'koji_db.profieles' doesn't exist
mysql> delete from profiles where profilesID=3;
Query OK, 2 rows affected (0.00 sec)
```

```
mysql> select profilesID,name,tel,age,birthday from profiles;
+-----+-----+-----+-----+-----+
| profilesID | name      | tel      | age | birthday |
+-----+-----+-----+-----+-----+
| 1 | 田中 実   | 012-345-6789 | 30 | 1994-02-01 |
| 2 | 鈴木 茂   | 090-1122-3344 | 37 | 1987-08-12 |
| 4 | 佐藤 清   | 012-0987-6543 | 19 | 2005-08-01 |
| 5 | 高橋 清   | 090-9900-1234 | 24 | 2000-12-24 |
+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> INSERT INTO profiles VALUES(3,'鈴木 実','080-5566-7788',24,'2000-12-24');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select profilesID,name,tel,age,birthday from profiles;
+-----+-----+-----+-----+-----+
| profilesID | name      | tel      | age | birthday |
+-----+-----+-----+-----+-----+
| 1 | 田中 実   | 012-345-6789 | 30 | 1994-02-01 |
| 2 | 鈴木 茂   | 090-1122-3344 | 37 | 1987-08-12 |
| 4 | 佐藤 清   | 012-0987-6543 | 19 | 2005-08-01 |
| 5 | 高橋 清   | 090-9900-1234 | 24 | 2000-12-24 |
| 3 | 鈴木 実   | 080-5566-7788 | 24 | 2000-12-24 |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> delete from profiles where profilesID=4;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> delete from profiles where profilesID=5;
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO profiles VALUES(4,'佐藤 清','012-0987-6543',19,'2005-08-01');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> INSERT INTO profiles VALUES(5,'高橋 清','090-9900-1234',24,'2000-12-24');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select profilesID,name,tel,age,birthday from profiles;
+-----+-----+-----+-----+-----+
| profilesID | name      | tel      | age | birthday |
+-----+-----+-----+-----+-----+
| 1 | 田中 実   | 012-345-6789 | 30 | 1994-02-01 |
| 2 | 鈴木 茂   | 090-1122-3344 | 37 | 1987-08-12 |
| 3 | 鈴木 実   | 080-5566-7788 | 24 | 2000-12-24 |
| 4 | 佐藤 清   | 012-0987-6543 | 19 | 2005-08-01 |
| 5 | 高橋 清   | 090-9900-1234 | 24 | 2000-12-24 |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql>
mysql>
```

```

|      3 | 鈴木 実 | 080-5566-7788 | 24 | 2000-12-24 |
|      3 | 鈴木 実 | 080-5566-7788 | 24 | 2000-12-24 |
|      4 | 佐藤 清 | 012-0987-6543 | 19 | 2005-08-01 |
|      5 | 高橋 清 | 090-9900-1234 | 24 | 2000-12-24 |
+-----+
6 rows in set (0.00 sec)

mysql> delete from profiles where profilesID=3;
ERROR 1146 (42S02): Table 'koji_db.profiles' doesn't exist
mysql> delete from profiles where profilesID=3;
Query OK, 2 rows affected (0.00 sec)

mysql> select profilesID,name,tel,age,birthday from profiles;
+-----+
| profilesID | name | tel | age | birthday |
+-----+
|      1 | 田中 実 | 012-345-6789 | 30 | 1994-02-01 |
|      2 | 鈴木 茂 | 090-1122-3344 | 37 | 1987-08-12 |
|      4 | 佐藤 清 | 012-0987-6543 | 19 | 2005-08-01 |
|      5 | 高橋 清 | 090-9900-1234 | 24 | 2000-12-24 |
+-----+
4 rows in set (0.00 sec)

mysql> INSERT INTO profiles VALUES(3,'鈴木 実','080-5566-7788',24,'2000-12-24');
Query OK, 1 row affected (0.01 sec)

mysql> select profilesID,name,tel,age,birthday from profiles;
+-----+
| profilesID | name | tel | age | birthday |
+-----+
|      1 | 田中 実 | 012-345-6789 | 30 | 1994-02-01 |
|      2 | 鈴木 茂 | 090-1122-3344 | 37 | 1987-08-12 |
|      4 | 佐藤 清 | 012-0987-6543 | 19 | 2005-08-01 |
|      5 | 高橋 清 | 090-9900-1234 | 24 | 2000-12-24 |
|      3 | 鈴木 実 | 080-5566-7788 | 24 | 2000-12-24 |
+-----+
5 rows in set (0.00 sec)

mysql> delete from profiles where profilesID=4;
Query OK, 1 row affected (0.01 sec)

mysql> delete from profiles where profilesID=5;
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO profiles VALUES(4,'佐藤 清','012-0987-6543',19,'2005-08-01');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO profiles VALUES(5,'高橋 清','090-9900-1234',24,'2000-12-24');
Query OK, 1 row affected (0.00 sec)

mysql> select profilesID,name,tel,age,birthday from profiles;
+-----+
| profilesID | name | tel | age | birthday |
+-----+
|      1 | 田中 実 | 012-345-6789 | 30 | 1994-02-01 |
|      2 | 鈴木 茂 | 090-1122-3344 | 37 | 1987-08-12 |
|      3 | 鈴木 実 | 080-5566-7788 | 24 | 2000-12-24 |
|      4 | 佐藤 清 | 012-0987-6543 | 19 | 2005-08-01 |
|      5 | 高橋 清 | 090-9900-1234 | 24 | 2000-12-24 |
+-----+
5 rows in set (0.00 sec)

mysql> █

```