

TO DO LIST PROJECT WORK

HTML CODE

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>

  <title>To-Do List</title>

  <link rel="stylesheet" href="styles.css" />

</head>

<body>

  <div class="container">

    <h1>To-Do List</h1>

    <div class="input-group">

      <input type="text" id="taskInput" placeholder="Enter a new task..." />

      <button onclick="addTask()">Add</button>

    </div>

    <ul id="taskList"></ul>

  </div>

  <script src="script.js"></script>

</body>

</html>
```

CSS CODE

```
body {

  font-family: 'Segoe UI', sans-serif;

  background: #f0f2f5;

  margin: 0;

  padding: 0;

  display: flex;

  justify-content: center;
```

```
align-items: flex-start;
height: 100vh;
}
```

```
.container {
margin-top: 50px;
background: #fff;
padding: 30px;
border-radius: 10px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
width: 100%;
max-width: 400px;
}
```

```
h1 {
text-align: center;
color: #333;
}
```

```
.input-group {
display: flex;
margin-bottom: 20px;
}
```

```
input[type="text"] {
flex: 1;
padding: 10px;
font-size: 16px;
}
```

```
button {
```

```
padding: 10px 15px;
background: #007bff;
color: white;
border: none;
cursor: pointer;
}
```

```
button:hover {
  background: #0056b3;
}
```

```
ul {
  list-style: none;
  padding: 0;
}
```

```
li {
  background: #f9f9f9;
  padding: 10px 15px;
  margin-bottom: 10px;
  border-radius: 5px;
  display: flex;
  justify-content: space-between;
  align-items: center;
}
```

```
li.completed {
  text-decoration: line-through;
  opacity: 0.6;
}
```

```
.actions button {  
  background: none;  
  border: none;  
  cursor: pointer;  
  margin-left: 10px;  
  color: #555;  
}
```

JAVASCRIPT CODE

```
document.addEventListener("DOMContentLoaded", loadTasks);
```

```
function addTask() {  
  const input = document.getElementById("taskInput");  
  const taskText = input.value.trim();
```

```
  if (taskText === "") return;
```

```
  const task = {  
    text: taskText,  
    completed: false,  
    id: Date.now()  
  };
```

```
  saveTask(task);  
  renderTask(task);  
  input.value = "";  
}
```

```
function renderTask(task) {  
  const list = document.getElementById("taskList");  
  
  const li = document.createElement("li");
```

```
li.className = task.completed ? "completed" : "";
li.setAttribute("data-id", task.id);

const span = document.createElement("span");
span.textContent = task.text;

const actions = document.createElement("div");
actions.classList.add("actions");

const toggleBtn = document.createElement("button");
toggleBtn.textContent = "✓";
toggleBtn.onclick = () => toggleComplete(task.id);

const deleteBtn = document.createElement("button");
deleteBtn.textContent = "🗑";
deleteBtn.onclick = () => deleteTask(task.id);

actions.appendChild(toggleBtn);
actions.appendChild(deleteBtn);

li.appendChild(span);
li.appendChild(actions);

list.appendChild(li);
}

function toggleComplete(id) {
  const tasks = getTasks();
  const updatedTasks = tasks.map(task => {
    if (task.id === id) task.completed = !task.completed;
    return task;
  });
}
```

```
});
```

```
    saveTasks(updatedTasks);
```

```
    refreshTasks();
```

```
}
```

```
function deleteTask(id) {
```

```
    const tasks = getTasks().filter(task => task.id !== id);
```

```
    saveTasks(tasks);
```

```
    refreshTasks();
```

```
}
```

```
function getTasks() {
```

```
    return JSON.parse(localStorage.getItem("tasks") || "[]");
```

```
}
```

```
function saveTasks(tasks) {
```

```
    localStorage.setItem("tasks", JSON.stringify(tasks));
```

```
}
```

```
function saveTask(task) {
```

```
    const tasks = getTasks();
```

```
    tasks.push(task);
```

```
    saveTasks(tasks);
```

```
}
```

```
function loadTasks() {
```

```
    const tasks = getTasks();
```

```
    tasks.forEach(renderTask);
```

```
}
```

```
function refreshTasks() {  
    document.getElementById("taskList").innerHTML = "";  
    loadTasks();  
}
```