



US 20240251667A1

(19) **United States**(12) **Patent Application Publication**  
**TAKEDA et al.**(10) **Pub. No.: US 2024/0251667 A1**(43) **Pub. Date: Jul. 25, 2024**(54) **ORGANIC COMPOUND, OPTICAL DEVICE,  
LIGHT-EMITTING DEVICE,  
LIGHT-EMITTING APPARATUS,  
ELECTRONIC DEVICE, AND LIGHTING  
DEVICE**(71) Applicant: **SEMICONDUCTOR ENERGY  
LABORATORY CO., LTD.,**  
ATSUGI-SHI (JP)(72) Inventors: **Kyoko TAKEDA**, Atsugi (JP); **Harue  
OSAKA**, Atsugi (JP); **Hiroshi  
KADOMA**, Sagamihara (JP); **Satoshi  
SEO**, Sagamihara (JP); **Tsunenori  
SUZUKI**, Yokohama (JP); **Naoaki  
HASHIMOTO**, Sagamihara (JP)(73) Assignee: **SEMICONDUCTOR ENERGY  
LABORATORY CO., LTD.,**  
ATSUGI-SHI (JP)(21) Appl. No.: **18/585,268**(22) Filed: **Feb. 23, 2024****Related U.S. Application Data**(63) Continuation of application No. 17/116,222, filed on  
Dec. 9, 2020, now Pat. No. 11,917,908.**Foreign Application Priority Data**

Dec. 12, 2019 (JP) ..... 2019-224651

**Publication Classification**(51) **Int. Cl.**  
**H10K 85/60** (2006.01)  
**C07D 209/88** (2006.01)  
**C07D 405/12** (2006.01)  
**C07D 493/04** (2006.01)  
**C09K 11/06** (2006.01)  
**H10K 50/11** (2006.01)(52) **U.S. Cl.**CPC ..... **H10K 85/636** (2023.02); **C07D 209/88**  
(2013.01); **C07D 405/12** (2013.01); **C07D**  
**493/04** (2013.01); **C09K 11/06** (2013.01);  
**H10K 85/633** (2023.02); **C09K 2211/1022**  
(2013.01); **H10K 50/11** (2023.02); **H10K**  
**85/615** (2023.02); **H10K 85/622** (2023.02);  
**H10K 85/6572** (2023.02); **H10K 85/6574**  
(2023.02)

(57)

**ABSTRACT**

A novel organic compound represented by General Formula (G1) is provided. In General Formula (G1), X<sup>1</sup> and X<sup>2</sup> each independently represent a secondary or tertiary alkyl group having 3 to 6 carbon atoms and having a branched carbon atom which is bonded to a phenyl group. In addition, Ar<sup>1</sup> represents a substituted or unsubstituted condensed aromatic ring skeleton having 10 to 60 carbon atoms and composed of two or more rings or a substituted or unsubstituted condensed heteroaromatic ring skeleton having 8 to 60 carbon atoms and composed of two or more rings. Furthermore, Ar<sup>2</sup> represents a substituted or unsubstituted aryl group having 6 to 25 carbon atoms. Moreover, n represents any of 1 to 3, and in the case where n is 2 or more, two or more groups bonded to Ar<sup>1</sup> may be identical or different.

