

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2024/0213465 A1 KIM et al.

Jun. 27, 2024 (43) **Pub. Date:**

(54) POSITIVE ACTIVE MATERIAL FOR RECHARGEABLE LITHIUM BATTERY AND RECHARGEABLE LITHIUM BATTERY INCLUDING THE SAME

(71) Applicant: SAMSUNG SDI CO., LTD., Yongin-si, Gyeonggi-do (KR)

(72) Inventors: Jinhwa KIM, Yongin-si (KR); Minhan KIM, Yongin-si (KR); Jihyun SEOG, Yongin-si (KR); Youngjoo CHAE, Yongin-si (KR); Soonrewl LEE, Yongin-si (KR); Wooyoung YANG, Yongin-si (KR); Ickkyu CHOI, Yongin-si (KR); Jongmin KIM,

Yongin-si (KR); Jongsan IM, Yongin-si

(KR)

(21) Appl. No.: 18/366,545

(22)Filed: Aug. 7, 2023

(30)Foreign Application Priority Data

Dec. 14, 2022	(KR)	10-2022-0175050
Jun. 8, 2023	(KR)	10-2023-0073465

Publication Classification

(51) Int. Cl. H01M 4/525 (2006.01)C01G 53/00 (2006.01)

H01M 4/02	(2006.01)
H01M 4/36	(2006.01)
H01M 4/505	(2006.01)
H01M 4/88	(2006.01)
H01M 10/0525	(2006.01)
H01M 10/44	(2006.01)

(52) U.S. Cl.

CPC H01M 4/525 (2013.01); C01G 53/50 (2013.01); H01M 4/362 (2013.01); H01M 4/505 (2013.01); H01M 4/8882 (2013.01); H01M 10/0525 (2013.01); H01M 10/44 (2013.01); C01P 2006/40 (2013.01); H01M 2004/028 (2013.01); H01M 2220/00 (2013.01)

(57)**ABSTRACT**

Disclosed are a positive active material for a rechargeable lithium battery, and a rechargeable lithium battery including the same. The positive active material for a rechargeable lithium battery includes a first positive active material including a secondary particle including lithium nickelbased composite oxide wherein in the secondary particle, a plurality of primary particles are aggregated and zirconium on the surface of the secondary particle, and a second positive active material including a single particle including lithium nickel-based composite oxide and zirconium on the surface of the single particle, wherein a ratio of a Zr content (at %) relative to all elements on the surface of the single particle of the second positive active material to a Zr content (at %) to all elements on the surface of the secondary particle of the first positive active material is about 1.5 to about 3.0.

