

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2023/0231142 A1

Archer et al.

Jul. 20, 2023 (43) Pub. Date:

C08G 75/045 (2006.01)C09D 181/02 (2006.01)

MAKING SAME, AND USES THEREOF

POLYMER NETWORKS, METHODS OF

(54) FUNCTIONALIZED CROSS-LINKED

(71) Applicant: CORNELL UNIVERSITY, Ithaca, NY (US)

Inventors: Lynden A. Archer, Ithaca, NY (US); Sanjuna Stalin, Perungu (IN)

(21) Appl. No.: 17/927,784

PCT Filed: (22)Jun. 1, 2021

(86) PCT No.: PCT/US2021/035274

§ 371 (c)(1),

(2) Date: Nov. 25, 2022

Related U.S. Application Data

(60) Provisional application No. 63/032,616, filed on May 30, 2020.

Publication Classification

(51) Int. Cl. H01M 4/62 (2006.01)H01M 4/134 (2006.01)(2006.01)H01M 10/0525

CPC H01M 4/628 (2013.01); H01M 4/134 (2013.01); H01M 10/0525 (2013.01); C08G

75/045 (2013.01); C09D 181/02 (2013.01);

H01M 2004/027 (2013.01)

(57)ABSTRACT

U.S. Cl.

In various examples, a functionalized cross-linked polymer network includes a plurality of cross-linked multifunctional trione triazine groups, a plurality of disulfide groups, a plurality of cross-linked multifunctional ether groups, a plurality of cross-linked multifunctional polyether groups, or a combination thereof, a plurality of crosslinking multifunctional polyether groups, and a plurality of dangling groups, where individual cross-linked multifunctional trione triazine groups and/or cross-linked multifunctional disulfide groups and/or cross-linked multifunctional ether groups and/or cross-linked multifunctional polyether groups and individual crosslinking multifunctional polyether groups are connected by one or more covalent bond(s) and individual dangling groups may be connected to the network by a covalent bond. At least a portion of or all of the dangling groups may be halogenated. A functionalized cross-linked polymer network may be made by polymerization (e.g., Thiol-ene reach on(s)) of one or more functionalized monomer(s) and one or more multifunctional monomer(s).