```python
In [43]: import pandas as pd
```

```python
In [44]: data=pd.read_csv("/home/placement/Downloads/fiat500.csv")
```

```python
In [45]: data.head()
```

Out[45]:

	ID	model	engine_power	age_in_days	km	previous_owners	lat	lon	price
0	1	lounge	51	882	25000	1	44.907242	8.611560	8900
1	2	pop	51	1186	32500	1	45.666359	12.241890	8800
2	3	sport	74	4658	142228	1	45.503300	11.417840	4200
3	4	lounge	51	2739	160000	1	40.633171	17.634609	6000
4	5	pop	73	3074	106880	1	41.903221	12.495650	5700

```python
In [46]: data1=data.drop(['lat','lon','ID'],axis=1)
```

```python
In [47]: data1.head()
```

Out[47]:

	model	engine_power	age_in_days	km	previous_owners	price
0	lounge	51	882	25000	1	8900
1	pop	51	1186	32500	1	8800
2	sport	74	4658	142228	1	4200
3	lounge	51	2739	160000	1	6000
4	pop	73	3074	106880	1	5700

```python
In [48]: data=pd.get_dummies(data)
```

In [49]:
```python
data.shape
```

Out[49]: (1538, 11)

In [50]:
```python
y=data['price']
```

In [51]:
```python
x=data.drop('price',axis=1)
```

In [52]:
```python
y
```

Out[52]:
```
0        8900
1        8800
2        4200
3        6000
4        5700
         ...
1533     5200
1534     4600
1535     7500
1536     5990
1537     7900
Name: price, Length: 1538, dtype: int64
```

In [53]:
```python
from sklearn.model_selection import train_test_split
x_train, x_test, y_train, y_test = train_test_split(x, y, test_size=0.33,random_state=42)
```

In [54]:
```python
from sklearn.model_selection import GridSearchCV
from sklearn.linear_model import Ridge
alpha=[1e-15,1e-10,1e-8,1e-4,1e-3,1e-2,1,5,10,20,30]
ridge=Ridge()
parameters={'alpha':alpha}
ridge_regressor=GridSearchCV(ridge,parameters)
ridge_regressor.fit(x_train,y_train)
```

```
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=9.5143e-26): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.38942e-26): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=6.45639e-26): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=6.93626e-23): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.09552e-23): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.00948e-23): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.57945e-23): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.22998e-23): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=6.92606e-21): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.09075e-21): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.01957e-21): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
```

```
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.57225e-21): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.23226e-21): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=6.92596e-17): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.09069e-17): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.01967e-17): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.57214e-17): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
/home/placement/anaconda3/lib/python3.10/site-packages/sklearn/linear_model/_ridge.py:216: LinAlgWarning: I
ll-conditioned matrix (rcond=7.23225e-17): result may not be accurate.
  return linalg.solve(A, Xy, assume_a="pos", overwrite_a=True).T
```

Out[54]:
```
GridSearchCV(estimator=Ridge(),
             param_grid={'alpha': [1e-15, 1e-10, 1e-08, 0.0001, 0.001, 0.01, 1,
                                    5, 10, 20, 30]})
```

In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.
On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.

In [55]:
```
ridge_regressor.best_params_
{'alpha':30}
```

Out[55]: `{'alpha': 30}`

In [57]:
```
ridge=Ridge(alpha=30)
ridge.fit(x_train,y_train)
y_pred_ridge=ridge.predict(x_test)
```

In [61]:
```python
from sklearn.metrics import mean_squared_error
Ridge_Error=mean_squared_error(y_pred_ridge,y_test)
Ridge_Error
```

Out[61]: 574728.5696156605

In [63]:
```python
from sklearn.metrics import r2_score
r2_score(y_test,y_pred_ridge)
```

Out[63]: 0.8435021284061197

In [ ]:

In [ ]:

In [ ]: